

DAFTAR PUSTAKA

- Agarwal A. and Prabhakaran S.A. (2005). Mechanism, measurement and prevention of oxidative stress in male reproductive physiology. *Ind. J. Exp. Biol.*, 43(11), 963-974.
- Alam, M., Islam, F.K.M., Hoque, M.R., Uddin, N., Quader, Md.N., Hossain, Md.I. and Nine, Md.Z. (2016). Clinical Investigation of Reproductive Cases in Cows and Buffaloes at Teaching Veterinary Hospitals in India. *J Dairy Vet Anim Res.*, 4(1), 227-231. Available at: <https://doi.org/10.15406/jdvar.2016.04.00105>
- Altan O., Pabuccuoglu A., Alton A., Konyalioglu S. and Bayraktar H. (2003). Effect of heat stress on oxidative stress, lipid per oxidation and some stress parameters in broilers. *Br. Poult. Sci.*, 4(4), 545-550. Available at: <https://doi.org/10.1080/00071660310001618334>
- Ametaj, B.N. (2017). *Periparturient Diseases of Dairy Cows: A Systems Biology Approach*. Switzerland: Springer International Publishing.
- Amin, Y.A. and Hussein, H. A. (2022). Latest update on predictive indicators, risk factors and 'Omic' technologies research of retained placenta in dairy cattle – A review. *Reproduction in Domestic Animals*, 57(7), 687– 700. Available at: <https://doi.org/10.1111/rda.14115>
- Asres, A. and Amha, N. (2014). Effects of stress on animal health: a review. *Journal of Biology, Agriculture and Healthcare*, 4(27), 116-121.
- Attupuram, N.M., Kumaresan, A., Narayanan, K. and Kumar, H. (2016). Cellular and molecular mechanisms involved in placental separation in the bovine: A review. *Molecular reproduction and development*, 83(4), 287–297. Available at: <https://doi.org/10.1002/mrd.22635>
- Barger, A. M. and MacNeill, A. L. (2015). *Clinical Pathology and Laboratory Techniques for Veterinary Technicians*. 1st edn. USA: Wiley-Blackwell.
- Beagley, J.C., Whitman, K.J., Baptiste, K.E. and Scherzer, J. (2010). Physiology and treatment of retained fetal membranes in cattle. *Journal of veterinary internal medicine*, 24(2), 261–268. Available at: <https://doi.org/10.1111/j.1939-1676.2010.0473.x>
- Belgania, R.H. (2021). *Fisiologi kelahiran pada sapi* [online]. BBPKH Cinagara. Available at: <https://bbpkhcinagara.com/site/detail-blog-fisiologi-kelahiran-pada-sapi> (Accessed 21 July 2023).
- Blowey, R.W. (2016). *The veterinary book for dairy farmers*. 4th edn. Sheffield, UK: 5M Publishing Ltd.
- Bourne, N., Laven, R. and Wathes, D.C. (2007). A metaanalysis of the effects of vitamin E supplementation on the incidence of retained foetal membranes in dairy cows. *Theriogenology*, 67(3), 494-501. Available at: <https://doi.org/10.1016/j.theriogenology.2006.08.015>
- Brooks, M.B., Harr, K.E., Seelig, D.M., Wardrop, K.J. and Weiss, D.J. (2022). *Schalm's veterinary hematology*. John Wiley & Sons, Inc.

- Buchanan, D.S. (2002). *Encyclopedia of dairy sciences*. 2nd edn. Animals that produce dairy foods: Major Bos taurus breeds. Academic Press, Pages 284-292.
- Buonacera, A., Stanganelli, B., Colaci, M. and Malatino, L. (2022). Neutrophil to lymphocyte ratio: an emerging marker of the relationships between the immune system and diseases. *Int. J. Mol. Sci.*, 23(7), 3636. Available at: <https://doi.org/10.3390/ijms23073636>
- Danafis, E.D., Winarso, D., Swatomo, R., Fauzi, A., Masnur, I., Kurniawan, I. dan Titisari, N. (2017). Perbedaan tingkat stres lutung jawa (trachypithecus auratus) pada kandang perawatan dan kandang karantina di javan langur center (jlc) ditinjau dari kadar kortisol dan rasio neutrofil perliflukosit (n/l). *Journal of Tropical Animal Production*, 18(2). 34-41. Available at: <http://dx.doi.org/10.21776/ub.jtapro.2017.018.02.6>
- Davies, C.J., Hill, J.R. and Edwards, J.L. (2004). Major histocompatibility antigen expression on the bovine placenta: Its relationship to abnormal pregnancies and retained placenta. *Anim. Reprod. Sci.*, 82-83(Suppl.), 267-280. Available at: <http://dx.doi.org/10.1016/j.anireprosci.2004.05.016>
- Davis, A.K., Maney, D.L. and Maerz, J. (2008). The use of leukocyte profiles to measure stress in vertebrates: A review for ecologists. *Functional Ecology*. 22(5), 760-772. Available at: [10.1111/j.1365-2435.2008.01467.x](https://doi.org/10.1111/j.1365-2435.2008.01467.x).
- Dogan K, Guraslan, H., Senturk, M.B., Helvacioglu, C., Idil, S. and Ekin, M. (2015). Can platelet count and platelet indices predict the risk and the prognosis of preeclampsia? *Hypertens Pregnancy*, 34(4), 434-442.
- Drillich, M., Schroder, A. and Tenhagen, B.A. (2005). Efficacy of a treatment of retained placenta in dairy cows with prostaglandin F2a in addition to a local antibiotic treatment. *Dtsch Tierarztl Wochenschr*, 112(5), 174-179.
- Efendy, J. (2018). Aktivitas harian dan deteksi stres pada sapi peranakan ongole (PO). *MADURANCH*, 3(2), 53-58.
- Eiler, H. and Hopkins, F.M. (1992). Bovine retained placenta: Effects of collagenase and hyaluronidase on detachment of placenta. *Biology of Reproduction*, 46(4), 580–585. Available at: <https://doi.org/10.1095/biolreprod46.4.580>
- Eiler, H. and Hopkins, F.M. (1993). Successful treatment of retained placenta with umbilical cord injections of collagenase in cows. *J. Am. Vet. Med. Assoc.*, 203(3), 436-443.
- Guan, R., Wang, D., Wang, B., Jiang, L. and Liu, J. (2020). Prognostic potential of pre-partum blood biochemical and immune variables for postpartum mastitis risk in dairy cows. *BMC Veterinary Research*, 16(136), 1-11. Available at: <https://doi.org/10.1186/s12917-020-02314-6>
- Hadush, A., Abdella, A. and Regassa, F. (2013). The major prepartum and postpartum reproductive problems of dairy cattle in Central Ethiopia. *Journal of Veterinary Medicine and Animal Health*, 5(4), 118–123.
- Hasan, M., Harahap, T.K. dan Hasibuan, M.S.S. (2013). *Metode penelitian kualitatif*. Penerbit Tahta Media Group.

- Haile, A., Tsegaye, Y. and Tesfaye, N. (2014). Assessment of major reproductive disorders of dairy cattle in urban and per urban area of hosanna, southern Ethiopia. *Animal and Veterinary Sciences*, 2(5), 135–141.
- Hoffmann, B., Schmidt, J. and Schallenberger, E. (1979). *Hormonal Mechanisms Involved in Control of Parturition in the Cow*. In: Hoffmann, B., Mason, I.L., Schmidt, J. (eds) Calving Problems and Early Viability of the Calf. Current Topics in Veterinary Medicine and Animal Science, vol 4. Springer, Dordrecht. Available at: https://doi.org/10.1007/978-94-009-9315-0_14
- Holtgrew-Bohling, K. (2020). *Large animal clinical procedures for veterinary technicians*. 4th edn. St. Louis, Missouri: Elsevier.
- Hostetter, S. J. (2012). Neutrophil function in small animals. The Veterinary clinics of North America. *Small animal practice*, 42(1), 157–171. Available at: <https://doi.org/10.1016/j.cvsm.2011.09.010>
- Indrawan, R. dan Yaniawati, P. (2017). *Metodologi penelitian kuantitatif, kualitatif, dan campuran untuk manajemen, dan pendidikan*. Bandung: Refika Aditama.
- Jones, M.L. and Allison, R.W. (2007). Evaluation of the ruminant complete blood cell count. *Veterinary clinics food animal practice*, 23(3), 377–402. Available at: <https://doi.org/10.1016/j.cvfa.2007.07.002>
- Kannan, G., Terrill, T.H., Kouakou, B., Gazal, O.S., Gelaye, S., Amoah, E.A. and Samaké, S. (2000). Transportation of goats: effects on physiological stress responses and live weight loss. *Journal of Animal Science*, 78(6), 1450–1457.
- Karaer, M.C., Čebulj-Kadunc, N. and Snoj, T. (2023). Stress in wildlife: comparison of the stress response among domestic, captive, and free-ranging animals. *Frontiers in veterinary science*, 10, 1167016. Available at: <https://doi.org/10.3389/fvets.2023.1167016>
- Kim, C.Y., Han, C.S., Suzuki, T. and Han, S.S. (2005). Indirect indicator of stress in hematological values in newly acquired cynomolgues monkeys. *Journal of Medical Primatologgi*. 34(4), 188-192. Available at: <http://doi.org/drmjdv>
- Kimura, K., Goff, J.P., Kehrli, M.E. and Reinhardt, T.A. (2002). Decreased neutrophil function as a cause of retained placenta in dairy cattle. *J. Dairy Sci.*, 85(3), 544-550. Available at: [https://doi.org/10.3168/jds.s0022-0302\(02\)74107-6](https://doi.org/10.3168/jds.s0022-0302(02)74107-6)
- KPSBU. (2022). Rekapitulasi Kegiatan Keswan KPSBU Bulan Oktober-September 2022: Gangguan Reproduksi. *Data Resmi Koperasi Peternak Sapi Bandung Utara*.
- Kumar, H., Nandi, S. and Rai, R.B. (2020). *Common reproductive problems in bovines and canines*. New Delhi, India: New India Publishing Agency.
- Lalrintluanga K. and Lalnuntluangi, H. (2016). Incidence of retention of fetal membranes in crossbred dairy cows in mizoram. *Indian Journal Animal Research*, 44(3), 217-218.
- Li, Y., Wang, W., Yang, F., Xu, Y., Feng, C. and Zhao, Y. (2019). The regulatory roles of neutrophils in adaptive immunity. *Cell Commun. Signal*, 17(147), 1-11. Available at: <https://doi.org/10.1186/s12964-019-0471-y>

- Lobago, F., Bekana, M., Gustafsson, H. and Kindahl, H. (2006). Reproductive performances of dairy cows in smallholder production system in Selalle, Central Ethiopia. *Tropical Animal Health and Production*, 38(4), 333–342.
- Mahlmann, A.W., Duff, G.C., Galyean, M.L. and Wagner, J. J. (2001). Influence of bovine somatotropin on immune function of periparturient dairy cows. *Journal of Dairy Science*, 84(11), 2469-2477.
- Mahnani, A., Sadeghi-Sefidmazgi, A., Ansari-Mahyari, S., Ghorbani, G.R. and Keshavarzi, H. (2021). Farm and cow factors and their interactions on the incidence of retained placenta in holstein dairy cows. *Theriogenology*, 159, 87–97. Available at: <https://doi.org/10.1016/j.theriogenology.2020.10.007>
- Maj, J.G. and Kankofer, M. (1997). Activity of 72-kDa and 92-kDa matrix metalloproteinases in placental tissues of cows with and without retained fetal membranes. *Placenta*, 18(8): 683-687. Available at: [https://doi.org/10.1016/s0143-4004\(97\)90010-2](https://doi.org/10.1016/s0143-4004(97)90010-2)
- Maruf, A.A., M.R. Islam, M.M. Rahman, M.M.U. Bhuiyan and M. Shamsuddin. (2012). Prevalence of reproductive disorders of dairy cows in the Chittagong district of Bangladesh. *Bangladesh Vet J.*, 46(1-4), 11-18.
- Melendez, P., Donovan, A. and Risco, C. (2004). Plasma mineral and energy metabolite concentrations in dairy cows fed an anionic pre-partum diet that did or did not have retained fetal membranes after parturition. *Am. J. Vet. Res.*, 65(8), 1071-1076. Available at: <https://doi.org/10.2460/ajvr.2004.65.1071>
- Merrill, W.G. and Smith, V.R. (1954). A comparison of some cellular and chemical constituents of blood at time of parturition and after administration of adrenocorticotrophin. *Journal of Dairy Science*, 37(5), 546-551. Available at: [https://doi.org/10.3168/jds.S0022-0302\(54\)91296-5](https://doi.org/10.3168/jds.S0022-0302(54)91296-5).
- Milani, F. (2014). *Manajemen pemeliharaan lumba-lumba (tursiops aduncus) di kawasan mamalia air pt wersut seguni indonesia dikaitkan dengan indeks stres*. (Skripsi). Bogor: Fakultas Kedokteran Hewan Institut Pertanian Bogor.
- Mohammad, D.R.I. and Abdel Rahman, M.A.M. (2013). A comparative study on behavioral, physiological, and adrenal changes in buffaloes during the first stage of labor with normal and difficult parturition. *Journal of Veterinary Behavior*, 8(1), 46–50.
- Moretti, P., Probo, M., Morandi, N., Trevisi, E., Ferrari, A., Minuti, A., Venturini, M., Paltrinieri, S. and Giordano, A. (2015). Early post-partum hematological changes in Holstein dairy cows with retained placenta. *Animal reproduction science*, 152, 17–25. Available at: <https://doi.org/10.1016/j.anireprosci.2014.11.019>
- Mortaz, E., Alipoor, S.D., Adcock, I.M., Mumby, S. and Koenderman, L. (2018). Update on neutrophil function in severe inflammation. *Front. Immunol*, 9(2171), 1-14. Available at: <https://doi.org/10.3389/fimmu.2018.02171>
- Musah, A.J., Schwabe, C. and Willham, R.L. (1987). Induction of parturition, progesterone secretion, and delivery of placenta in beef heifers given relaxin with cloprostenol or dexamethasone. *Biol. Reprod.*, 37(4), 797-803. Available at: <https://doi.org/10.1095/biolreprod37.4.797>

- Nagahata, H., Ogawa, A., Sanada, Y., Noda, H. and Yamamoto, S. (1992). Peripartum changes in antibody producing capability of lymphocytes from dairy cows. *The veterinary quarterly*, 14(1), 39–40. Available at: <https://doi.org/10.1080/01652176.1992.9694324>
- Nardone, A., Ronchi, B., Lacetera, N., Ranieri, M.S., & Bernabucci, U. (2010). Effects of climate changes on animal production and sustainability of livestock systems. *Livestock Sci.*, 130(1-3), 57–69. Available at: <https://doi.org/10.1016/j.livsci.2010.02.011>
- Nienaber, J.A. and Hahn, G.L. (2007). Livestock production system management responses to thermal challenges. *Int. J. Biometereol.*, 52(2), 149–157. Available at: <https://doi.org/10.1007/s00484-007-0103-x>
- Noakes, D.E., Parkinson, T.J. and England, G.C.W. (2018). *Veterinary Reproduction and Obstetrics*. 10th edn. US, Saunders Ltd.
- Papp, M. (2012). Models of affective illness: chronic mild stress in the rat. *Current protocols in pharmacology*, 57(1), 5.9.1-5.9.11. Available at: <https://doi.org/10.1002/0471141755.ph0509s57>
- Patel, M., Babulal, S., Nakhshi, H., Rathod, B.S. and Sutaria, T.V. (2020). Blood biochemical profile of kankrej cattle affected with chronic vagino-cervical prolapse. *Ruminant Science*, 8(2), 191-196.
- Patel, R.V. and Parmar, S.C. (2016). Retention of fetal membranes and its clinical perspective in bovines. *Sch J Agric Vet Sci*, 3(2), 111-116.
- Patra, M.K., Kumar, H., & Nandi, S. (2013). Neutrophils functions and cytokines expression profile in buffaloes with impending postpartum reproductive disorders. *Asian Australas J Anim Sci*, 26(10), 1406-1415. Available at: <https://doi.org/10.5713%2Fajas.2012.12703>
- Paulino, T.B., Amalo, F.A. dan Maha, I.T. (2020). Kajian histokimia sebaran karbohidrat asam pada lambung depan sapi sumba ongole (*Bos indicus*). *Jurnal Kajian Veteriner*, 8(2), 202-210.
- Raudya, D., Ariyanto, E.F., Septiyani dan Rosdianto, A.M. (2022). Rasio neutrofil dan limfosit pada sapi perah prepartum dan postpartum. *Jurnal Sain Veteriner*, 40(2), 197-204. Available at: <https://doi.org/10.22146/jsv.67404>
- Roberts, S.J. (1986). *Veterinary obstetrics and genital diseases*. 3rd edn. Woodstock, 373-393.
- Roberts, J.N. (2022). *Retained Fetal Membranes in Cows* [online]. Available at: <https://www.msdvetmanual.com/reproductive-system/retained-fetal-membranes-in-large-animals-retained-placenta/retained-fetal-membranes-in-cows> (Accessed: 24 December 2022).
- Roland, L., Drillich, M. and Iwersen, M. (2014). Hematology as a diagnostic tool in bovine medicine. *J of Vet Diagnostic Investigation*, 26(5), 592–598.
- Rukmana. (2008). *Pemeliharaan Sapi Perah Secara Intensif*. Bandung: Titian Ilmu.
- Saad, A.M., Concha, C. and Aström, G. (1989). Alterations in neutrophil phagocytosis and lymphocyte blastogenesis in dairy cows around parturition. *Zentralblatt fur Veterinarmedizin. Reihe B. Journal of veterinary medicine. Series B*, 36(5), 337–345. Available at: <https://doi.org/10.1111/j.1439-0450.1989.tb00612.x>

- Samples, O.M. and Echols, M.S. (2022). *Laboratory manual for clinical veterinary technology*. Florence, Teton NewMedia.
- Sari, Devi Eka Prihastanti Melia. (2017). Efisiensi Reproduksi Sapi Peranakan Friesian Holstein (PFH) Pada Berbagai Periode Laktasi Di Kecamatan Ngajum Gunung Kawi Malang. Sarjana thesis, Universitas Brawijaya.
- Shahjahan, M. (2018). Development of breeding strategy based on body coloration and phenotype in Holstein Friesian crossbreds for sustainable milk production. *Fundam Appl Agric.*, 3(2): 498–504.
- Shiferaw, Y., Tenhagen, B.A., Bekana, M. and Kassa, T. (2005). Reproductive disorders of crossbred dairy cows in the central highlands of Ethiopia and their effect on reproductive performance. *Tropical Animal Health and Production*, 37(5), 427–441.
- Song, M., Graubard, B.I., Rabkin, C.S. and Engels, E.A. (2021). Neutrophil-to-lymphocyte ratio and mortality in the United States general population. *Sci. Rep.*, 11(1), 464. Available at: <https://doi.org/10.1038/s41598-020-79431-7>
- Sugiyono. (2010). *Metode Penelitian Pendidikan Pendekatan Kuantitatif, Kualitatif dan R&D*. Bandung: PT Alfabet.
- Sukmadinata, Nana Syaodih. (2017). Metode Penelitian Pendidikan. Bandung: PT Remaja Rosdakarya.
- Sunarno, Manalu, W., Kusumorini, N. dan Agungpriyono, D.R. (2010). Pengaruh Stres dan Hormon Glukokortikoid terhadap Tingkat Gangguan Neuropatologi pada Individu yang Mengalami Penuaan. *Pengaruh stres dan hormon glukokortikoid*, 2(2), 207-219.
- Swain, P.S., Nagalakshmi, D., Ray, S., Parashuramulu, S. and Nahak, A.K. (2013). Nutritional Management of Prevent Retention of Placenta in Dairy Animals. *Inventi Rapid: Nutraceuticals*, 2013(3), 1-4.
- Talukedem, M.A., Khandoker, M.A., Bahman, M.G., Islam, M.R. and Khan, M.A. (2005). Reproductive problem of cow at Bangladesh Agriculture University dairy farm and possible remedies. *Pakistan Journal of Biological Sciences*, 8(11), 1561–1567.
- Thrall, M.A., GladeWeiser, Allison, R.W. and Campbell, T.W. (2022). *Veterinary Hematology, Clinical Chemistry, and Cytology*. 3rd edn. Wiley-Blackwell.
- Tornquist, S.J. and Rigas, J. (2010). Interpretation of ruminant leukocyte responses. *Schalms Veterinary Heamatology*. Weiss, DJ and Wardrop, KJ. 6th ed. Wiley Blackwell, Iowa, USA, pp.307-313.
- Tsukamoto, K. and Machida, K. (2014). Effects of psychological stress on neutrophil phagocytosis and bactericidal activity in humans--a meta-analysis. *International journal of psychophysiology: official journal of the International Organization of Psychophysiology*, 91(2), 67–72. Available at: <https://doi.org/10.1016/j.ijpsycho.2013.12.001>
- Tucho, T.T. and Ahmed, W.M. (2017). Economic and Reproductive Impacts of Retained Placenta in Dairy Cows. *Journal of Reproduction and Infertility* 8(1), 18-27. Available at: <http://dx.doi.org/10.5829/idosi.jri.2017.18.27>
- Tuglu, C. and Kara, S.H. (2003). Depression, cytokines and immune system. *Bull Clin Psychopharmacol*, 13(3), 142–150.

- Villamediana, P. (2022). *Managing Stress in Dairy Cows* [online]. Available at: <https://extension.sdsu.edu/managing-stress-dairy-cows#> (Accessed: 5 August 2022).
- Voigt, G.L. and Swist, S.L. (2011). *Hematology techniques and concepts for veterinary technicians*. 2nd edn. UK: Wiley-Blackwell.
- Webb, J.L and Latimer, K.S. (2011). *Duncan and prasse's veterinary laboratory medicine: clinical pathology*. 5th edn. Wiley, Chichester, UK, 45-82.
- Webster, J. (2020). *Understanding the dairy cow*. 3rd edn. Hoboken, USA: Wiley-Blackwell.
- Wood, D. and Quiroz-Rocha, G.F. (2010). Normal hematology of cattle. In: *Schalm's veterinary hematology*, ed. Weiss DJ and Wardrop KJ. 6th ed., Wiley, Ames, IA, 829-835.
- Zahorec, R. (2021). Neutrophil-to-lymphocyte ratio, past, present and future perspectives. *Bratislavské lekarske listy*, 122(7), 474-488.