

DAFTAR PUSTAKA

- Abdullah, M. (2011). *Metodologi Penelitian Kuantitatif*. Sleman Yogyakarta: Aswaja Pressindo.
- Adiputra, I. M. S., Trisnadewi, N. W., Oktaviani, N. P. W., Munthe, S. A., Hulu, V. T., Budiastutik, I., Ramdany, A. F. R., Fitriani, R. J. F., Tania, P. O. A., Rahmiati, B. F., Lusiana, S. A., Susilawaty, A., Sianturi, E., & Suryana. (2021). *Metodologi Penelitian Kesehatan*. Denpasar: Yayasan Kita Menulis.
- Agmas, B., & Adugna, M. (2018). Antimicrobial residue occurrence and its public health risk of beef meat in Debre Tabor and Bahir Dar, Northwest Ethiopia. *Vet. world*, 11(7), 902–908. <https://doi.org/10.14202/vetworld.2018.902-908>
- Al Aboudi, A. R., Almashhadany, D. A., & Al Hijazin, M. (2022). Detection and impact of heat treatments on tetracycline residues in chicken meats sold in Amman city, Jordan. *Food Res* 6 (6): 53 - 59
- Anggaeni, T. T. K., Indraswari, N., & Sujatmiko, B. (2022). Sosialisasi Pangan ASUH (AMAN, SEHAT, UTUH, DAN HALAL) dan Jajanan Sehat Dalam Upaya Meningkatkan Kesadaran Masyarakat atas Kualitas Hidup Sehat. *Media Kontak Tani Ternak*, 4(1), 27-35.
- Aniza, S., Andini, A. & Lestari, I. (2019). Analisis Residu Antibiotik Tetrasiklin pada Daging Ayam Broiler dan Daging Sapi. *J Sain Health*. 3. 10.51804/jsh.v3i2.600.22-32.
- Ashari, B. H., Wibawa, B. M., & Persada, S. F. (2017). Analisis deskriptif dan tabulasi silang pada konsumen online shop di instagram (Studi kasus 6 universitas di kota Surabaya). *J Sains Dan Seni ITS*, 6(1), D12-D16.
- Asosiasi Obat Hewan Indonesia. (2013). *Indeks Obat Hewan Indonesia*. Jakarta: Asosiasi Obat Hewan Indonesia (ASOHI).
- Aust, M. O., Godlinski, F., Travis, G. R., Hao, X., McAllister, T. A., Leinweber, P., & Thiele-Bruhn, S. (2008). Distribution of sulfamethazine, chlortetracycline and tylosin in manure and soil of Canadian feedlots after subtherapeutic use in cattle. *Environ pollution*, 156(3), 1243-1251.
- Babapour, A., Azami, L., & Fartashmehr, J. (2012). Overview of antibiotic residues in beef and mutton in Ardebil, Northwest of Iran. *World Appl Sci J*, 19(10), 1417-22.
- Bachmann, L. M., & Miller, W. G. (2020). Spectrophotometry. *Contemporary Prac. in Clin Chem*, 119–133. doi:10.1016/b978-0-12-815499-1.00007-7
- Bachmann, L. M., & Miller, W. G. (2020). Spectrophotometry. *Contemporary Prac. in Clinical Chem*, 119–133. doi:10.1016/b978-0-12-815499-1.00007-7
- Bahmani, K., Shahbazi, Y., & Nikousefat, Z. (2019). Monitoring and risk assessment of tetracycline residues in foods of animal origin. *Food sci and biotech*, 29(3), 441–448. <https://doi.org/10.1007/s10068-019-00665-x>
- Bauchart, C., Morzel, M., Chambon, C., Mirand, P. P., Reynès, C., Buffère, C., & Rémond, D. (2007). Peptides reproducibly released by in vivo digestion of beef meat and trout flesh in pigs. *The British J of Nut*, 98, 1187–1195.

- Bellemain, V. (2013). The role of Veterinary Services in animal health and food safety surveillance, and coordination with other services. *Rev sci tech Off int Epiz*, 32 (2), 371-381
- Blasco, C., Corcia, A. D., & Picó, Y. (2009) Determination of tetracyclines in multi-specie animal tissues by pressurized liquid extraction and liquid chromatography-tandem mass spektrometry. *Food Chem* 116: 1005–1012
- Borghì, A. A., & Palma, M. S. A. (2014). Tetracycline: production, waste treatment and environmental impact assessment. *Brazilian J of Pharmaceutical Sci*, 50(1), 25–40. doi:10.1590/s1984-82502011000100003
- Borovecki, A., Mlinaric, A., Horvat, M., & Supak Smolcic, V. (2018). Informed consent and ethics committee approval in laboratory medicine. *Biochem Med*, 28(3), 373-382.
- Buntain, B. J. (2004). Emerging Challenges in Public Health Protection, Food Safety, and Security: Veterinary Needs in the USDA's Food Safety and Inspection Service. *J of Vet Med Edu*, 31(4), 334–340. doi:10.3138/jvme.31.4.334
- Butaye, P., Devriese, L. A., & Haesebrouck, F. (2003). Antimicrobial growth promoters used in animal feed: effects of less well known antibiotics on gram-positive bacteria. *Clin Microbiology Rev*, 16, 175e188.
- Cabrera, M. C., & Saadoun, A. (2014). An overview of the nutritional value of beef and lamb meat from South America. *Meat Science*, 98(3), 435–444. doi:10.1016/j.meatsci.2014.06.033
- Cháfer-Pericás, C., Maquieira, Á., & Puchades, R. (2010). Fast screening methods to detect antibiotic residues in food samples. *Trends in Anal Chem*, 29(9), 1038–1049. doi:10.1016/j.trac.2010.06.004
- Chang, H. S., Gloriana, S. & Ilham N. (2020a). Factors affecting demand for and supply of beef in East Kalimantan. *Australasian Agribusiness Review*, 28(3), 47-70.
- Chang, H. S., Sumantri, I., Panjaitan, T., Hilmiatic, N., Edriantina, R., & Prameswari, F. (2020b). Beef Demand Trends in Indonesia and the Implications for Australian Live Cattle and Beef Exports. *Australasian Agribusiness Review*, 28(4), p71-106.
- Chattopadhyay, M. K. (2014). Use of antibiotics as feed additives: a burning question. *Frontiers in Microbiology*, 5. doi:10.3389/fmicb.2014.00334
- Chen, G., Zhao, L., & Dong, Yh. (2011). Oxidative degradation kinetics and products of chlortetracycline by manganese dioxide. *J Hazard Mater* 193:128–138
- Chibuike, C. U., & Ashton, H. (2013). Meat proteome as source of functional biopeptides. *Food Research International*, 54, 1021–1032.
- Christina. (2011). *Penetapan kadar residu tetrasiklin dalam daging ayam pedaging secara adisi standar dengan spektrofotometri ultraviolet*. Skripsi. Fakultas Farmasi USU Medan.
- Cooper, K. M., Samsonova, J. V., Plumpton, L., Elliott, C. T., & Kennedy, D. G. (2007). Enzyme immunoassay for semicarbazide—The nitrofurant metabolite and food contaminant. *Anal Chim Acta*, 592, 64–71.

- Cotter, P. D., Stanton, C., Ross, R. P., & Hill, C. (2012): The impact of antibiotics on the gut microbiota as revealed by high throughput DNA sequencing. *Disc Med* 13: 193-199.
- Cromwell, G. L. (2002). Why and How Antibiotics Are Used In Swine Production, *Animal Biotech*, 13:1, 7-27, DOI: 10.1081/ABIO-120005767
- Croubels, S., Daeseleire, E., De Baere, S., De Backer, P., Courtheyn, D. (2004). Residues in meat and meat products, feed and drug residues. *Encyclop Meat Sci*, 3, 1172–1187.
- Cully, M. Public health: The politics of antibiotics. *Nature*, 509, S16–S17 (2014). <https://doi.org/10.1038/509S16a>
- Daghrir, R. & Drogui, P. (2013). Tetracycline antibiotics in the environment: a review. *Environ Chem Letters*, 11(3), 209–227. doi:10.1007/s10311-013-0404-8
- Dinas Pertanian dan Pangan Kabupaten Bandung. (2018). *Pengambilan Sampel Daging Bahan Pangan Hewani 2018*. Diakses 21 Februari 2023, dari <https://diperpa.badungkab.go.id/berita/12290-pengambilan-sampel-daging-bahan-pangan-hewani-2018>
- Ding, X. & Mou, S. (2000). Ion chromatographic analysis of tetracyclines using polymeric column and acidic eluent. *J Chromatogr A*, 897:205–214
- Direktorat Jenderal Peternakan dan Kesehatan Hewan. (2020). *Tugas Pokok dan Fungsi*. Jakarta, DKI: Dirkeswan. Diakses dari <https://ditjenpkh.pertanian.go.id/pages/42-tupoksi>
- Direktorat Kesmavet. (2003). *Kiat memilih daging yang aman dan sehat*. Direktorat Kesmavet. Direktorat Jenderal Bina Produksi Peternakan, Departemen Pertanian. Jakarta.
- Effendi, M. H., Oktavianto, A., & Hastutiek, P. (2018). Tetracycline Resistance Gene in *Streptococcus agalactiae* Isolated from Bovine Subclinical Mastitis In Surabaya, Indonesia. *J Int The Phil J of Vet Med*, 55, 115-120.
- FAO. (2016). Meat. OECD-FAO Agricultural Outlook 2016–2025 (pp. 107–127).
- Fernanda, M. A. H. F. & Chrisnandari, R. D. (2021). Kajian Residu Tetrasiklin HCl dalam Daging dan Hati Ayam Broiler pada Beberapa Peternakan di Kabupaten Lamongan Menggunakan Metode Spektrofotometri Ultraviolet. *J of Pharmacy and Sci*, 6(1), 47-52.
- Fleming, A. (2001). On the antibacterial action of cultures of a penicillium, with special reference to their use in the isolation of B. influenzae. *Bull of the World Health Organization*, 79(8), 780–90.
- Gao, L., Shi, Y., Li, W., Niu, H., Liu, J., & Cai, Y. (2012). Occurrence of antibiotics in eight sewage treatment plants in Beijing, China. *Chemosphere*, 86, 665e671.
- García & Báez, (2012). *Atomic Absorption Spectrometry (AAS)*. Mexico: Universidad Nacional Autonoma de Mexico.
- Giguère, S., Prescott, J. F., & Dowling, P. M. (2006). *Antimicrobial therapy in veterinary medicine* (4th Ed). Oxford: Blackwell Publishing.
- Gonzalez, R. M. & Angeles, H. J. C. (2017). Antibiotic and synthetic growth promoters in animal diets: Review of impact and analytical methods. *Food Cont*, 72, 255–267. doi:10.1016/j.foodcont.2016.03.001

- Grunert, K. G., Bredahl, L., & Brunsø, K. (2004). Consumer perception of meat quality and implications for product development in the meat sector—A review. *Meat Science*. [https://doi.org/10.1016/S0309-1740\(03\)00130-X](https://doi.org/10.1016/S0309-1740(03)00130-X).
- Hadi, S. N., & Chung, R. H. (2022). Estimation of Demand for Beef Imports in Indonesia: An Autoregressive Distributed Lag (ARDL) Approach. *Agriculture*, 12(8), 1212.
- Hartung, J., Nowak, B., & Springorum, A. C. (2009). Animal welfare and meat quality. *Improving the Sensory and Nutritional Quality of Fresh Meat*, 628–646. doi:10.1533/9781845695439.4.628
- Hasiner, E., & Yu, X. (2020). Meat consumption and democratic governance: A cross-national analysis. *China Economic Review*, 59, 100950. <https://doi.org/10.1016/j.chieco.2016.06.008>.
- Hati, S. R. H., Zulianti, I., Achyar, A., & Safira, A. (2021). Perceptions of nutritional value, sensory appeal, and price influencing customer intention to purchase frozen beef: Evidence from Indonesia. *Meat Science*, 172, 108306. doi:10.1016/j.meatsci.2020.108
- Heryana. (2020). *Desain Penelitian Non-Eksperimental*. 10.13140/RG.2.2.30493.95201.
- Hocquette J. F., Meurice P., Brun J. P., Jurie C., Denoyelle C., Bauchart D., Renand G., Nute G. R., Picard B. (2011) The challenge and limitations of combining data: a case study examining the relationship between intramuscular fat content and flavour intensity based on the BIF-BEEF database. *Animal Production Science*, 51, 975-981.
- Hughes, P., & Heritage, J. (2004). *Antibiotic growth-promoters in food animals. In assessing quality and safety of animal feeds* (pp. 129-151). Roma, Itali: FAO.
- Istijanto. (2009). *Aplikasi Praktis Riset Pemasaran*. Jakarta: Gramedia Pustaka Utama.
- Jacob, M. E. (2018). *Veterinary pharmacology and therapeutics* (10th Ed). Hokoben: John Wiley & Sons.
- JECFA. (2003). *Summary of Evaluations Performed by the Joint FAO/WHO Expert Committee on Food Additives*.
- Joshi, H., Patel, A., Captain, A. (2010). Spectrophotometric and Reversed-Phase High-Performance Liquid Chromatographic Method for the Determination of Doxophylline in Pharmaceutical Formulations. *J. of young pharm.*, (2). 289-96. 10.4103/0975-1483.66791.
- Kasimanickam, V., Kasimanickam, M., & Kasimanickam, R. (2021). Antibiotics Use in Food Animal Production: Escalation of Antimicrobial Resistance: Where Are We Now in Combating AMR? *Med Sci*, doi:9. 14. 10.3390/medsci9010014.
- Katz, S. E. & Brady, M. S. (2000): Antibiotic residues in food and their significance. *Food Biotech* 14: 147-171.
- Khaleel, R. M. & Mohammed, D. H. (2020). Spectrophotometric Determination of tetracycline hydrochloride Using 2,4 -dinitrophenyl hydrazine as Coupling Reagent. *J. Phys.: Conf. Ser.* 1664012084. doi:10.1088/1742-6596/1664/1/012084

- Kim, D. P., Degand, G., Douny, C., Pierret, G., Delahaut, P., Ton, V. D., *et al.* (2013). Preliminary evaluation of antimicrobial residue levels in marketed pork and chicken meat in the Red River Delta Region of Vietnam. *Food & Pub Health*, 3(6), 267-276.
- Kim, M., & Schrenk, D. (2012). *Chemical contamination of red meat*. In D. Schrenk (Ed.), *Chemical Contaminants and Residues in Food* (pp. 447e468). Woodhead Publishing Series in Food Science, Technology and Nutrition.
- Klein, N. C. & Cunha, B. A. (1995). Tetracyclines. *The Medical clinics of North America*, 79(4), 789-801.
- Kokkonen, M. K., & Jestoi, M. N. (2009). A Multi-compound LC-MS/MS Method for the Screening of Mycotoxins in Grains. *Food anal methods*, 2(2), 128-140. <https://doi.org/10.1007/s12161-008-9051-2>
- Krebs, N. F., Mazariegos, M., Tshefu, A., Bose, C., Sami, N., Chomba, E., Carlo, W., Goco, N., Kindem, M., Wright, L. L., Hambidge, K. M., & Complementary Feeding Study Group. (2011). Meat consumption is associated with less stunting among toddlers in four diverse low-income settings. *Food and nutrition bulletin*, 32(3), 185–191. <https://doi.org/10.1177/156482651103200301>
- Kwon, S. I., Owens, G., Ok, Y. S., Lee, D. B., Jeon, W. T., Kim, J. G., & Kim, K. R. (2011). Applicability of the Charm II system for monitoring antibiotic residues in manure-based composts. *Waste management*, 31(1), 39e44.
- Lee, H. C., Chen, C. M., Wei, J. T. & Chiu, H. Y. (2018). Analysis of veterinary drug residue monitoring results for commercial livestock products in Taiwan between 2011 and 2015. *J Food Drug Analysis*, 26, 565-571. <https://doi.org/10.1016/j.jfda.2017.06.008>
- Li, Chunbao. (2017). *The role of beef in human nutrition and health*. 10.19103/AS.2016.0009.16.
- Li, R., Zhang, Y., Lee, C. C., Liu, L., & Huang, Y. (2011). Hydrophilic interaction chromatography separation mechanisms of tetracyclines on amino-bonded silica column. *J Sep Sci*, 34:1508–1516
- Mahbubi, A., Uchiyama, T., & Hatanaka, K. (2019). Capturing consumer value and clustering customer preferences in the Indonesian halal beef market. *Meat Science*. doi:10.1016/j.meatsci.2019.05.012
- Marabelli, R., & Caporale, V. (2003). The role of official veterinary services in dealing with new social challenges: animal health and protection, food safety, and the environment. *Rev sci et tech off int des epiz.*, 22(2), 363-383.
- Maron, D. F., Smith, T. J., & Nachman, K. E. (2013). Restrictions on antimicrobial use in food animal production: an international regulatory and economic survey. *Globalization and health*, 9(1), 1-11.
- Moffa, M., & Brook, I. (2015). 26—Tetracyclines, Glycylcyclines, and Chloramphenicol. *Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases*, 2607-2618.
- Moffat, A. C. (2004). *Clarke's isolation and identification of drugs* (3rd Ed). London: The Pharmaceutical Press.
- Mohammed, N., Adare Mengistu, D., Abdurehman, A., Belina, D., & Mengistu, S. (2022). Determination of tetracycline residues in kidney and muscle of beef

- cattle slaughtered in Dire Dawa and Harar municipal abattoirs, Eastern Ethiopia. *En Heal Ins*, 16, 11786302221109720.
- Nasution, D. D. & Yolanda, F. (13 Januari, 2022). *Tahun 2022 Pemerintah akan Impor Daging 266 Ribu Ton*. Republika.id Online. Diakses dari republika.co.id/berita/r5my68370/tahun-2022-pemerintah-akan-impor-daging-266-ribu-ton
- Niami, M., Sulistiyono, A., Pujiono, P., & Harahap, B. (2019). *Impact of the Indonesia Australia Free Trade Agreement*. 73–75. <https://doi.org/10.2991/icglow-19.2019.18>.
- Nofita, N., Rinawati, R., & Qudus, H. I. (2016). Validasi Metode Matrix Solid Phase Dispersion (MSPD) Spektrofotometri UV untuk Analisis Residu Tetrasiklin dalam Daging Ayam Pedaging. *J Kesehat*, 7(1):136.
- Nuraini, H., Aditia, L., & Brahmantiyo, B. (2018). *Meat Quality of Indonesian Local Cattle and Buffalo Meat Quality of Indonesian Local Cattle and Buffalo*. 10.5772/intechopen.79904.
- Nurhasnawati, H., Jubaidah, S., & Elfia, N. (2016). Penentuan Kadar Residu Tetrasiklin HCl pada Ikan Air Tawar yang Beredar di Pasar Segiri Menggunakan Metode Spektrofotometri Ultraviolet. *J Ilm Man*, 2(2), 173-178.
- OECD-FAO Agricultural Outlook. (2018-2027). OECD https://doi.org/10.1787/agr_outlook-2018-en.
- Oliver, S. P., Murinda, S. E., Jayarao, B. M. (2011). Impact of antibiotic use in adult dairy cows on antimicrobial resistance of veterinary and human pathogens: A comprehensive review. *Foodborne Pathog Dis*, 8, 337–355.
- Onal, A. (2011). Overview on liquid chromatographic analysis of tetracycline residues in food matrices. *Food Chem*, 127:197–203
- Papich M. G. & Riviere J. E. (2018). *Veterinary pharmacology and therapeutics* (10th Ed). Hokoben: John Wiley & Sons.
- Patyra, E. & Kwiatek, K. (2016). Analytical procedure for the determination of tetracyclines in medicated feedingstuffs by liquid chromatography - mass spectrometry. *J Vet Res*, 2016, 60: 35-41.
- Pavlov, A., Lashev, L., Vachin, I. and Rusev, V. (2008). Residues of antimicrobial drugs in chicken meat and offals. *Trakia Jl of Sci*, 6(1), 23–25.
- Pavlov, A., Lashev, L., Vachin, I., & Rusev, V. (2008). Residues of antimicrobial drugs in chicken meat and offals. *Trakia J Sci*, 6(1), 23-25.
- Pawestri, W., Satria, G. D., Hakimah, N., & Yudhabuntara, D. (2019). Deteksi Kejadian Residu Tetrasiklin pada Daging Ikan Nila di Kota Yogyakarta dengan Kromatografi Cair Kinerja Tinggi (KCKT). *J Sain Vet*, 37(2), 185-192.
- Pethick, D. W., Harper, G., Oddy, V. H. (2004). Growth, development and nutritional manipulation of marbling in cattle: A review. *Aust J Exp Agric*, 44, 705–715.
- Phillips, I., Casewell, M., Cox, T., De Groot, B., Friis, C., Jones, R., et al. (2004). Does the use of antibiotics in food animals pose a risk to human health? A critical review of published data. *J of Antimicrobial Chemotherapy*, 53(1), 28e52.

- Pighin, D., Pazos, A., Chamorro, V., Paschetta, F., Cunzolo, S., Godoy, F., Messina, V., Pordomingo, A., & Grigioni, G. (2016). A Contribution of Beef to Human Health: A Review of the Role of the Animal Production Systems. *The Scientific World J*, 8681491. <https://doi.org/10.1155/2016/8681491>
- Pratiwi, R. A. & Bayu, A., & Nandiyanto, D. (2022). How to Read and Interpret UV-VIS Spectrophotometric Results in Determining the Structure of Chemical Compounds. *Indonesian J of Edu Res and Tech*, (2), 1-20
- Prayoga, R. & Dirgantara, G. (23 Maret, 2022). *Dharma Jaya perkiraan kebutuhan daging naik pada 2022*. Antara News Online. Diakses dari <https://www.antaraneews.com/berita/2777569/dharma-jaya-perkiraan-kebutuhan-daging-naik-pada-2022>
- Ramatla, T., Ngoma, L., Adetunji, M., & Mwanza, M. (2017). Evaluation of Antibiotic Residues in Raw Meat Using Different Analytical Methods. *Antibiotics*, 6(4), 34. <http://dx.doi.org/10.3390/antibiotics6040034>
- Rusdiana, S. & Praharani, L. Pengembangan Peternakan Rakyat Sapi Portong: Kebijakan Swasembada Daging Sapi dan Kelayakan Usaha Ternak. *Forum Penelitian Agro Ekonomi*, 36(2), 97-116. DOI: <http://dx.doi.org/10.21082/fae.v36n2.2018.97-116>
- Rushton, J. (2015). Anti-microbial Use in Animals: How to Assess the Trade-offs. *Zoonoses Public Health*, 62: 10-21. <https://doi.org/10.1111/zph.12193>
- Rusu, A., & Buta, E. L. (2021). The Development of Third-Generation Tetracycline Antibiotics and New Perspectives. *Pharmaceutics*, 13(12), 2085. <http://dx.doi.org/10.3390/pharmaceutics13122085>
- Sarker, S. D. & Nahar, L. (2012). *Natural Products Isolation* (3rd ed). Totowa, NJ: Humana Press–Springer-Verlag.
- Setyaningsih, E., Gayatri, S., & Eddy, B. T. (2018). Faktor-Faktor Yang Mempengaruhi Tingkat Pengetahuan Ibu Rumah Tangga Tentang Konsep Daging Sapi Yang Asuh Di Desa Baturetno Kecamatan Baturetno Kabupaten Wonogiri. *Agrisocionomics: J Sosial Ekonomi Pertanian*, 1(2), 122-134.
- Shahbazi, Y., Ahmadi, F., & Fakhari, F. (2016). Voltammetric determination of Pb, Cd, Zn, Cu and Se in milk and dairy products collected from Iran: An emphasis on permissible limits and risk assessment of exposure to heavy metals. *Food chemistry*, 192, 1060-1067.
- Shutter, M. C. & Akhondi, H. (2022). *Tetracycline*. Diakses dari StatPearls <https://www.ncbi.nlm.nih.gov/books/NBK549905/>
- Simsek, E. (2020). An analytical evaluation of factors that determine the red meat production in Turkey. *Bulgarian J of Agricultural Science*, 26(2), 11.
- Siswanto, I. N. S. (2018). Residu Antibiotik Tetrasiklin dan Penisilin dalam Daging Sapi Bali yang Diperdagangkan di Beberapa Pasar di Bali. *J. Vet.*, 19(4), 497-501.
- SNI 2923:2008. (2008). *Mutu Karkas dan Daging Sapi*. Jakarta, DKI: Badan Standar Nasional.
- Soepranianondo, K., Wardhana, D. K., Budiarto, & Diyantoro (2019). Analysis of bacterial contamination and antibiotic residue of beef meat from city

- slaughterhouses in East Java Province, Indonesia. *Vet world*, 12(2), 243–248. <https://doi.org/10.14202/vetworld.2019.243-248>
- Spellberg, B., Bartlett, J. G., Gilbert, D. N. (2013). The future of antibiotics and resistance. *N Engl J Med*, 368(4): 299-302.
- Steinfeld, H., Wassenaar, T., & Jutzi, S. (2006). Livestock production systems in developing countries: Status, drivers, trends. *Rev Sci Tech*, 25(2), 505–516.
- Steliopoulos, P. (2015). *Extension of the standard addition method by blank addition. MethodsX*, 2, 353–359. doi:10.1016/j.mex.2015.09.001
- Sugiyono. (2014). *Metode Penelitian Kuantitatif, Kualitatif, dan Kombinasi (Mix Methods)*. Bandung: Alfabeta
- Sugiyono. (2017). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: Alfabeta.
- Sulistyaningrum, S. K., Nilasari, H., & Effendi, E. H. (2012). The Use of Salicylic Acid in Dermatology. *Jl of the Indonesian Med Ass : Majalah Kedokteran Indonesia*.
- Suriansyah, A., Gusrizal, & Adhitiyawarman. (2012). KALIBRASI DAN ADISI STANDAR PADA PENGUKURAN MERKURI DALAM AIR DENGAN KANDUNGAN SENYAWA ORGANIK TINGGI MENGGUNAKAN SPEKTROFOTOMETER SERAPAN ATOM. *JKK* (1), 40-44.
- Suryana, A. (2007). *Dukungan teknologi penyediaan produk pangan peternakan bermutu, aman dan halal*. Seminar Nasional Hari Pangan Sedunia XXVII. p. 32-40.
- Syahputra, R. (2004) *Modul Pelatihan Instrumentasi AAS*. Laboratorium Instrumental Terpadu UII, Yogyakarta.
- Thomas, C., Scollan, N., & Moran, D. (2011). A road map for the beef industry to meet the challenge of climate change—A discussion document. *Ani Frontiers*, 1(2), 6-9.
- Trivedi, M. K., Patil, S., Shettigar, H., Bairwa, K., Jana, S. (2015). Spectroscopic Characterization of Chloramphenicol and Tetracycline: An Impact of Biofield Treatment. *Pharmaceutica Anal Acta*, 6 (7), pp.395.
- Ulfa, R. (2021). Variabel Penelitian Dalam Penelitian Pendidikan. *J Pendidikan dan Keislaman*, 1(1), 342-351.
- Unggango, Y. (2017). Residu Antibiotik pada Daging dan Hati Sapi di Kota Gorontalo. *Skripsi*, 1(621411106).
- University of Dehli. (2021). *Organic Spectroscopy*. Diakses dari http://epgp.inflibnet.ac.in/epgpdata/uploads/epgp_content/chemistry/12.organic_spectroscopy/02.nature_of_electronic_transitions_and_the_factors_affecting_it/et/5557_et_et.pdf
- Unnevehr, L. J. (2000). Food safety issues and fresh food product exports from LDCs. *Agric Eco*, 23(3), 231-240.
- Van Boeckel, T. P., Brower, C., Gilbert, M., Grenfell, B. T., Levin, S. A., Robinson, T. P., Teillant, A., & Laxminarayan, R. (2015). Global trends in antimicrobial use in food animals. *Proceedings of the National Academy of Sci of the USA*, 112(18), 5649–5654. <https://doi.org/10.1073/pnas.1503141112>

- Vaught, J. B., & Henderson, M. K. (2011). Biological sample collection, processing, storage and information management. *IARC Sci Publ*, 163(163), 23-42.
- Wali, M. K., & Al Deri, A. H. (2022). Effect of thermal processing on antibacterial drug residue of tetracycline and sulfonamide in fresh beef meat and Iraqi processed meat. *Int J of Health Sci*, (II), 6849-6856.
- Whitnall, T., & Pitts, N. (2019). Global trends in meat consumption. *Agric Commodities*, 9(1), 96.
- WHO. (2022). *Annual Report on Antimicrobial Agents Intended for Use in Animals*. Organisasi Kesehatan Dunia <https://www.who.org/app/uploads/2022/06/a-sixth-annual-report-amu-final.pdf>
- WHO. (2022). *Fourth meeting of the WHO Foodborne Disease Burden Epidemiology Reference Group (FERG2) 2021-2024*. Organisasi Kesehatan Dunia <https://www.who.int/news-room/events/detail/2022/11/15/default-calendar/fourth-meeting-of-the-who-foodborne-disease-burden-epidemiology-reference-group-2021-2024>
- Williams, P. (2007). Nutritional composition of red meat. *Nut & Diet*, 64, 113–119. doi:10.1111/j.1747-0080.2007.00197.x
- World Health Organization (WHO). (2008). *Global and regional food consumption patterns and trends*. Organisasi Kesehatan Dunia http://www.who.int/nutrition/topics/3_foodconsumption/en/index4.html.
- Yates, A. B. & Deshazo, R. D. (2003): Allergic and nonallergic drug reactions. *Southern Med J* 96: 1080-1087.
- Zellatifanny, C. M., et al., (2018). Tipe Penelitian Deskripsi dalam Ilmu Komunikasi (*The Type of Descriptive Research in Communication Study*). *J Diakom*, 1(2).
- Zhao, C., Liu, W., Ling, H., Lu, S., Zhang, Y., Liu, J., Xi, R. (2007). Preparation of anti-gatifloxacin antibody and development of an indirect competitive enzyme-linked immunosorbent assay for the detection of gatifloxacin residue in milk. *J Agric Food Chem*, 55(17):6879–6884. doi: 10.1021/jf070978g.
- Zhao, Y., Yang, Q. E., Zhou, X., Wang, F. H., Muurinen, J., Virta, M. P., et al. (2021). Antibiotic resistance in the livestock and aquaculture industries: Status and solutions. *Critical Rev in Environ Sci and Tech*, 51(19), 2159-2196.
- Zibandeh S., Sharifiyazdi H, Asasi K and Abdi-Hachesoo B. 2016. Investigation of tetracycline resistance genes in Escherichia coli isolates from broiler chickens during a rearing period in Iran. *Vet Arhiv*, 86(4): 565-572
- Zuccato, E., Castiglioni, S., Bagnati, R., Melis, M., & Fanelli, R. (2010). Source, occurrence and fate of antibiotics in the Italian aquatic environment. *J of Hazardous Materials*, 179, 1042e1048.