

DAFTAR PUSTAKA

- Adegunloye DV, Olosunde SY and Omokanju AB (2013) ‘Evaluation of Ratio Variation of Water Hyacinth (*Eichhornia Crassipes*) on the Production of Pig Dung Biogas’, *International Research Journal of Biological Sciences*, 2(3), pp. 44–48. Available at: www.isca.in.
- Adelhelm, P. *et al.* (2015) ‘From lithium to sodium: Cell chemistry of room temperature sodium-air and sodium-sulfur batteries’, *Beilstein Journal of Nanotechnology*, 6(1), pp. 1016–1055. Available at: <https://doi.org/10.3762/bjnano.6.105>.
- Aggarwal, P. (1997) ‘THE PRODUCTION OF ACTIVE CARBON FROM CORN COBS BY CHEMICAL ACTIVATION’, *Journal of Thermal Analysis*, 50, pp. 525–531.
- Alesandro, M. (2015) ‘Analisis Termogravimetri Komposit Serat Eceng Gondok dan Carbon Nanotube Bermatriks Density Polyethylene’.
- An, D. *et al.* (2011) ‘A study on the consecutive preparation of silica powders and active carbon from rice husk ash’, *Biomass and Bioenergy*, 35(3), pp. 1227–1234. Available at: <https://doi.org/10.1016/j.biombioe.2010.12.014>.
- Bhargav, A. *et al.* (2020) ‘Lithium-Sulfur Batteries: Attaining the Critical Metrics’, *Joule*, 4(2), pp. 285–291. Available at: <https://doi.org/10.1016/j.joule.2020.01.001>.
- Bruce, P.G. *et al.* (2012) ‘Li-O₂ and Li-S batteries with high energy storage’, *Nature*

- Materials*, 11(1), pp. 19–29. Available at: <https://doi.org/10.1038/nmat3191>.
- Brunauer, S., Emmett, P.H. and Teller, E. (1938) ‘Adsorption of Gases in Multimolecular Layers’, *Journal of the American Chemical Society*, 60(2), pp. 309–319. Available at: <https://doi.org/10.1021/ja01269a023>.
- Chang, R. (2010) *Chemistry*. 10th edn. New York: McGraw Hill. Available at: [https://doi.org/10.1016/0149-1970\(80\)90015-3](https://doi.org/10.1016/0149-1970(80)90015-3).
- Coats, A.. and Redfern, J.P. (1963) ‘Thermogravimetric Analysis’, *Analyst*, 8(1053), pp. 906–924. Available at: <https://doi.org/10.1002/9780470697702.ch3>.
- Das, S. et al. (2014) ‘Characterization of Water Hyacinth Biomass and Microbial Degradation of the Biomass under Solid State Fermentation Using a Lignocellulolytic Fungus (*Alterneria Spp NITDS1*)’, *Journal of Chemical, Biological and Physical Sciences*, 4, pp. 2279–2293.
- Degaga, A.H. (2018) ‘Water Hyacinth (*Eichhornia crassipes*) Biology and Its Impacts on Ecosystem, Biodiversity, Economy and Human Well-being’, *Journal of Life Science and Biomedicine*, 8(6), pp. 94–100. Available at: <https://doi.org/10.7176/jnsr/9-12-04>.
- Deng, Y. et al. (2018) ‘Applications of Conventional Vibrational Spectroscopic Methods for Batteries Beyond Li-Ion’, *Small Methods*, 2(8), pp. 1–27. Available at: <https://doi.org/10.1002/smtd.201700332>.
- Deshpande, M. (2019) ‘Design and Performance of Ball Milling for Powder Metallurgy

Composites', *International Journal of Engineering Research & Technology (IJERT)*, 7(07), pp. 1–3. Available at: www.ijert.org.

Deshpande, S.K. *et al.* (2008) 'Production of cellulase and xylanase by *Trichoderma reesei* (QM 9414 mutant), *Aspergillus niger* and mixed culture by solid state fermentation (SSF) of water hyacinth {*Eichhornia crassipes*'}, *Indian Journal of Chemical Technology*, 15(5), pp. 449–456.

Dunn, B., Kamath, H. and Tarascon, J.M. (2011) 'Electrical energy storage for the grid: A battery of choices', *Science*, 334(6058), pp. 928–935. Available at: <https://doi.org/10.1126/science.1212741>.

ESPEC CORP (2019) *Battery Charge-Discharge Test*. Available at: <https://www.espec.co.jp/english/products/trustee/test/charge.html> (Accessed: 12 September 2022).

Farahani, S. (2008) 'Battery Life Analysis', in *ZigBee Wireless Networks and Transceivers*, pp. 207–224. Available at: <https://doi.org/10.1016/B978-0-7506-8393-7.00006-6>.

Ferawati, Y.F. and Susanti, R.F. (2021) 'Peran N-Doping Terhadap Karakteristik Pori Karbon Aktif yang Dihasilkan dari Limbah Destilasi Akar Wangi', *Metalurgi*, 2(1), pp. 59–68.

Fronczek, D.N. (2015) *The Lithium-Sulfur Battery: Design, Characterization, and Physically-base Modeling*. Universität Stuttgart.

Gaddam, R. and Zhao, X.S. (2023) *Handbook of Sodium-Ion Batteries Materials and Characterization, Rechargeable Ion Batteries*. Singapore: Jenny Stanford. Available at: <https://doi.org/10.1002/9783527836703.ch9>.

Gao, J. et al. (2011) ‘Effects of liquid electrolytes on the charge-discharge performance of rechargeable lithium/sulfur batteries: Electrochemical and in-situ X-ray absorption spectroscopic studies’, *Journal of Physical Chemistry C*, 115(50), pp. 25132–25137. Available at: <https://doi.org/10.1021/jp207714c>.

Gerwert, K. and Kotting, C. (2010) ‘Fourier transform infrared (FTIR) Spectroscopy’, in *ENCYCLOPEDIA OF LIFE SCIENCES*. New York: John Wiley & Sons, Inc, pp. 157–170. Available at: <https://doi.org/10.1002/9780470015902.a0003112.pub2>.

Gokel, G.W. (2004) *DEAN'S HANDBOOK OF ORGANIC CHEMISTRY*. Second. New York: McGraw Hill.

Gonçalves, G. da C., Pereira, N.C. and Veit, M.T. (2016) ‘Production of bio-oil and activated carbon from sugarcane bagasse and molasses’, *Biomass and Bioenergy*, 85, pp. 178–186. Available at: <https://doi.org/10.1016/j.biombioe.2015.12.013>.

Gopalakrishnan, A. and Badhulika, S. (2020) ‘Effect of self-doped heteroatoms on the performance of biomass-derived carbon for supercapacitor applications’, *Journal of Power Sources*, 480(June), p. 228830. Available at: <https://doi.org/10.1016/j.jpowsour.2020.228830>.

Griffiths, P.R. and Haseth, J.A. (2007) *Fourier transform infrared spectrometry*.

Second Ed, WILEY-INTERSCIENCE A. Second Ed. New Jersey: John Wiley & Sons, Inc. Available at: <https://doi.org/10.1126/science.6623077>.

Guo, J. and Liu, J. (2019) ‘A binder-free electrode architecture design for lithium-sulfur batteries: A review’, *Nanoscale Advances*, 1(6), pp. 2104–2122. Available at: <https://doi.org/10.1039/c9na00040b>.

Guo, J., Xu, Y. and Wang, C. (2011) ‘Sulfur-impregnated disordered carbon nanotubes cathode for lithium-sulfur batteries’, *Nano Letters*, 11(10), pp. 4288–4294. Available at: <https://doi.org/10.1021/nl202297p>.

Halliday, D., Resnick, R. and Jean, W. (2014) *Fundamental of Physics*. 10th edn. Cleveland: John Wiley & Sons, Inc.

Hanaor, D.A.H. *et al.* (2014) ‘Scalable surface area characterization by electrokinetic analysis of complex anion adsorption’, *Langmuir*, 30(50), pp. 15143–15152. Available at: <https://doi.org/10.1021/la503581e>.

Heidarinejad, Z. *et al.* (2020) ‘Methods for preparation and activation of activated carbon: a review’, *Environmental Chemistry Letters* [Preprint]. Springer International Publishing. Available at: <https://doi.org/10.1007/s10311-019-00955-0>.

Hidayat, S. (2022) ‘Study of Chemical Structure and Electrical Properties of Nitrogen-Doped Activated Carbon from Candlenut Shell (*Aleurites Moluccana*)’, *Jurnal Ilmu dan Inovasi Fisika*, 6(2), pp. 166–173. Available at: <https://doi.org/10.24198/jiif.v6i2.41015>.

Hou, T.Z. *et al.* (2017) ‘Lithium Bond Chemistry in Lithium–Sulfur Batteries’, *Angewandte Chemie - International Edition*, 56(28), pp. 8178–8182. Available at: <https://doi.org/10.1002/anie.201704324>.

Huang, J.Q. *et al.* (2014) ‘Ionic shield for polysulfides towards highly-stable lithium-sulfur batteries’, *Energy and Environmental Science*, 7(1), pp. 347–353. Available at: <https://doi.org/10.1039/c3ee42223b>.

Huang, J.Q., Zhang, Q. and Wei, F. (2015) ‘Multi-functional separator/interlayer system for high-stable lithium-sulfur batteries: Progress and prospects’, *Energy Storage Materials*, 1, pp. 127–145. Available at: <https://doi.org/10.1016/j.ensm.2015.09.008>.

Huang, S. *et al.* (2021) ‘Recent Advances in Heterostructure Engineering for Lithium–Sulfur Batteries’, *Advanced Energy Materials*, 11(10), pp. 1–27. Available at: <https://doi.org/10.1002/aenm.202003689>.

Ibrahim, I.M., Yunus, S. and Hashim, M.A. (2013) ‘Relative performance of isoproopylamine, pyrrole and pyridine as corrosion inhibitors for carbon steels in saline water at mildly elevated temperatures’, *International Journal of Scientific & Engineering Research*, 4(2), pp. 1–12.

Jayaprakash, N. *et al.* (2011) ‘Porous hollow carbon@sulfur composites for high-power lithium-sulfur batteries’, *Angewandte Chemie - International Edition*, 50(26), pp. 5904–5908. Available at: <https://doi.org/10.1002/anie.201100637>.

- Jeon, I.Y., Noh, H.J. and Baek, J.B. (2020) ‘Nitrogen-Doped Carbon Nanomaterials: Synthesis, Characteristics and Applications’, *Chemistry - An Asian Journal*, 15(15), pp. 2282–2293. Available at: <https://doi.org/10.1002/asia.201901318>.
- Ji, X., Lee, K.T. and Nazar, L.F. (2009) ‘A highly ordered nanostructured carbon-sulphur cathode for lithium-sulphur batteries’, *Nature Materials*, 8(6), pp. 500–506. Available at: <https://doi.org/10.1038/nmat2460>.
- Khairiyah, R., . M. and Diana, R. (2018) ‘Perbandingan Metode Kuadrat Terkecil Dan Metode Bayes Pada Model Regresi Linier Dengan Galat Yang Autokorelasi’, *Jurnal Matematika UNAND*, 7(1), p. 125. Available at: <https://doi.org/10.25077/jmu.7.1.125-135.2018>.
- Kiehne, H.. (2003) *Battery Technology Handbook*. Second Ed. New York: MARCEL DEKKER, INC.
- Kihumbu, G. *et al.* (2008) ‘Nutritional Composition of Pleurotus sajor-caju Grown on Water Hyacinth, Wheat Straw and Corncob Substrates’, *Research Journal of Agriculture and Biological Sciences*, 4, pp. 321–326.
- Kim, K.R., Yu, S.H. and Sung, Y.E. (2016) ‘Enhancement of cycle performance of Li-S batteries by redistribution of sulfur’, *Chemical Communications*, 52(6), pp. 1198–1201. Available at: <https://doi.org/10.1039/c5cc07380d>.
- Kirk, R., Othmer, D. and Grayson, M. (2007) *Encyclopedia of Chemical Technology*. 5th Editio. New York: John Wiley & Sons, Inc. Available at:

<https://doi.org/10.1002/0471238961.0103200902011105.a01.pub3>.

Kong, S. *et al.* (2019) ‘MnO₂ nanosheets decorated porous active carbon derived from wheat bran for high-performance asymmetric supercapacitor’, *Journal of Electroanalytical Chemistry*, 850, p. 113412. Available at: <https://doi.org/10.1016/j.jelechem.2019.113412>.

Kristianto, H. (2017) ‘REVIEW: SINTESIS KARBON AKTIF DENGAN MENGGUNAKAN AKTIVASI KIMIA ZnCL₂’, *Jurnal Integrasi Proses*, 6(3), pp. 104–111. Available at: <https://doi.org/10.36055/jip.v6i3.1031>.

Kumar, R. *et al.* (2018) ‘Recent research trends in Li-S batteries’, *Journal of Materials Chemistry A*, 6(25), pp. 11582–11605. Available at: <https://doi.org/10.1039/c8ta01483c>.

Kurniati, F.D., Pardoyo, P. and Suhartana, S. (2011) ‘Sintesis Arang Aktif dari Tempurung Kelapa dan Aplikasinya Untuk Adsorpsi Asap Cair’, *Jurnal Kimia Sains dan Aplikasi*, 14(3), pp. 72–76. Available at: <https://doi.org/10.14710/jksa.14.3.72-76>.

Larkin, P.J. (2017) *Infrared and Raman Spectroscopy: Principles and Spectral Interpretation*, *Infrared and Raman Spectroscopy: Principles and Spectral Interpretation*. Elsevier. Available at: <https://doi.org/10.1016/C2015-0-00806-1>.

Lee, J., Kim, J. and Hyeon, T. (2006) ‘Recent progress in the synthesis of porous carbon materials’, *Advanced Materials*, 18(16), pp. 2073–2094. Available at: <https://doi.org/10.1002/adma.200501576>.

Li, B. *et al.* (2016) ‘Nitrogen-doped activated carbon for a high energy hybrid supercapacitor’, *Energy and Environmental Science*, 9(1), pp. 102–106. Available at: <https://doi.org/10.1039/c5ee03149d>.

Li, K. *et al.* (2019) ‘Mechanism of biomass activation and ammonia modification for nitrogen-doped porous carbon materials’, *Bioresource Technology*, 280(February), pp. 260–268. Available at: <https://doi.org/10.1016/j.biortech.2019.02.039>.

Li, N.W., Yin, Y.X. and Guo, Y.G. (2015) ‘Three-dimensional sandwich-type graphene@microporous carbon architecture for lithium-sulfur batteries’, *RSC Advances*, 6(1), pp. 617–622. Available at: <https://doi.org/10.1039/c5ra24338f>.

Li, Z., Wu, H. Bin and Lou, X.W. (2016) ‘Rational designs and engineering of hollow micro-/nanostructures as sulfur hosts for advanced lithium-sulfur batteries’, *Energy and Environmental Science*, 9(10), pp. 3061–3070. Available at: <https://doi.org/10.1039/c6ee02364a>.

Linden, D. and Reddy, T.B. (2002) *Handbook of batteries*. 3rd Editio, *Choice Reviews Online*. 3rd Editio. New York: McGraw-Hill. Available at: <https://doi.org/10.5860/choice.33-2144>.

Liu, M. *et al.* (2015) ‘Biomass-derived activated carbon for rechargeable lithium-sulfur batteries’, *BioResources*, 10(1), pp. 155–168. Available at: <https://doi.org/10.15376/biores.10.1.155-168>.

Lowe, S. *et al.* (2000) *100 of the World’s Worst Invasive Alien Species A selection from*

the Global Invasive Species Database, IUCN/SSC Invasive Species Specialist Group (ISSG). Auckland, New Zealand: ISSG.

Manthiram, A. *et al.* (2014) ‘Rechargeable lithium-sulfur batteries’, *Chemical Reviews*, 114(23), pp. 11751–11787. Available at: <https://doi.org/10.1021/cr500062v>.

Manthiram, A. and Fu, Y. (2022) *Advances in Rechargeable Lithium – Sulfur Batteries Modern Aspects of Electrochemistry*.

Manthiram, A., Fu, Y. and Su, Y.S. (2013) ‘Challenges and prospects of lithium-sulfur batteries’, *Accounts of Chemical Research*, 46(5), pp. 1125–1134. Available at: <https://doi.org/10.1021/ar300179v>.

Marturi, N. (2013) *Vision and visual servoing for nanomanipulation and nanocharacterization in scanning electron microscope*. Universit ‘e de Franche-Comt’. Available at: <https://tel.archives-ouvertes.fr/tel-01025318>.

Masthura and Zukarnain, P. (2018) ‘Karakterisasi Mikrostruktur Karbon Aktif Tempurung Kelapa dan Kayu Bakau Program Studi Fisika Fakultas Sains dan Teknologi UIN Sumatera Characterization of Activated Carbon Microstructure of Coconut Shell and Mangrove Wood Indonesia sebagai negara tropis’, *Journal of Islamic Science and Technology*, 4(1), pp. 45–54.

Maulitus Eko Pramono, Natasza Putri Riadi, D.A. (no date) ‘PENGUJIAN KONDUKTIVITAS LISTRIK MATERIAL DENGAN METODE FOUR POINT PROBE (FPP)’.

Meisrilestari, Y., Khomaini, R. and Wijayanti, H. (2013) 'Pembuatan Arang Aktif Dari Cangkang Kelapa Sawit Dengan Aktivasi Secara Fisika, Kimia Dan Fisika-Kimia', *Konversi*, 2(1), p. 45. Available at: <https://doi.org/10.20527/k.v2i1.136>.

Miao, L. *et al.* (2014) 'A lithium-sulfur cathode with high sulfur loading and high capacity per area: A binder-free carbon fiber cloth-sulfur material', *Chemical Communications*, 50(87), pp. 13231–13234. Available at: <https://doi.org/10.1039/c4cc03410d>.

Mikhaylik, Y. V. and Akridge, J.R. (2004) 'Polysulfide Shuttle Study in the Li/S Battery System', *Journal of The Electrochemical Society*, 151(11), p. A1969. Available at: <https://doi.org/10.1149/1.1806394>.

Mishra, R. *et al.* (2021) 'Highly Porous Activated N-Doped Carbon as an Ideal Electrode Material for Capacitive Energy Storage and Physisorption of H₂, CO₂, and CH₄', *Energy and Fuels*, 35(17), pp. 14177–14187. Available at: <https://doi.org/10.1021/acs.energyfuels.1c02051>.

Mojet, B.L., Ebbesen, S.D. and Lefferts, L. (2010) 'Light at the interface: The potential of attenuated total reflection infrared spectroscopy for understanding heterogeneous catalysis in water', *Chemical Society Reviews*, 39(12), pp. 4643–4655. Available at: <https://doi.org/10.1039/c0cs00014k>.

Mostazo-López, M.J. *et al.* (2016) 'Nitrogen doped superporous carbon prepared by a mild method. Enhancement of supercapacitor performance', *International Journal of*

Hydrogen Energy, 41(43), pp. 19691–19701. Available at:
<https://doi.org/10.1016/j.ijhydene.2016.03.091>.

Mostazo-López, M.J. *et al.* (2019) ‘Nitrogen-doped superporous activated carbons as electrocatalysts for the oxygen reduction reaction’, *Materials*, 12(8), pp. 1–17. Available at: <https://doi.org/10.3390/ma12081346>.

N., J. (2010) ‘Ecology and Socio- economic utilization of water hyacinth (Eichhornia crassipes Mart Solms)’, *Appl.Sci.Environ. Manage.June 2010*, 14(June 2018), pp. 43–49.

Nagao, M., Hayashi, A. and Tatsumisago, M. (2011) ‘Sulfur-carbon composite electrode for all-solid-state Li/S battery with Li₂S-P₂S₅ solid electrolyte’, *Electrochimica Acta*, 56(17), pp. 6055–6059. Available at:
<https://doi.org/10.1016/j.electacta.2011.04.084>.

Nakayama, A. *et al.* (1996) ‘Electronic and magnetic properties of activated carbon fibers’, *Bulletin of the Chemical Society of Japan*, pp. 333–339. Available at:
<https://doi.org/10.1246/bcsj.69.333>.

Nandiyanto, A.B.D., Oktiani, R. and Ragadhita, R. (2019) ‘How to read and interpret ftir spectroscope of organic material’, *Indonesian Journal of Science and Technology*, 4(1), pp. 97–118. Available at: <https://doi.org/10.17509/ijost.v4i1.15806>.

Nigam, J.N. (2002) ‘Bioconversion of water-hyacinth (Eichhornia crassipes) hemicellulose acid hydrolysate to motor fuel ethanol by xylose-fermenting yeast’,

Journal of Biotechnology, 97(2), pp. 107–116. Available at: [https://doi.org/10.1016/S0168-1656\(02\)00013-5](https://doi.org/10.1016/S0168-1656(02)00013-5).

Nurhilal, O. *et al.* (2021) ‘High sulfur content of mesoporous activated carbon composite derived from water hyacinth’, *Sustainability (Switzerland)*, 13(22), pp. 1–8. Available at: <https://doi.org/10.3390/su132212880>.

Nurhilal, O. (2022) *Modifikasi Material Karbon Berpori dari Eceng Gondok untuk Aplikasi Komposit Katoda Baterai Lithium Sulfur dengan Kapasitas Tinggi*. Universitas Padjadjaran.

Ojeifo, M. *et al.* (2002) ‘A review of the utilisation of water hyacinth: alternative and sustainable control measures for a noxious weed’, in *International Conference on Water Hyacinth*, pp. 71–78. Available at: http://aquacomm.fcla.edu/966/1/WH_071-078.pdf.

Pambayun, G.S. *et al.* (2013) ‘PEMBUATAN KARBON AKTIF DARI ARANG TEMPURUNG KELAPA DENGAN AKTIVATOR ZnCl₂ DAN Na₂CO₃ SEBAGAI ADSORBEN UNTUK MENGURANGI KADAR FENOL DALAM AIR LIMBAH’, *Teknik Pomits*, 2(1), pp. 116–120. Available at: <http://repository.usu.ac.id/bitstream/123456789/23790/4/Chapter I.pdf>.

Pennise, D.M. *et al.* (2001) ‘Emissions of greenhouse gases and other airborne pollutants from charcoal making in Kenya and Brazil’, *Journal of Geophysical Research Atmospheres*, 106(D20), pp. 24143–24155. Available at:

<https://doi.org/10.1029/2000JD000041>.

Perdana, F.A. (2021) ‘Baterai Lithium’, *INKUIRI: Jurnal Pendidikan IPA*, 9(2), pp. 113–118. Available at: <https://doi.org/10.20961/inkuiri.v9i2.50082>.

Permatasari, F.A. *et al.* (2022) ‘Solid-state nitrogen-doped carbon nanoparticles with tunable emission prepared by a microwave-assisted method’, *RSC Advances*, 12(5), p. 2622. Available at: <https://doi.org/10.1039/d2ra90002e>.

Pruthvija, B. and Lakshmi, P.K.P. (2020) ‘Review on Battery Technology and its Challenges’, *International Journal of Scientific & Engineering Research*, 11(9), pp. 1706–1713.

Puzii, A.M. *et al.* (2012) ‘STRUCTURAL AND ADSORPTION PROPERTIES OF ACTIVE CARBON FROM COCONUT SHELLS MODIFIED WITH PHOSPHORUS HETEROATOMS’, 48(4), pp. 252–256.

Puziy, A.M. *et al.* (2003) ‘Synthetic carbons activated with phosphoric acid III. Carbons prepared in air’, *Carbon*, 41(6), pp. 1181–1191. Available at: [https://doi.org/10.1016/S0008-6223\(03\)00031-9](https://doi.org/10.1016/S0008-6223(03)00031-9).

Rahn, C.D. and Wang, C.Y. (2013) *Battery Systems Engineering*. First Ed, *John Wiley & Sons, Inc.* First Ed. West Sussex: John Wiley & Sons, Inc. Available at: <https://doi.org/10.1002/9781118517048>.

Rana, M., He, Q., *et al.* (2019) ‘Multifunctional Effects of Sulfonyl-Anchored, Dual-

Doped Multilayered Graphene for High Areal Capacity Lithium Sulfur Batteries', *ACS Central Science*, 5(12), pp. 1946–1958. Available at: <https://doi.org/10.1021/acscentsci.9b01005>.

Rana, M., Ahad, S.A., et al. (2019) 'Review on areal capacities and long-term cycling performances of lithium sulfur battery at high sulfur loading', *Energy Storage Materials*, 18(December), pp. 289–310. Available at: <https://doi.org/10.1016/j.ensm.2018.12.024>.

Rana, M. et al. (2020) 'The role of functional materials to produce high areal capacity lithium sulfur battery', *Journal of Energy Chemistry*, 42, pp. 195–209. Available at: <https://doi.org/10.1016/j.jec.2019.06.015>.

Rohmah, P. and Redjeki, A. (2014) 'PENGARUH WAKTU KARBONISASI PADA PEMBUATAN KARBON AKTIF BERBAHAN BAKU SEKAM PADI DENGAN AKTIVATOR KOH', *Konversi*, 3(1).

Ryu, H.S. et al. (2006) 'Discharge process of Li/PVdF/S cells at room temperature', *Journal of Power Sources*, 153(2), pp. 360–364. Available at: <https://doi.org/10.1016/j.jpowsour.2005.05.037>.

Sandi, A. and Astuti (2014) 'PENGARUH WAKTU AKTIVASI MENGGUNAKAN H₃PO₄ TERHADAP STRUKTUR DAN UKURAN PORI KARBON BERBASIS ARANG TEMPURUNG KEMIRI (*Aleurites moluccana*)', *Jurnal Fisika Unand*, 3(2), pp. 115–120.

Saputro, E.A. *et al.* (2020) ‘Review article The Process of Activated Carbon from Coconut Shells Through Chemical Activation’, *Natural Science: Journal of Science and Technology*, 09(1), pp. 23–28. Available at: <https://doi.org/10.22487/25411969.2019.v9.i1.15042>.

Schroder, D. (2006) *Semiconductor material and device characterization*. Piscataway NJ; Hoboken N.J.: IEEE Press; Wiley.

Seh, Z.W. (2015) *HIGH-ENERGY LITHIUM-SULFUR BATTERIES: FROM THEORETICAL UNDERSTANDING TO MATERIALS DESIGN*. Stanford University.

Sembiring, M.T. and Sinaga, T.S. (2003) ‘ARANG AKTIF (Pengenalan dan Proses Pembuatannya)’. Medan: Digital Library USU, pp. 1–9.

Sevilla, M. *et al.* (2020) ‘Straightforward synthesis of Sulfur/N,S-codoped carbon cathodes for Lithium-Sulfur batteries’, *Scientific Reports*, 10(1), pp. 1–11. Available at: <https://doi.org/10.1038/s41598-020-61583-1>.

Sharma, A. and Aggarwal, N.K. (2020) *Water hyacinth: A potential lignocellulosic biomass for bioethanol*, *Water Hyacinth: A Potential Lignocellulosic Biomass for Bioethanol*. Cham: Springer. Available at: <https://doi.org/10.1007/978-3-030-35632-3>.

Simberloff, D. and Rejmanek, M. (2010) *Encyclopedia of Biological Invasions*. California: University of California Press.

Skoog, D., Holler, F. and Crouch, S. (2018) *Principles of Instrumental Analysis*.

Seventh. Boston: Cengage Learning.

Smits, F.M. (1958) 'Measurement of Sheet Resistivities with the Four-Point Probe', *Bell System Technical Journal*, 37(3), pp. 711–718. Available at: <https://doi.org/10.1002/j.1538-7305.1958.tb03883.x>.

Song, J. et al. (2014) 'Nitrogen-doped Mesoporous carbon promoted chemical adsorption of sulfur and fabrication of high-Areal-capacity sulfur cathode with exceptional cycling stability for lithium-sulfur batteries', *Advanced Functional Materials*, 24(9), pp. 1243–1250. Available at: <https://doi.org/10.1002/adfm.201302631>.

Song, M.K., Cairns, E.J. and Zhang, Y. (2013) 'Lithium/sulfur batteries with high specific energy: Old challenges and new opportunities', *Nanoscale*, 5(6), pp. 2186–2204. Available at: <https://doi.org/10.1039/c2nr33044j>.

Stokes, D.J. (2008) *Principles and Practice of Variable Pressure/Environmental Scanning Electron Microscopy (VP-ESEM)*, *Principles and Practice of Variable Pressure/Environmental Scanning Electron Microscopy (VP-ESEM)*. Available at: <https://doi.org/10.1002/9780470758731>.

Stuart, B.H. (2004) *Infrared Spectroscopy: Fundamentals and Applications*, *Infrared Spectroscopy: Fundamentals and Applications*. West Sussex: John Wiley & Sons, Ltd. Available at: <https://doi.org/10.1002/0470011149>.

Suherman et al. (2020) 'PENGARUH SUHU AKTIVASI TERHADAP

KARAKTERISTIK DAN MIKROSTRUKTUR KARBON AKTIF PELEPAH KELAPA SAWIT (*Elaeis guinensis*) The Effect of Activation Temperature on The Characteristics and Microstructure of Active Carbon From Palm Oil Fronds (*Elaeis guinensis*)', *Jurnal Industri Hasil Perkebunan*, 16(1), pp. 1–9.

Suo, L. *et al.* (2013) 'A new class of Solvent-in-Salt electrolyte for high-energy rechargeable metallic lithium batteries', *Nature Communications*, 4, pp. 1–9. Available at: <https://doi.org/10.1038/ncomms2513>.

Swiderska-Mocek, A. and Rudnicka, E. (2015) 'Lithium-sulphur battery with activated carbon cloth-sulphur cathode and ionic liquid as electrolyte', *Journal of Power Sources*, 273, pp. 162–167. Available at: <https://doi.org/10.1016/j.jpowsour.2014.09.020>.

Tan, H. *et al.* (2023) 'Facile synthesis of high-content nitrogen-doped hierarchical porous carbon spheres for high-capacity lithium-sulfur batteries', *Journal of Materials Science*, 58(6), pp. 2700–2712. Available at: <https://doi.org/10.1007/s10853-023-08146-7>.

Tarascon, J.M. and Armand, M. (2001) 'Issues and challenges facing rechargeable lithium batteries', *Nature*, 414(6861), pp. 359–367. Available at: <https://doi.org/10.1038/35104644>.

Ting, L.K.J. *et al.* (2022) 'Lithium Sulfide Batteries: Addressing the Kinetic Barriers and High First Charge Overpotential', *ACS Omega*, 7(45), pp. 40682–40700. Available

at: <https://doi.org/10.1021/acsomega.2c05477>.

Treeweranuwat, P. *et al.* (2020) ‘Role of Nitrogen on the Porosity, Surface, and Electrochemical Characteristics of Activated Carbon’, *ACS Omega*, 5(4), pp. 1911–1918. Available at: <https://doi.org/10.1021/acsomega.9b03586>.

Udyani, K. *et al.* (2019) ‘Pembuatan Karbon Aktif dari Arang Bakau Menggunakan Gabungan Aktivasi Kimia dan Fisika dengan Microwave’, *Jurnal IPTEK*, 23(1), pp. 39–46. Available at: <https://doi.org/10.31284/j.ijtek.2019.v23i1.479>.

Vidya Sagar, C. and Kumari, N.A. (2013) ‘Sustainable Biofuel Production From Water Hyacinth (*Eichornia Crassipes*)’, *International Journal of Engineering Trends and Technology*, 4(10), pp. 4454–4458. Available at: <http://www.ijettjournal.org>.

Waluś, S. *et al.* (2017) ‘Volumetric expansion of Lithium-Sulfur cell during operation - Fundamental insight into applicable characteristics’, *Energy Storage Materials*, 10. Available at: <https://doi.org/10.1016/j.ensm.2017.05.017>.

Wang, D.W. *et al.* (2012) ‘A microporous-mesoporous carbon with graphitic structure for a high-rate stable sulfur cathode in carbonate solvent-based Li-S batteries’, *Physical Chemistry Chemical Physics*, 14(24), pp. 8703–8710. Available at: <https://doi.org/10.1039/c2cp40808b>.

Widitama, A.K., Nuriyah, L. and Santjojo, D.J.D.H. (2012) ‘PENGARUH TEMPERATUR TERHADAP KOMPOSISI KARBON PADA PROSES REDUKSI OKSIGEN HASIL KARBONISASI TEMPURUNG KELAPA’.

Wild, M. and Offer, G.J. (2019) *Lithium Sulfur Batteries*, Wiley & Sons, New York, NY. New York: John Wiley & Sons, Inc.

Wulan Sari, N., Fajri, M.Y. and Anjas W. (2018) ‘Analisis Fitokimia Dan Gugus Fungsi Dari Ekstrak Etanol Pisang Goroho Merah (Musa Acuminata (L))’, *IJOBB*, 2(1), p. 30.

Xu, H. *et al.* (2020) ‘Integrating Conductivity, Immobility, and Catalytic Ability into High-N Carbon/Graphene Sheets as an Effective Sulfur Host’, *Advanced Materials*, 32(7), pp. 1–9. Available at: <https://doi.org/10.1002/adma.201906357>.

Xu, J. *et al.* (2014) ‘Sulfur-graphene nanostructured cathodes via ball-milling for high-performance lithium-sulfur batteries’, *ACS Nano*, 8(10), pp. 10920–10930. Available at: <https://doi.org/10.1021/nn5047585>.

Yang, K. *et al.* (2015a) ‘Microporous and Mesoporous Materials Microporous carbon derived from Apricot shell as cathode material for lithium – sulfur battery’, *MICROPOROUS AND MESOPOROUS MATERIALS*, 204, pp. 235–241. Available at: <https://doi.org/10.1016/j.micromeso.2014.12.003>.

Yang, K. *et al.* (2015b) ‘Microporous carbon derived from Apricot shell as cathode material for lithium-sulfur battery’, *Microporous and Mesoporous Materials*, 204(C), pp. 235–241. Available at: <https://doi.org/10.1016/j.micromeso.2014.12.003>.

Yang, Y., Zheng, G. and Cui, Y. (2013) ‘Nanostructured sulfur cathodes’, *Chemical Society Reviews*, 42(7), pp. 3018–3032. Available at:

<https://doi.org/10.1039/c2cs35256g>.

Yin, Y.X. *et al.* (2013) ‘Lithium-sulfur batteries: Electrochemistry, materials, and prospects’, *Angewandte Chemie - International Edition*, 52(50), pp. 13186–13200. Available at: <https://doi.org/10.1002/anie.201304762>.

Yu, E. *et al.* (2020) ‘Highly Active Wood-Derived Nitrogen-Doped Carbon Catalyst for the Oxygen Reduction Reaction’. Available at: <https://doi.org/10.1021/acsomega.0c01974>.

Yulusman (2015) ‘Pembuatan karbon aktif dari tempurung kelapa sawit dengan bahan pengaktif koh dan gas N₂ / CO₂’, in *Seminar Teknologi dan Rekayasa (SENTRA)*. Surabaya: LEMIGAS, pp. 978–979.

Zhang, B. *et al.* (2010) ‘Enhancement of long stability of sulfur cathode by encapsulating sulfur into micropores of carbon spheres’, *Energy and Environmental Science*, 3(10), pp. 1531–1537. Available at: <https://doi.org/10.1039/c002639e>.

Zhang, F.F. *et al.* (2014) ‘Sulfur-impregnated core-shell hierarchical porous carbon for lithium-sulfur batteries’, *Chemistry - A European Journal*, 20(52), pp. 17523–17529. Available at: <https://doi.org/10.1002/chem.201404439>.

Zhang, J. *et al.* (2016) ‘Double-Shelled Nanocages with Cobalt Hydroxide Inner Shell and Layered Double Hydroxides Outer Shell as High-Efficiency Polysulfide Mediator for Lithium-Sulfur Batteries’, *Angewandte Chemie - International Edition*, 55(12), pp. 3982–3986. Available at: <https://doi.org/10.1002/anie.201511632>.

Zhang, S.S. (2012a) ‘Improved cyclability of liquid electrolyte lithium/sulfur batteries by optimizing electrolyte/sulfur ratio’, *Energies*, 5(12), pp. 5190–5197. Available at: <https://doi.org/10.3390/en5125190>.

Zhang, S.S. (2012b) ‘Role of LiNO₃ in rechargeable lithium/sulfur battery’, *Electrochimica Acta*, 70, pp. 344–348. Available at: <https://doi.org/10.1016/j.electacta.2012.03.081>.

Zhang, S.S. and Tran, D.T. (2012) ‘A proof-of-concept lithium/sulfur liquid battery with exceptionally high capacity density’, *Journal of Power Sources*, 211, pp. 169–172. Available at: <https://doi.org/10.1016/j.jpowsour.2012.04.006>.

Zhao, X. et al. (2016) ‘Lithium/sulfur secondary batteries: A review’, *Journal of Electrochemical Science and Technology*, 7(2), pp. 97–114. Available at: <https://doi.org/10.5229/JECST.2016.7.2.97>.

Zhao, Y. et al. (2017) ‘Biomass derived nitrogen-doped highly porous carbon material with a hierarchical porous structure for high-performance lithium/sulfur batteries’, *Materials*, 10(10). Available at: <https://doi.org/10.3390/ma10101158>.

Zheng, G. et al. (2014) ‘Interconnected hollow carbon nanospheres for stable lithium metal anodes’, *Nature Nanotechnology*, 9(8), pp. 618–623. Available at: <https://doi.org/10.1038/nnano.2014.152>.

Zheng, K. et al. (2017) ‘The porous carbon derived from water hyacinth with well-designed hierarchical structure for supercapacitors’, *Journal of Power Sources*, 366,

pp. 270–277. Available at: <https://doi.org/10.1016/j.jpowsour.2017.09.034>.

Zhou, G. (2017) *Design, Fabrication and Electrochemical Performance of Nanostructured Carbon Based Materials for High-Energy Lithium–Sulfur Batteries*. Springer. Available at: <http://link.springer.com/10.1007/978-981-10-3406-0>.

Zhou, L. et al. (2022) ‘Sulfur Reduction Reaction in Lithium–Sulfur Batteries: Mechanisms, Catalysts, and Characterization’, *Advanced Energy Materials*, 12(44). Available at: <https://doi.org/10.1002/aenm.202202094>.