

DAFTAR PUSTAKA

- Abaci, N., Senol Deniz, F. S., & Orhan, I. E. (2022). Kombucha – An ancient fermented beverage with desired bioactivities: A narrowed review. *Food Chemistry: X*, 14. <https://doi.org/10.1016/j.fochx.2022.100302>
- Agustina, R. (2019). *Kajian Proses Pembuatan Teh Hijau Daun Rami (Boehmeria nivea L. Gaud.) berdasarkan Metode Pelayuan*. Universitas Padjadjaran.
- Akter, K.-M., Kim, H.-J., Khalil, A. A. K., Park, W. S., Lee, M. K., Park, J. H., & Ahn, M.-J. (2018). Inner morphological and chemical differentiation of *Boehmeria* species. *Journal of Natural Medicines*, 72(2), 409–423. <https://doi.org/10.1007/s11418-017-1164-8>
- Amorati, R., & Valgimigli, L. (2015). Advantages and limitations of common testing methods for antioxidants. *Free Radical Research*, 49(5), 633–649. <https://doi.org/10.3109/10715762.2014.996146>
- Andreson, M., Kazantseva, J., Kuldj arv, R., Malv, E., Vaikma, H., Kaleda, A., K utt, M. L., & Vilu, R. (2022). Characterisation of chemical, microbial and sensory profiles of commercial kombuchas. *International Journal of Food Microbiology*, 373. <https://doi.org/10.1016/j.ijfoodmicro.2022.109715>
- Angela, C., Young, J., Kordayanti, S., Virginia Partha Devanthi, P., & . K. (2020). Isolation and Screening of Microbial Isolates from Kombucha Culture for Bacterial Cellulose Production in Sugarcane Molasses Medium. *KnE Life Sciences*. <https://doi.org/10.18502/cls.v5i2.6444>
- Antolak, H., Piechota, D., & Kucharska, A. (2021). Kombucha tea—A double power of bioactive compounds from tea and symbiotic culture of bacteria and yeasts (SCOBY). In *Antioxidants* (Vol. 10, Issue 10). MDPI. <https://doi.org/10.3390/antiox10101541>
- Aung, T., & Eun, J. B. (2021). Production and characterization of a novel beverage from laver (*Porphyra dentata*) through fermentation with kombucha consortium. *Food Chemistry*, 350. <https://doi.org/10.1016/j.foodchem.2021.129274>
- Aung, T., & Eun, J. B. (2022). Impact of time and temperature on the physicochemical, microbiological, and nutraceutical properties of laver kombucha (*Porphyra dentata*) during fermentation. *LWT*, 154. <https://doi.org/10.1016/j.lwt.2021.112643>

- Bag, S., Mondal, A., Majumder, A., & Banik, A. (2022). Tea and its phytochemicals: Hidden health benefits & modulation of signaling cascade by phytochemicals. *Food Chemistry*, 371. <https://doi.org/10.1016/j.foodchem.2021.131098>
- Barbosa, C. D., Trovatti Uetanabaro, A. P., Rodrigues Santos, W. C., Caetano, R. G., Albano, H., Kato, R., Cosenza, G. P., Azeredo, A., Góes-Neto, A., Rosa, C. A., Teixeira, P., Alvarenga, V. O., & Alves Lacerda, I. C. (2021). Microbial–physicochemical integrated analysis of kombucha fermentation. *LWT*, 148. <https://doi.org/10.1016/j.lwt.2021.111788>
- Bellut, K., Michel, M., Zarnkow, M., Hutzler, M., Jacob, F., De Schutter, D. P., Daenen, L., Lynch, K. M., Zannini, E., & Arendt, E. K. (2018). Application of non-Saccharomyces yeasts isolated from kombucha in the production of alcohol-free beer. *Fermentation*, 4(3). <https://doi.org/10.3390/fermentation4030066>
- Bishop, P., Pitts, E. R., Budner, D., & Thompson-Witrick, K. A. (2022). Kombucha: Biochemical and microbiological impacts on the chemical and flavor profile. *Food Chemistry Advances*, 1, 100025. <https://doi.org/10.1016/j.focha.2022.100025>
- Cacicedo, M. L., Castro, M. C., Servetas, I., Bosnea, L., Boura, K., Tsafrakidou, P., Dima, A., Terpou, A., Koutinas, A., & Castro, G. R. (2016). Progress in bacterial cellulose matrices for biotechnological applications. In *Bioresource Technology* (Vol. 213, pp. 172–180). Elsevier Ltd. <https://doi.org/10.1016/j.biortech.2016.02.071>
- Cardoso, R. R., Neto, R. O., dos Santos D’Almeida, C. T., do Nascimento, T. P., Pressete, C. G., Azevedo, L., Martino, H. S. D., Cameron, L. C., Ferreira, M. S. L., & Barros, F. A. R. de. (2020). Kombuchas from green and black teas have different phenolic profile, which impacts their antioxidant capacities, antibacterial and antiproliferative activities. *Food Research International*, 128. <https://doi.org/10.1016/j.foodres.2019.108782>
- Cavia, M. M., Arlanzón, N., Busto, N., Carrillo, C., & Alonso-Torre, S. R. (2023). The Impact of In Vitro Digestion on the Polyphenol Content and Antioxidant Activity of Spanish Ciders. *Foods*, 12(9). <https://doi.org/10.3390/foods12091861>
- Chakravorty, S., Bhattacharya, S., Bhattacharya, D., Sarkar, S., & Gachhui, R. (2019). Kombucha: A promising functional beverage prepared from tea. In *Non-alcoholic Beverages: Volume 6. The Science of Beverages* (pp. 285–327). Elsevier. <https://doi.org/10.1016/B978-0-12-815270-6.00010-4>

- Chakravorty, S., Bhattacharya, S., Chatzinotas, A., Chakraborty, W., Bhattacharya, D., & Gachhui, R. (2016). Kombucha tea fermentation: Microbial and biochemical dynamics. *International Journal of Food Microbiology*, *220*, 63–72. <https://doi.org/10.1016/j.ijfoodmicro.2015.12.015>
- Chen, Y., Wang, G., Wang, H., Cheng, C., Zang, G., Guo, X., & Liu, R. H. (2014). Phytochemical profiles and antioxidant activities in six species of ramie leaves. *PLoS ONE*, *9*(9). <https://doi.org/10.1371/journal.pone.0108140>
- Cho, S., Lee, J., Kim Young Mi, Jung Yong-Su, Kim Ho Bang, Cho Eun Ju, & Lee Sanghyun. (2017). Chemical composition of different parts of ramie (*Boehmeria nivea*). *Korean Journal of Agricultural Science*, *44*(1). <https://doi.org/10.7744/kjoas.20170011>
- Coelho, R. M. D., Almeida, A. L. de, Amaral, R. Q. G. do, Mota, R. N. da, & Sousa, P. H. M. de. (2020). Kombucha: Review. In *International Journal of Gastronomy and Food Science* (Vol. 22). AZTI-Tecnalia. <https://doi.org/10.1016/j.ijgfs.2020.100272>
- Coton, M., Pawtowski, A., Taminau, B., Burgaud, G., Deniel, F., Coulloume-Labarthe, L., Fall, A., Daube, G., & Coton, E. (2017). Unraveling microbial ecology of industrial-scale Kombucha fermentations by metabarcoding and culture-based methods. *FEMS Microbiology Ecology*, *93*(5). <https://doi.org/10.1093/femsec/fix048>
- Csepregi, K., Neugart, S., Schreiner, M., & Hideg, É. (2016). Comparative evaluation of total antioxidant capacities of plant polyphenols. *Molecules*, *21*(2). <https://doi.org/10.3390/molecules21020208>
- de Oliveira, Í. A. C. L., Rolim, V. A. de O., Gaspar, R. P. L., Rossini, D. Q., de Souza, R., & Bogsan, C. S. B. (2022). The Technological Perspectives of Kombucha and Its Implications for Production. In *Fermentation* (Vol. 8, Issue 4). MDPI. <https://doi.org/10.3390/fermentation8040185>
- Değirmenciöğlü, N., Yıldız, E., Sahan, Y., Güldas, M., & Gürbüz, O. (2021). Impact of tea leaves types on antioxidant properties and bioaccessibility of kombucha. *Journal of Food Science and Technology*, *58*(6), 2304–2312. <https://doi.org/10.1007/s13197-020-04741-7>
- Derabli, B., Nancib, A., Nancib, N., Aníbal, J., Raposo, S., Rodrigues, B., & Boudrant, J. (2022). Opuntia ficus indica waste as a cost effective carbon source for lactic acid production by *Lactobacillus plantarum*. *Food Chemistry*, *370*. <https://doi.org/10.1016/j.foodchem.2021.131005>

- Eun Kim, J., Ju Lee, Y., Hwa Kwak, M., Ko, J., Tae Hong, J., & Youn Hwang, D. (2013). Aqueous extracts of *Liriope platyphylla* induced significant laxative effects on loperamide-induced constipation of SD rats. *BMC Complementary and Alternative Medicine*, *13*(333).
- Evitasari, D., & Susanti, E. (2021). Total Polyphenol Content in Green Tea (*Camellia Sinensis*) Using Maceration Extraction with Comparison of Ethanol – Water Solvent. *PHARMADEMICA : Jurnal Kefarmasian Dan Gizi*, *1*(1), 16–23. <https://doi.org/10.54445/pharmademica.v1i1.5>
- Filannino, P., Di Cagno, R., & Gobbetti, M. (2018). Metabolic and functional paths of lactic acid bacteria in plant foods: get out of the labyrinth. In *Current Opinion in Biotechnology* (Vol. 49, pp. 64–72). Elsevier Ltd. <https://doi.org/10.1016/j.copbio.2017.07.016>
- Food and Drug Administration. (2022, November 3). *International Cooperation on Food Safety*. Food and Drug Administration.
- Fu, C., Yan, F., Cao, Z., Xie, F., & Lin, J. (2014). Antioxidant activities of kombucha prepared from three different substrates and changes in content of probiotics during storage. In *Food Sci. Technol, Campinas* (Vol. 34, Issue 1).
- Gaggia, F., Baffoni, L., Galiano, M., Nielsen, D. S., Jakobsen, R. R., Castro-Mejía, J. L., Bosi, S., Truzzi, F., Musumeci, F., Dinelli, G., & Di Gioia, D. (2019). Kombucha beverage from green, black and rooibos teas: A comparative study looking at microbiology, chemistry and antioxidant activity. *Nutrients*, *11*(1). <https://doi.org/10.3390/nu11010001>
- Gamboa-Gómez, C. I., González-Laredo, R. F., Gallegos-Infante, J. A., Larrosa Pérez, M. del M., Moreno-Jiménez, M. R., Flores-Rueda, A. G., & Rocha-Guzmán, N. E. (2016). Antioxidant and Angiotensin-Converting Enzyme Inhibitory Activity of *Eucalyptus camaldulensis* and *Litsea glaucescens* Infusions Fermented with Kombucha Consortium. *Food Technology and Biotechnology*, *54*(3). <https://doi.org/10.17113/ftb.54.03.16.4622>
- Ghorbani, A. (2017). Mechanisms of antidiabetic effects of flavonoid rutin. *Biomedicine & Pharmacotherapy*, *96*, 305–312. <https://doi.org/10.1016/j.biopha.2017.10.001>
- Gorgieva, S., & Trček, J. (2019). Bacterial cellulose: Production, modification and perspectives in biomedical applications. In *Nanomaterials* (Vol. 9, Issue 10). MDPI AG. <https://doi.org/10.3390/nano9101352>
- Gramza-Michalowska, A., Kulczynski, B., Xindi, Y., & Gumienna, M. (2016). Research on the effect of culture time on the kombucha tea beverage's

- antiradical capacity and sensory value. *Acta Scientiarum Polonorum, Technologia Alimentaria*, 15(4), 447–457. <https://doi.org/10.17306/J.AFS.2016.4.43>
- Han, Y., Du, J., Li, J., & Li, M. (2019). Quantification of the organic acids in hawthorn wine: A comparison of two HPLC methods. *Molecules*, 24(11). <https://doi.org/10.3390/molecules24112150>
- Hao, J., Wang, Z., Jia, Y., Sun, L., Fu, Z., Zhao, M., Li, Y., Yuan, N., Cong, B., Zhao, L., & Ge, G. (2023). Optimization of ultrasonic-assisted extraction of flavonoids from *Lactuca indica* L. cv. Mengzao and their antioxidant properties. *Frontiers in Nutrition*, 10. <https://doi.org/10.3389/fnut.2023.1065662>
- Harrison, K., & Curtin, C. (2021). Microbial composition of scoby starter cultures used by commercial kombucha brewers in North America. *Microorganisms*, 9(5). <https://doi.org/10.3390/microorganisms9051060>
- Haseeb, S., Alexander, B., & Baranchuk, A. (2017). Wine and Cardiovascular Health. In *Circulation* (Vol. 136, Issue 15, pp. 1434–1448). Lippincott Williams and Wilkins. <https://doi.org/10.1161/CIRCULATIONAHA.117.030387>
- Hsieh, Y., Chiu, M. C., & Chou, J. Y. (2021). Efficacy of the Kombucha Beverage Derived from Green, Black, and Pu'er Teas on Chemical Profile and Antioxidant Activity. *Journal of Food Quality*, 2021. <https://doi.org/10.1155/2021/1735959>
- Jakubczyk, K., Kałduńska, J., Dec, K., Kawczuga, D., & Janda, K. (2020). Antioxidant properties of small-molecule non-enzymatic compounds. *Polski Merkurusz Lekarski : Organ Polskiego Towarzystwa Lekarskiego*, 48(284), 128–132.
- Jakubczyk, K., Kałduńska, J., Kochman, J., & Janda, K. (2020). Chemical profile and antioxidant activity of the kombucha beverage derived from white, green, black and red tea. *Antioxidants*, 9(5). <https://doi.org/10.3390/antiox9050447>
- Jayabalan, R., Malbaša, R. V., Lončar, E. S., Vitas, J. S., & Sathishkumar, M. (2014). A review on kombucha tea-microbiology, composition, fermentation, beneficial effects, toxicity, and tea fungus. In *Comprehensive Reviews in Food Science and Food Safety* (Vol. 13, Issue 4, pp. 538–550). Blackwell Publishing Inc. <https://doi.org/10.1111/1541-4337.12073>
- Jayabalan, R., & Waisundara, V. Y. (2019). Kombucha as a functional beverage. In *Functional and Medicinal Beverages: Volume 11: The Science of Beverages*

(pp. 413–446). Elsevier. <https://doi.org/10.1016/B978-0-12-816397-9.00012-1>

- Júnior, J. C. da S., Meireles Mafaldo, Í., de Lima Brito, I., & Tribuzy de Magalhães Cordeiro, A. M. (2022). Kombucha: Formulation, chemical composition, and therapeutic potentialities. In *Current Research in Food Science* (Vol. 5, pp. 360–365). Elsevier B.V. <https://doi.org/10.1016/j.crfs.2022.01.023>
- Kaewkod, T., Bovonsombut, S., & Tragoolpua, Y. (2019). Efficacy of kombucha obtained from green, oolong and black teas on inhibition of pathogenic bacteria, antioxidation, and toxicity on colorectal cancer cell line. *Microorganisms*, 7(12). <https://doi.org/10.3390/microorganisms7120700>
- Kapp, J. M., & Sumner, W. (2019). Kombucha: a systematic review of the empirical evidence of human health benefit. *Annals of Epidemiology*, 30, 66–70. <https://doi.org/10.1016/j.annepidem.2018.11.001>
- Kim, S. H., Sung, M. J., Park, J. H., Yang, H. J., & Hwang, J. T. (2013). *Boehmeria nivea* stimulates glucose uptake by activating peroxisome proliferator-activated receptor gamma in C2C12 cells and improves glucose intolerance in mice fed a high-fat diet. *Evidence-Based Complementary and Alternative Medicine*, 2013. <https://doi.org/10.1155/2013/867893>
- Kitwetcharoen, H., Phung, L. T., Klanrit, P., Thanonkeo, S., Tippayawat, P., Yamada, M., & Thanonkeo, P. (2023). Kombucha Healthy Drink—Recent Advances in Production, Chemical Composition and Health Benefits. *Fermentation*, 9(1), 48. <https://doi.org/10.3390/fermentation9010048>
- Kluz, M. I., Pietrzyk, K., Pastuszczyk, M., Kacaniova, M., Kita, A., Kapusta, I., Zagula, G., Zagrobelna, E., Struś, K., Marciniak-Lukasiak, K., Stanek-Tarkowska, J., Timar, A. V., & Puchalski, C. (2022). Microbiological and Physicochemical Composition of Various Types of Homemade Kombucha Beverages Using Alternative Kinds of Sugars. *Foods*, 11(10). <https://doi.org/10.3390/FOODS11101523>
- Kochman, J., Jakubczyk, K., Antoniewicz, J., Mruk, H., & Janda, K. (2020). Health Benefits and Chemical Composition of Matcha Green Tea: A Review. *Molecules*, 26(1), 85. <https://doi.org/10.3390/molecules26010085>
- Laavanya, D., Shirkole, S., & Balasubramanian, P. (2021). Current challenges, applications and future perspectives of SCOBY cellulose of Kombucha fermentation. In *Journal of Cleaner Production* (Vol. 295). Elsevier Ltd. <https://doi.org/10.1016/j.jclepro.2021.126454>

- Laureys, D., Britton, S. J., & De Clippeleer, J. (2020). Kombucha Tea Fermentation: A Review. In *Journal of the American Society of Brewing Chemists* (Vol. 78, Issue 3, pp. 165–174). Taylor and Francis Inc. <https://doi.org/10.1080/03610470.2020.1734150>
- Lee, H. J., Choi, E. J., Park, S., & Lee, J. J. (2020). Laxative and antioxidant effects of ramie (*Boehmeria nivea* L.) leaf extract in experimental constipated rats. *Food Science and Nutrition*, 8(7), 3389–3401. <https://doi.org/10.1002/fsn3.1619>
- Lee, H. J., Kim, A. R., & Lee, J. J. (2014). Effects of ramie leaf extract on blood glucose and lipid metabolism in db/db mice. *Journal of the Korean Society for Applied Biological Chemistry*, 57(5), 639–645. <https://doi.org/10.1007/s13765-014-4193-y>
- Lee, J., Kim, A. R., & Lee, J. J. (2016). Ramie leaf extracts suppresses adipogenic differentiation in 3T3-L1 cells and pig preadipocytes. *Asian-Australasian Journal of Animal Sciences*, 29(9), 1338–1344. <https://doi.org/10.5713/ajas.15.0384>
- Lee, J.-K., Lee, J., Cho, H.-J., Kim, J.-K., & Choi, Y. (2018). Component Content, ACE and AChE Inhibitory Activity of Ramie (Leaf *Boehmeria nivea* M.) according to Harvest Time. *Korean J. Food Nutr*, 31(2), 213–219. <https://doi.org/10.9799/ksfan.2018.31.2.213>
- Leonarski, E., Cesca, K., Borges, O. M. A., Oliveira, D., & Poletto, P. (2021). Typical kombucha fermentation: Kinetic evaluation of beverage and morphological characterization of bacterial cellulose. *Journal of Food Processing and Preservation*, 45(12). <https://doi.org/10.1111/jfpp.16100>
- Leonarski, E., Guimarães, A. C., Cesca, K., & Poletto, P. (2022). Production process and characteristics of kombucha fermented from alternative raw materials. In *Food Bioscience* (Vol. 49). Elsevier Ltd. <https://doi.org/10.1016/j.fbio.2022.101841>
- Liczbiński, P., & Bukowska, B. (2022). Tea and coffee polyphenols and their biological properties based on the latest in vitro investigations. In *Industrial Crops and Products* (Vol. 175). Elsevier B.V. <https://doi.org/10.1016/j.indcrop.2021.114265>
- Lopes, D. R., Santos, L. O., & Prentice-Hernández, C. (2021). Antioxidant and antibacterial activity of a beverage obtained by fermentation of yerba-maté (*Ilex paraguariensis*) with symbiotic kombucha culture. *Journal of Food Processing and Preservation*, 45(2). <https://doi.org/10.1111/jfpp.15101>

- Lynch, K. M., Zannini, E., Wilkinson, S., Daenen, L., & Arendt, E. K. (2019). Physiology of Acetic Acid Bacteria and Their Role in Vinegar and Fermented Beverages. In *Comprehensive Reviews in Food Science and Food Safety* (Vol. 18, Issue 3, pp. 587–625). Blackwell Publishing Inc. <https://doi.org/10.1111/1541-4337.12440>
- Massounga Bora, A. F., Ma, S., Li, X., & Liu, L. (2018). Application of microencapsulation for the safe delivery of green tea polyphenols in food systems: Review and recent advances. In *Food Research International* (Vol. 105, pp. 241–249). Elsevier Ltd. <https://doi.org/10.1016/j.foodres.2017.11.047>
- Mizuta, A. G., de Menezes, J. L., Dutra, T. V., Ferreira, T. V., Castro, J. C., da Silva, C. A. J., Pilau, E. J., Machinski Junior, M., & Abreu Filho, B. A. de. (2020). Evaluation of antimicrobial activity of green tea kombucha at two fermentation time points against *Alicyclobacillus* spp. *LWT*, *130*. <https://doi.org/10.1016/j.lwt.2020.109641>
- Neffe-Skocińska, K., Sionek, B., Ścibisz, I., & Kołożyn-Krajewska, D. (2017). Acid contents and the effect of fermentation condition of Kombucha tea beverages on physicochemical, microbiological and sensory properties. *CYTA - Journal of Food*, *15*(4), 601–607. <https://doi.org/10.1080/19476337.2017.1321588>
- Permatasari, H. K., Firani, N. K., Prijadi, B., Irnandi, D. F., Riawan, W., Yusuf, M., Amar, N., Chandra, L. A., Yusuf, V. M., Subali, A. D., & Nurkolis, F. (2022). Kombucha drink enriched with sea grapes (*Caulerpa racemosa*) as potential functional beverage to contrast obesity: An in vivo and in vitro approach. *Clinical Nutrition ESPEN*, *49*, 232–240. <https://doi.org/10.1016/j.clnesp.2022.04.015>
- Pokorná, J., Venskutonis, P. R., Kraujalyte, V., Kraujalis, P., Dvorák, P., Tremlová, B., Kopriva, V., & Ošťádalová, M. (2015). Comparison of different methods of antioxidant activity evaluation of green and roast *C. Arabica* and *C. Robusta* coffee beans. *Acta Alimentaria*, *44*(3), 454–460. <https://doi.org/10.1556/066.2015.44.0017>
- Quispe-Fuentes, I., Vega-Gálvez, A., & Campos-Requena, V. (2017). Antioxidant Compound Extraction from Maqui (*Aristotelia chilensis* [Mol] Stuntz) Berries: Optimization by Response Surface Methodology. *Antioxidants*, *6*(1), 10. <https://doi.org/10.3390/antiox6010010>
- Rahmani, R., Beaufort, S., Villarreal-Soto, S. A., Taillandier, P., Bouajila, J., & Debouba, M. (2019). Kombucha fermentation of African mustard (*Brassica*

- tournefortii) leaves: Chemical composition and bioactivity. *Food Bioscience*, 30. <https://doi.org/10.1016/j.fbio.2019.100414>
- Ramírez Tapias, Y. A., Di Monte, M. V., Peltzer, M. A., & Salvay, A. G. (2022). Bacterial cellulose films production by Kombucha symbiotic community cultured on different herbal infusions. *Food Chemistry*, 372. <https://doi.org/10.1016/j.foodchem.2021.131346>
- Rezaldi, F., Ma'ruf, A., Pertiwi, F. D., Fatonah, N. S., Ningtias, R. Y., Fadillah, M. F., Sasmita, H., & Somantri, U. W. (2021). NARRATIVE REVIEW: KOMBUCHA'S POTENTIAL AS A RAW MATERIAL FOR HALAL DRUGS AND COSMETICS IN A BIOTECHNOLOGICAL PERSPECTIVE. *IJMA: International Journal Mathla'ul Anwar of Halal Issues*, 1(2).
- Rocha-Guzmán, N. E., González-Laredo, R. F., Moreno-Jiménez, M. R., Gallegos-Infante, J. A., Mancera-Rodríguez, J., & Rosales-Villarreal, M. C. (2023). Kombucha analogs from maqui juice: Consortium age and sugar concentration effects on anthocyanin stability and its relationship with antioxidant activity and digestive enzyme inhibition. *Food Chemistry*, 421. <https://doi.org/10.1016/j.foodchem.2023.136158>
- Shahbazi, H., Hashemi Gahrue, H., Golmakani, M. T., Eskandari, M. H., & Movahedi, M. (2018). Effect of medicinal plant type and concentration on physicochemical, antioxidant, antimicrobial, and sensorial properties of kombucha. *Food Science and Nutrition*, 6(8), 2568–2577. <https://doi.org/10.1002/fsn3.873>
- Shannon, E., Jaiswal, A. K., & Abu-Ghannam, N. (2018). Polyphenolic content and antioxidant capacity of white, green, black, and herbal teas: A kinetic study. *Food Research*, 2(1), 1–11. [https://doi.org/10.26656/fr.2017.2\(1\).117](https://doi.org/10.26656/fr.2017.2(1).117)
- Shi, S., Wei, Y., Lin, X., Liang, H., Zhang, S., Chen, Y., Dong, L., & Ji, C. (2023). Microbial metabolic transformation and antioxidant activity evaluation of polyphenols in kombucha. *Food Bioscience*, 51. <https://doi.org/10.1016/j.fbio.2022.102287>
- Shin, E. J., Sung, M. J., Yang, H. J., Kim, M. S., & Hwang, J. T. (2014). *Boehmeria nivea* attenuates the development of dextran sulfate sodium-induced experimental colitis. *Mediators of Inflammation*, 2014. <https://doi.org/10.1155/2014/231942>
- Silva, K. A., Uekane, T. M., Miranda, J. F. de, Ruiz, L. F., Motta, J. C. B. da, Silva, C. B., Pitanguí, N. de S., Gonzalez, A. G. M., Fernandes, F. F., & Lima, A. R. (2021). Kombucha beverage from non-conventional edible plant infusion and green tea: Characterization, toxicity, antioxidant activities and antimicrobial

properties. *Biocatalysis and Agricultural Biotechnology*, 34. <https://doi.org/10.1016/j.bcab.2021.102032>

- Sung, M. J., Davaatseren, M., Kim, S. H., Kim, M. J., & Hwang, J. T. (2013). *Boehmeria nivea* attenuates LPS-induced inflammatory markers by inhibiting p38 and JNK phosphorylations in RAW264.7 macrophages. *Pharmaceutical Biology*, 51(9), 1131–1136. <https://doi.org/10.3109/13880209.2013.781196>
- Taban, B. M., & Saichana, N. (2017). *Acetic Acid Bacteria Fundamentals and Food Applications* (I. Yucel Sengun, Ed.; 1st Edition). CRC Press. <https://doi.org/10.1201/9781315153490>
- Tadesse, A., Hymete, A., Bekhit, A. A., & Mohammed, S. F. (2015). Quantification of total polyphenols, catechin, caffeine, L-theanine, determination of antioxidant activity and effect on antileishmanial drugs of ethiopian tea leaves extracts. *Pharmacognosy Research*, 7, S7–S14. <https://doi.org/10.4103/0974-8490.157991>
- Tan, W. C., Muhialdin, B. J., & Meor Hussin, A. S. (2020). Influence of Storage Conditions on the Quality, Metabolites, and Biological Activity of Soursop (*Annona muricata*. L.) Kombucha. *Frontiers in Microbiology*, 11. <https://doi.org/10.3389/fmicb.2020.603481>
- Tang, G. Y., Zhao, C. N., Xu, X. Y., Gan, R. Y., Cao, S. Y., Liu, Q., Shang, A., Mao, Q. Q., & Li, H. Bin. (2019). Phytochemical composition and antioxidant capacity of 30 chinese teas. *Antioxidants*, 8(6). <https://doi.org/10.3390/antiox8060180>
- Tapias, Y. A. R., Monte, M. V. Di, Peltzer, M. A., & Salvay, A. G. (2023). Kombucha fermentation in yerba mate: Cellulose production, films formulation and its characterisation. *Carbohydrate Polymer Technologies and Applications*, 5. <https://doi.org/10.1016/j.carpta.2023.100310>
- Tran, T., Grandvalet, C., Verdier, F., Martin, A., Alexandre, H., & Tourdot-Maréchal, R. (2020). Microbiological and technological parameters impacting the chemical composition and sensory quality of kombucha. *Comprehensive Reviews in Food Science and Food Safety*, 19(4), 2050–2070. <https://doi.org/10.1111/1541-4337.12574>
- Treviño-Garza, M. Z., Guerrero-Medina, A. S., González-Sánchez, R. A., García-Gómez, C., Guzmán-Velasco, A., Báez-González, J. G., & Márquez-Reyes, J. M. (2020). Production of microbial cellulose films from green tea (*Camellia sinensis*) kombucha with various carbon sources. *Coatings*, 10(11), 1–14. <https://doi.org/10.3390/coatings10111132>

- Uțoiu, E., Matei, F., Toma, A., Diguță, C. F., Ștefan, L. M., Mănoiu, S., Vrajmașu, V. V., Moraru, I., Oancea, A., Israel-Roming, F., Cornea, C. P., Constantinescu-Aruxandei, D., Moraru, A., & Oancea, F. (2018). Bee collected pollen with enhanced health benefits, produced by fermentation with a Kombucha Consortium. *Nutrients*, *10*(10). <https://doi.org/10.3390/nu10101365>
- Vázquez-Cabral, B. D., Larrosa-Pérez, M., Gallegos-Infante, J. A., Moreno-Jiménez, M. R., González-Laredo, R. F., Rutiaga-Quiñones, J. G., Gamboa-Gómez, C. I., & Rocha-Guzmán, N. E. (2017). Oak kombucha protects against oxidative stress and inflammatory processes. *Chemico-Biological Interactions*, *272*, 1–9. <https://doi.org/10.1016/j.cbi.2017.05.001>
- Villarreal-Soto, S. A., Beaufort, S., Bouajila, J., Souchard, J. P., Renard, T., Rollan, S., & Taillandier, P. (2019). Impact of fermentation conditions on the production of bioactive compounds with anticancer, anti-inflammatory and antioxidant properties in kombucha tea extracts. *Process Biochemistry*, *83*, 44–54. <https://doi.org/10.1016/j.procbio.2019.05.004>
- Villarreal-Soto, S. A., Beaufort, S., Bouajila, J., Souchard, J. P., & Taillandier, P. (2018). Understanding Kombucha Tea Fermentation: A Review. In *Journal of Food Science* (Vol. 83, Issue 3, pp. 580–588). Blackwell Publishing Inc. <https://doi.org/10.1111/1750-3841.14068>
- Vitas, J. S., Cvetanović, A. D., Mašković, P. Z., Švarc-Gajić, J. V., & Malbaša, R. V. (2018). Chemical composition and biological activity of novel types of kombucha beverages with yarrow. *Journal of Functional Foods*, *44*, 95–102. <https://doi.org/10.1016/j.jff.2018.02.019>
- Wang, B., Rutherford-Markwick, K., Zhang, X. X., & Mutukumira, A. N. (2022). Kombucha: Production and Microbiological Research †. In *Foods* (Vol. 11, Issue 21). MDPI. <https://doi.org/10.3390/foods11213456>
- Wang, H., Qiu, C., Chen, L., Abbasi, A. M., Guo, X., & Liu, R. H. (2019). Comparative study of phenolic profiles, antioxidant and antiproliferative activities in different vegetative parts of Ramie (*Boehmeria nivea* L.). *Molecules*, *24*(8). <https://doi.org/10.3390/molecules24081551>
- Wang, Q., Rehman, M., Peng, D., & Liu, L. (2018). Antioxidant capacity and α -glucosidase inhibitory activity of leaf extracts from ten ramie cultivars. *Industrial Crops and Products*, *122*, 430–437. <https://doi.org/10.1016/j.indcrop.2018.06.020>
- Wang, X., Cho, S., Kim, H. B., Jung, Y.-S., Cho, E. J., & Lee, S. (2015). Protective Effects of Ramie (*Boehmeria nivea*) against Oxidative Stress in C6 Glial Cells.

Korean Journal of Plant Resources, 28(6), 675–681.
<https://doi.org/10.7732/kjpr.2015.28.6.675>

- Wei, J., Lin, L., Su, X., Qin, S., Xu, Q., Tang, Z., Deng, Y., Zhou, Y., & He, S. (2014). Anti-hepatitis B virus activity of *Boehmeria nivea* leaf extracts in human HepG2.2.15 cells. *Biomedical Reports*, 2(1), 147–151.
<https://doi.org/10.3892/br.2013.205>
- Win, A., Thida Nyo, A. M., & Lwin, K. M. (2019). Determination of Total Flavonoid Content of Commonly Consumed Commercial Tea. *International Journal of Scientific and Research Publications (IJSRP)*, 9(5), p89101.
<https://doi.org/10.29322/ij srp.9.05.2019.p89101>
- Wulandari, A. P. (2017). *Hadang Kanker dengan Rami* (V. E. Sofiana, Ed.). Bitread Publishing.
- Wulandari, A. P., Qaromah, A. A., Lolowang, K. K., Huspa, D. H. P., & Zuhrotun, A. (2021). Anti-Cancer Assessment of a Ramie (*Boehmeria nivea* L. Gaud.) Leaf Extract Using Mcf-7 Cell Line and a Yeast-Based Bioassay. *Indonesian Journal of Medical Sciences and Public Health*, 2(1), 1–12.
<https://doi.org/10.11594/ijmp.02.01.01>
- Yıkmış, S., & Tuğgüm, S. (2019). Evaluation of Microbiological, Physicochemical and Sensorial Properties of Purple Basil Kombucha Beverage. *Turkish Journal of Agriculture - Food Science and Technology*, 7(9), 1321–1327.
<https://doi.org/10.24925/turjaf.v7i9.1321-1327.2550>
- Zahra, A., Lim, S. K., Shin, S. J., & Yeon, I. J. (2022). Properties of Green Tea Waste as Cosmetics Ingredients and Rheology Enhancers. *Applied Sciences (Switzerland)*, 12(24). <https://doi.org/10.3390/app122412871>
- Zhao, Z. J., Sui, Y. C., Wu, H. W., Zhou, C. B., Hu, X. C., & Zhang, J. (2018). Flavour chemical dynamics during fermentation of kombucha tea. *Emirates Journal of Food and Agriculture*, 30(9), 732–741.
<https://doi.org/10.9755/ejfa.2018.v30.i9.1794>
- Zhou, D. D., Saimaiti, A., Luo, M., Huang, S. Y., Xiong, R. G., Shang, A., Gan, R. Y., & Li, H. Bin. (2022). Fermentation with Tea Residues Enhances Antioxidant Activities and Polyphenol Contents in Kombucha Beverages. *Antioxidants*, 11(1). <https://doi.org/10.3390/antiox11010155>
- Zhou, P., Yao, R., Zhang, H., & Bao, J. (2019). Unique glucose oxidation catalysis of *Gluconobacter oxydans* constitutes an efficient cellulosic gluconic acid fermentation free of inhibitory compounds disturbance. *Biotechnology and Bioengineering*, 116(9), 2191–2199. <https://doi.org/10.1002/bit.27020>

Zou, C., Li, R. Y., Chen, J. X., Wang, F., Gao, Y., Fu, Y. Q., Xu, Y. Q., & Yin, J. F. (2021). Zijuan tea- based kombucha: Physicochemical, sensorial, and antioxidant profile. *Food Chemistry*, 363. <https://doi.org/10.1016/j.foodchem.2021.130322>