

## DAFTAR PUSTAKA

- Abbas, N.; Shad, S.A.; Razaq, M. (2012). Fitness cost, cross resistance and realized heritability of resistance to imidacloprid in *Spodoptera litura* (Lepidoptera: Noctuidae). *Pestic. Biochem. Physiol.*
- Ambarningrum, T. B., Setyowati, E. A., & Susatyo, P. (2012, July 30). Aktivitas Anti Makan Ekstrak Daun Sirsak (*Annona Muricata L.*) Dan Pengaruhnya Terhadap Indeks Nutrisi Serta Terhadap Struktur Membran Peritrofik Larva Instar V *Spodoptera Litura* F. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 12(2), 169–176. <https://doi.org/10.23960/j.hptt.212169-176>
- Baihaki A. & Sudrajat, M. (1997). *Perancangan dan Analisa Percobaan*. Fakultas Pertanian Universitas Padjadjaran. Bandung
- Bakar, S. Z. A., Latip, J., bin Din, L., & Samsuddin, M. W. (2014, September). Metabolic fingerprinting of *Lichen Usnea baileyi* by Fourier transform infrared spectroscopy. In *AIP Conference Proceedings* (Vol. 1614, No. 1, pp. 452-455). American Institute of Physics.
- Bauer B, Froberg L, Bauer A. 1995. Species diversity and grazing damage in a calcareous *Lichen* community on top of stone walls in Oland. Sweden. *Annales Botanici Fennici*, 32:239-750.
- Beaching, S. Q., & Hill, R. (2007). *Guide to Twelve Common & Conspicuous Lichens of Georgia's Piedmont*. Georgia: University of Georgia Atlanta (UGA).

- Bhattarai T, Subba D, Subba R. (1999 ) Nutritional value of some edible *Lichens* of east Nepal. *Journal of Applied Botany- Angewandte Botanik*, 73: 11-14
- Cardon, D., Natural Dyes: Sources, Tradition, Technology and Science, Archetype Publications, London, 2007
- Cetin H, Tufan-Cetin O, Turk AO et al (2008) Insecticidal activity of major *Lichen* compounds, (-) and (+)-usnic acid, against the larvae of house mosquito, *Culex pipiens*. *Parasitol Res*,102:1277–1279
- Che, K.J. 2020. *Oriental Leafworm Moth (Spodoptera litura)*. Retrieved from iNaturalist. <https://www.inaturalist.org/photos/84150528>
- Checchia, I., Perin, C., Mori, N., & Mazzon, L. (2022). Oviposition deterrent activity of fungicides and low-risk substances for the integrated management of the Olive Fruit Fly *Bactrocera oleae* (Diptera, Tephritidae). *Insects*, 13(4), 363. <https://doi.org/10.3390/insects13040363>
- Cocchietto, M., Skert, N., Nimis, P., & Sava, G. (2002, April 1). A review on usnic acid, an interesting natural compound. *Naturwissenschaften*, 89(4), 137–146. <https://doi.org/10.1007/s00114-002-0305-3>
- Crawford, S.D. (2015). *Lichens Used in Traditional Medicine*. In: Ranković, B. (eds) *Lichen Secondary Metabolites*. Springer, Cham. [https://doi.org/10.1007/978-3-319-13374-4\\_2](https://doi.org/10.1007/978-3-319-13374-4_2)
- Din L.B, Zakaria Z, Samsudin M.W, Elix J.A.(2010). Chemical Profile of Compounds from *Lichens* of Bukit Larut,Peninsular Malaysia . Sains Malaysiana.39(6):901–908

- Egiawan, A., Kiki, M & Kodir, R.A.(2019). Pengujian Aktivitas Antikanker Ekstrak dan Fraksi *Usnea Baileyi* dengan Metode *Potato Disc Assay*. *Prosiding Farmasi* 5(2).559-565
- Elamir, E. E., Almadiy, A. A., Nenaah, G. E., Alabas, A. A., & Alsaqri, H. S. (2019, January 1). Comparing six mathematical link function models of the antifeedant activity of lesser grain borer exposed to sub-lethal concentrations of some extracts from calotropis procera. *Bioengineered*, 10(1), 292–305. <https://doi.org/10.1080/21655979.2019.1641399>
- Elston, C., Robert & William, D. (1994). *Essentials of Biostatistics*. F. A. Davis Company : Philadelphia
- El-Aswad, A. F., Aisu, J., & Khalifa, M. H. 2022. Biological activity of tannins extracts from processed *Camellia sinensis* (black and green tea), *Vicia faba*, *Urtica dioica* and *Allium cepa* essential oil on three economic insects. *Journal of Plant Diseases and Protection*, 130(3), 495–508. <https://doi.org/10.1007/s41348-022-00680-x>
- Emmerich,R, Giez, Otto L. Lange, Proksch, P. (1993) Toxicity and antifeedant activity of *Lichen* compounds against the polyphagous herbivorous insect *Spodoptera littoralis*. *Phytochemistry*, 33(6),1389-1394. [https://doi.org/10.1016/0031-9422\(93\)85097-B](https://doi.org/10.1016/0031-9422(93)85097-B)
- Fröberg, L., Baur, A., & Baur, B. 1993. Differential herbivore damage to calcicolous *Lichens* by snails. *The Lichenologist*, 25(01), 83. <https://doi.org/10.1017/s002428299300009x>

- Leliaert, F, Smith, DR, Moreau, H, Herron, MD, Verbruggen, H, Delwiche, CF& De Clerck, O (2012) Phylogeny and molecular evolution of the green algae. *Critical Reviews in Plant Sciences* 31, 1–46. DOI: 10.1080/07352689.2011.615705
- Gabrys, B., Szczepanik, M., Dancewicz1, K., Szumny, A., & Wawrzenczyk, Cz. (2006). Environmentally Safe Insect Control: Feeding Deterrent Activity of Alkyl-Substituted  $\gamma$ - dan  $\delta$ Lactones to Peach Potato Aphid (*Myzus persicae* [Sulz.]) and Colorado Potato Beetle (*Leptinotarsa decemlineata* Say). *Polish Journal of Environmental Study*, 15: 549-556
- Gautam, Yadav, Bhagyawant, Singh, & Jin. (2021). *Lichen: A comprehensive review on Lichens as a natural sources exploring nutritional and biopharmaceutical benefits.* Retrieved May 8, 2023, from <https://doi.org/10.23751/pn.v23i3.9833>
- Guo, H., Yang, M., & Qi, Q. (2014). Insecticidal and antifeedant effects of two alkaloids from *Cynanchum komarovii* against larvae of *Plutella xylostella* L. *Journal of Applied Entomology*, 138(1-2), 133-140.
- Hasairin, A., & Siregar, R. (2018). The analysis of level of lead (Pb) on *Lichens* as a bioindicator of air quality in Medan Industrial Area and Pinang Baris Integrated Terminal in Medan, Indonesia. *The 4th International Seminar on Sciences*, (p. 187 012029). Bogor: IOP Publishing Ltd.
- Hawksworth D L, Hill D J. 1984. The *Lichen-forming fungi*. Glasgow: Blackie. 158 pp.

Hawksworth, D. L. (1994). *The Lichen-Forming Fungi*. New York: Champman and Hall

Huneck S. (1999). The significance of *Lichens* and their metabolites. *Naturwissenschaften*. 86: 559-570.

Huneck S, Yoshimura I. (1996). *Identification of Lichen substances*. Verlag Berlin Heidelberg New York : Springer.

Ingólfssdóttir K. Usnic Acid (a Literature Review). *Phytochemistry*. 2002; 61: 729- 736

Itis, gov. (2023). *Spodoptera litura* (Fabricius, 1775)  
[https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=941218&print\\_version=PRT&source=to\\_print#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=941218&print_version=PRT&source=to_print#null)

Jannah, M., Afifah, N., Prasetya, E., & Hariri, M. R. (2022). Usnea in west java: a potential source of bioactive secondary metabolites. *Berkala Penelitian Hayati*, 28(1), 26-31.

Johana, A. M., Nurhening, Y. E., Diana, S. S., Jefri, S., Andri, P., & Rosmala, W. (2018). The potential leaves extract of *Piper methysticum* (piperaceae) as botanical insecticide against *Crocidolomia pavonana* (f.) larvae mortality (lepidoptera:crambidae). *E3S Web of Conferences*, 73, 06015.  
<https://doi.org/10.1051/e3sconf/20187306015>

Kar, S., Samal, A., Maity, J., & Santra, S. C. (2013). Diversity of Epiphytic *Lichens* and Their Role in Sequestration of Atmospheric Meta. *International Journal of Environmental Science and Technology*, 899-908.

Kathirgamanathan,S., Williams, D.E., Andersen, R.J., Bombuwela,K., Silva, D. D

& Karunaratne, V. (2005).  $\beta$ -Orcinol depsidones from the *Lichen Usnea* sp. from Sri Lanka. *Natural Product Research.* 19(7). 695-701, DOI: [10.1080/14786410512331330639](https://doi.org/10.1080/14786410512331330639)

Kello, M., Goga, M., Kotorova, K., Sebova, D., Frenak, R., Tkacikova, L., & Mojzis, J. (2023). Screening Evaluation of Antiproliferative, Antimicrobial and Antioxidant Activity of *Lichen* Extracts and Secondary Metabolites In Vitro. *Plants*, 12(3), 611. <http://dx.doi.org/10.3390/plants12030611>

King, A. L. 2022. *Usnea baileyi*. Retrieved from Inatularist. <https://www.inaturalist.org/photos/178837425>

Knecht, E., Rawson, C., Loewenthal, R., A manual of dyeing, (9th Edition), Griffinn, C. and Co, London, 1933

Koparal A. T. (2015). Anti-angiogenic and antiproliferative properties of the *Lichen* substances (-)-usnic acid and vulpinic acid. *Zeitschrift fur Naturforschung. C, Journal of biosciences*, 70(5-6), 159–164. <https://doi.org/10.1515/znc-2014-4178>

Koul, O. (2016). Antifeedant Phytochemicals in Insect Management ( so Close yet so Far. In *Ecofriendly Pest Management for Food Security*, Elsevier BV: Amsterda,, The Netherlands. 525-544. ISBN 9780128032664.

Krishna Kumar, K. R., Venkatesh, T. M., et al. (2015). "Evaluation of antifidian activity of neem oil and its azadirachtin content against *Spodoptera litura*

- (F.) on castor." *International Journal of Agriculture and Biology*, 17(2), 409-414.
- Kusnatin, L., Soendjoto, M.A., Indriyatie, E.R., & Rohman, T. (2012) Konsentrasi dan Waktu Pendedahan Efektif Ektrak Daun Sirsak (*Annona muricata* L.) sebagai Larvasida Hayati Jentik *Aedes aegypti*. *Enviro Scientaea*. 8, 127-134
- Kwan, C. (2019). *Cabbage Cluster Caterpillar Crocidolomia pavonana*. Retrieved from Inaturalist. <https://www.inaturalist.org/observations/19877825>
- Kwon, Y., Cha, J., Chiang, J., Tran, G., Giaeever, G., Nislow, C., Hur, J. S., & Kwak, Y. S. (2016). A chemogenomic approach to understand the antifungal action of *Lichen*-derived vulpinic acid. *Journal of applied microbiology*, 121(6), 1580–1591. <https://doi.org/10.1111/jam.13300>
- Lücking, R., Hodkinson, B. P., & Leavitt, S. D. (2016). *The 2016 classification of Lichenized fungi in the Ascomycota and Basidiomycota – Approaching one thousand genera*. *The Bryologist*, 119(4), 361–416. doi:10.1639/0007-2745-119.4.361
- Margareta SF, The chemistry of plants and animal dyes, *J Chem Edu*, 58(4) (1981) 301-305
- Marwoto, Suharsono. 2008. Strategi dan komponen teknologi pengendalian ulat grayak (Spodoptera litura Fabricius) pada tanaman kedelai. *Jurnal Litbang Pertanian* 27(4) : 131-136.

- Mbogho, A. Y., Mwashimaha, R., Mbwambo, O., Boni, S. B., Yarro, J., Nyundo, B., Zalucki, M. P., & Ramasamy, S. (2021, August 5). Comparative effects of *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) and *Crocidiolomia pavonana* (F.) (Lepidoptera: Crambidae) on cabbage yield in Tanzania. *International Journal of Tropical Insect Science*, 41(4), 2733–2738. <https://doi.org/10.1007/s42690-021-00452-4>
- McAuslane, H. J, 2005. View of Insect Antifeedants. *Florida Entomologist* 88(2) : 239-240
- Melanie, M., Hermawan, W., Kasmara, H., Kholifa, A. H., & Rozi, A. F. (2018). Antifeedant Activity of Ethanolic Leaf Extract of Lantana camara Against Crocidolomia pavonana and Spodoptera litura. *Journal of Powder Technology and Advanced Functional Materials*, 1(2), 15-25.
- Michael A. Conover, Ronald Mierzwa, Arthur King, David Loebenberg, W. Robert bishop, Mohindar Puar, Mahesh Patel, Stephen J. Coval, Joseph Hershenhorn, Gary A. Strobel. 1992 usnic acid amide, a phytotoxin and antifungal agent from Cercosporidium i-ienningsii. *Phytochemistry*, 31: 2999-3001
- Miftahul Jannah, Nida Afifah, Muhammad Rifqi Hariri, Anisa Rahmawati, & Tri Yuni Indah Wulansari. (2020). Study of *Lichen* (*Usnea* spp.) as a traditional medicine in Bogor, West Java. *Berkala Penelitian Hayati*, 26(1), 32-38.
- Miftahul Jannah, Qurrota A`yun, Nida Afifah, Eko Prasetya, & Muhammad Rifqi Hariri. (2022). Usnea in West Java: a potential source of bioactive secondary metabolites. *Berkala Penelitian Hayati*, 28(1), 26-31.

Miharjo, Siswo. 1996. Pemanfaatan Kayu Angin (*Usnea spp*) Sebagai Antibakteri terhadap Bakteri Gram Positif dan Gram Negatif. Undergraduate thesis. FMIPA Undip

Murugesan, P. (2020). Phytochemical Analysis and Antimicrobial Activity of Edible *Lichen*. *Journal of Drug Delivery and Therapeutics*, 10(2-s), 102-104. <https://doi.org/10.22270/jddt.v10i2-s.4016>

Musyahadah, Nur, Nova Hariani, Medi Hendra. (2015). UJI EFEKTIFITAS EKSTRAK DAUN TIGARON (*Crateva religiosa* G. Forst.) TERHADAP MORTALITAS ULAT GRAYAK (*Spodoptera litura* F.) (Lepidoptera: Noctuidae) DI LABORATORIUM. Prosiding Seminar Sains dan Teknologi FMIPA Unmul. Vol. 1 No. 1

Musa, W.N.J. (2017). *Isolasi Senyawa Antifeedant dari Tumbuhan Clerodendrum Paniculatum*. Zahr Publishing : Yogyakarta

Muta'ali, R., Purwani, K. I. (2015). Pengaruh Ekstrak Daun Beluntas (*Pluchea indica*) terhadap Mortalitas dan Perkembangan Larva *Spodoptera litura* F. *Jurnal Sains Dan Seni ITS*. 4(2)

Mutha, R. E., Tatiya, A. U., & Surana, S. J. (2021). Flavonoids as natural phenolic compounds and their role in therapeutics: an overview. Future Journal of Pharmaceutical Sciences, 7(1). <https://doi.org/10.1186/s43094-020-00161-8>

Nada Huaida; Yasman, supervisor; Wisnu Wardhana, supervisor; Mufti Petala Patria, examiner; Dimas Haryono Pradana, examiner (Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia, 2018

- Natale AD, Pollio A (2012) A forgotten collection: the Libyan ethnobotanical exhibits (1912-14) by A. Trotter at the Museum O. Comes at the University Federico II in Naples, Italy. *J. Ethnobiol. Ethnomed.* 8:4
- Naviglio D, Scarano P, Ciaravolo M and Gallo M 2019 Rapid Solid-Liquid Dynamic Extraction ( RSLDE ): A Powerful and Greener Alternative to the Latest Solid-Liquid Extraction. *Techniques foods.* 8 : 1–22.
- Negi, P., Rawat, B.S., & Negi, D.S. (2016). Antifeedant Constituents from *Leucaena leucocephala*. *Journal of Applied Pharmaceutical Science.* 6 : 028-031. 10.7324/JAPS.2016.601204.
- Nguyen, T. T. H., Dinh, M. H., Chi, H. T., Wang, S.-L., Nguyen, Q., Tran, T. D., & Nguyen, A. D. (2018). Antioxidant and cytotoxic activity of *Lichens* collected from Bidoup Nui Ba National Park, Vietnam. *Research on Chemical Intermediates.* doi:10.1007/s11164-018-3628-1
- Nguyen, T.T., Vo, T., Tran, Y.H., Truong, D.T., Duy, Phan, C., & Le, P.H. (2021). Photoprotective Activity of *Lichen* Extracts and Isolated Compounds in *Parmotrema Tinctorum*. *Biointerface Research in Applied Chemistry.* DOI:10.33263/briac115.1265312661
- Noer, I. S., Ramlan, A., Subarnas, A., & Sutedja, E. 2013. Karakterisasi dan Kekerabatan Janggot Kai (*Usnea spp.*) di Priangan. *Indonesian Journal of Applied Sciences,* 3(2)
- Odimegwu, D.C., Ngwoke, K., Ejikeugwu, C., Esimone, C.O. (2019). *Lichen* Secondary Metabolites as Possible Antiviral Agents. In: Ranković, B. (eds)

*Lichen Secondary Metabolites.* Springer, Cham.

[https://doi.org/10.1007/978-3-030-16814-8\\_7](https://doi.org/10.1007/978-3-030-16814-8_7)

Oh, E., Wang, W., Park, K. H., Park, C., Cho, Y., Lee, J., Kang, E., & Kang, H. (2022). (+)-Usnic acid and its salts, inhibitors of SARS-CoV-2, identified by using in silico methods and in vitro assay. *Scientific reports*, 12(1), 13118. <https://doi.org/10.1038/s41598-022-17506-3>

Okuyama, E., Umeyama, K., Yamazaki, M., Kinoshita, Y., & Yamamoto, Y. (1995). Usnic acid and diffractaic acid as analgesic and antipyretic components of *Usnea diffracta*. *Planta Med.*, 61, 113–115

O'Neill, A.R., Badola, H. Dhayani, P.P., & Rana, S.K. (2017) Integrating ethnobiological knowledge in biodiversity conservation in the Eastern Himalayas. *J. Ethnobiol. Ethnomed.* 13:21

Ononuju, D., Awurum, A., & Nwaneri, J. (2016). Modes of action of potential phyto-pesticides from tropical plants in plant health management. *IOSR Journal of Pharmacy*, 6(7), 1–17. <https://doi.org/10.9790/3013-06710117>

Pan L, Ren L, Chen F, Feng Y, Luo Y (2016) Antifeedant Activity of *Ginkgo biloba* Secondary Metabolites against *Hyphantria cunea* Larvae: Mechanisms and Applications. *PLoS ONE* 11(5): e0155682. <https://doi.org/10.1371/journal.pone.0155682>

Paulraj, M. G., Shanmugam, N., & Ignacimuthu, S. (2014). Antifeedant activity and toxicity of two alkaloids from *Adhatoda vasica* Nee leaves against dianondback moth *Plutella xylostella* (Linn.) (Lepidoptera: Putellidae)

- larvae. *Archives of Phytopathology and Plant Protection*, 47(15): 1832-1840
- Person SJ, White RG, & Luick JR, (1980). Determination of nutritive value of reindeer-caribou range. Proceedings of the Second International Reindeer/Caribou Symposium 17-21 September 1979, Roros, Norway: Direktoratet for vilt og ferskvannsfisk
- Pengsook, A., Bullangpoti, V., Koul, O. et al.(2022) Antifeedant Activity and Biochemical Responses in *Spodoptera exigua* Hübner (Lepidoptera: Noctuidae) Infesting Broccoli, *Brassica oleracea* var. *alboglabra* exposed to *Piper ribesoides* Wall Extracts and Allelochemicals. *Chem. Biol. Technol. Agric.* 9, 17 . <https://doi.org/10.1186/s40538-021-00270-3>
- Pratyusha, S. (2022). Phenolic Compounds in the Plant Development and Defense: An Overview. *Plant Stress Physiology - Perspectives in Agriculture*. <https://doi.org/10.5772/intechopen.102873>
- Purrington, C. B. (2017) Antifeedant Substances in Plants. *Encyclopedia of Applied Plant Sciences*: 364-367.
- Putri, A. (2018). Validasi Metode Analisis dan Penetapan Kadar Asam Usnat Pada Beberapa Ekstrak *Usnea* sp Secara Kromatografi Lapis Tipis Kinerja Tinggi Densitometri. Skripsi. Padang : Universitas Andalas.
- Rahayu, S.K., R. Wijayanti, & Y.V. Pardjo. NS. Effectiveness of onion ekstract for control cabbagehead caterpillar (*Crocidiolomia pavonana*). *Journal of Agronomy Research*. ISSN : 2302 – 8266
- Ramadhan, Raden Alif Malik, Lindung Tri Puspitasari, Rika Meliyansyah, dkk. (2016). Bioaktivitas Formulasi Minyak Biji *Azadirachta indica* (A. Juss) terhadap *Spodoptera litura* F. *Jurnal Agrikultura* 2016, 27 (1): 1-8.

- Ramzan, M., Murtaza, G., Javaid M., Iqbal, N., Raza, T., Arshad. A., & Awais. M. (2019) .Comparative efficacy of newer insecticides again *Plutellaxy lostella* and *Spodoptera litura* on cauliflower under laboratory condition. Ind J Pure App Biosci 7(5):1-7.DOI:10.18782/2320-7051.7796
- Rankovic, B. (2015). *Lichen Secondary Metabolites*. Switzerland : Springer
- Rohyani IS, Aryanti E, Suripto. (2014). Potensi tumbuhan lokal pulau lombok dalam upaya menunjang ketahanan Pangan. *Proceeding Seminar Nasional Pendidikan Matematika, Sains dan TIK STKIP Surya*. Jakarta
- Rosenterter, R., Bowker, M., & Belnap, J. (2007). *A Field Guide to Biological Soil Crusts of Western US Dryland - Common Lichen and Bryophytes* . Denver: Green Canyon Research Station
- Rikkinen, J (2017) *Symbiotic cyanobacteria in Lichens*. In Grube, M, Seckbach, J and Muggia, L (eds), *Algal and Cyanobacterial Symbioses*. London: World Scientific Publishing Europe Ltd, pp. 147–167
- Rismayani, R., & Laba, I. W. (2016, ). The Effectivity of Citronella and Clove Oils Againts Cabbage Caterpillar *Crocidolomia pavonana*. *Buletin Penelitian Tanaman Rempah Dan Obat*, 26(2), 109.
- <https://doi.org/10.21082/bullitro.v26n2.2015.109-116>
- Saeidi K, S. G. H. (2015). Antifeedant Activities of Essential Oils of Satureja hortensis and Fumaria parviflora against Indian Meal Moth *Plodia interpunctella* Hübner (Lepidoptera: Pyralidae). *Entomology, Ornithology & Herpetology: Current Research*, 04(03).
- <https://doi.org/10.4172/2161-0983.1000154>

- Sahetapy, B., Masauna, E.D., & Luhukay, R. (2018). Uji Efektivitas Perangkap Feromon terhadap Hama Oryctes rhinoceros L. dan Intesitas Kerusakan pada Tanaman Kelapa di Desa Latuhalat, Kecamatan Nusaniwe, Pulau Ambon. *Jurnal Agrikultura*. 29(1):19-25.
- Sahib, K., Kularatne, N.S, Kumar, S., & Karunaratne, V (2008) Effect of (+)-usnic acid on the shot-hole borer (*Xyleborus fornicatus*) of tea. *J Natn Sci Foundation Sri Lanka* 36:335–336
- Sanders, W., & Masumoto, H. (2021). *Lichen* algae: The photosynthetic partners in *Lichen* symbioses. *The Lichenologist*, 53(5), 347-393.  
doi:10.1017/S0024282921000335
- Sayid. Z., Ali.A., Usman. M., Mujahid. A., Jafar. B., Kashif. A., Bashir. HS., Abbas. Q., Tariq. MU., Shakeel. MD., Sultan.Y., Qureshi. MH., & Akhtar. N. (2020).Toxicity of *Bacillus thuringiensis* against second instar larvae of Spodoptera litura on different host plants.J Sci Agric 4:93-95.DOI:10.25081/jsa.2020.v4.6464
- Schweppé, H., Handbuch der Naturfarbstoff e,Ecomed, Landsberg/Lech, 1993.
- Sepahvand, A., Studzińska-Sroka, E., Ramak, P., & Karimian, V. (2021). *Usnea* sp.: Antimicrobial potential, bioactive compounds, ethnopharmacological uses and other pharmacological properties; a review article. *Journal of ethnopharmacology*, 268, 113656.  
<https://doi.org/10.1016/j.jep.2020.113656>
- Septiana, Eris. (2011). Prospect of *Lichen* as A Medicinal Rexfurce A Literature Review, 1-5.

- Shah NC (1998) *Lichens* of economic importance from the hills of Uttar Pradesh, India. *J. Herbs Spices Med. Plants* 5:69-76
- Shrestha, G., Thompson, A., Robison, R., & St Clair, L. L. (2016). *Letharia vulpina*, a vulpinic acid containing *Lichen*, targets cell membrane and cell division processes in methicillin-resistant *Staphylococcus aureus*. *Pharmaceutical biology*, 54(3), 413–418.  
<https://doi.org/10.3109/13880209.2015.1038754>
- Si, K., Wei, L., Yu, X., Wu, F., Li, X., Li, C., & Cheng, Y. (2016). Effects of (+)-usnic acid and (+)-usnic acid-liposome on *Toxoplasma gondii*. *Experimental parasitology*, 166, 68–74.  
<https://doi.org/10.1016/j.exppara.2016.03.021>
- Simmonds, M.J.S., & Blaney, W.M. (1984) Some Neurophysiological Effect Of Azadirakhtin On lepidoptera Larvae and Their Feeding Response . In : Schummetter H & Ascher., K.R.S (eds.), Natural Pesticides from The Neem Tree ( *Azadirachta indica* A. Juss) and other tropical plants. *Proceeding of The Second International Neem Conference*, Rauisschholzhausen, 25-28 May 1983. Eschborn:GTZ. 163-180
- Smith, J. A. (2018). Exploring the Antifidian Properties of Natural Compounds on Insect Pests. *Journal of Agricultural Science*, 10(5), 123-136
- Solárová, Z., Liskova, A., Samec, M., Kubatka, P., Büsselberg, D., & Solár, P. (2020). Anticancer Potential of *Lichens'* Secondary Metabolites. *Biomolecules*, 10(1), 87. <https://doi.org/10.3390/biom10010087>

- Sreeja, S. R., Ramachandra, C. T., *et al.* (2017). "Antifidian Activity of Some Botanicals on *Plutella xylostella* L. (Lepidoptera: Yponomeutidae)." *Journal of Biological Kontrol*, 31(3), 132-135. DOI: 10.18311/jbc/2017/16265
- Subahar, R., Aulung, A., Husna, I., Winita, R., Susanto, L., Lubis, N.S., & Firmansyah NE, 2020. Effects of *Lansium domesticum* leaf extract on mortality, morphology, and histopathology of *Aedes aegypti* larvae (Diptera: Culicidae). *International Journal of Mosquito Research*, Vol 7(4): 105-111.
- Sulaiman, R. S., Abdulkabir, R. H., Raheem, S. J., & Hussein, H. M. (2018). In vitro antimicrobial and cytotoxic activities of *Usnea baileyi* and *Evernia prunastri*. *Journal of Pharmacy and Pharmacology*, 6(4), 31-38. <https://doi.org/10.11648/j.jpp.20180204.11>
- Sundar B, Rashmi V, Sumith HK, Sandhya. (2018). Study the incidence and period of activity of *Spodoptera litura* on soybean. *Journal of Entomology and Zoology Studies* 6(5): 331-333
- Susanti, R, Risnawati, Fadhillah, W. (2020). A Qualitative test of Primary and Secondary Metabolites of Bintaro Plant as a Rat (*Rattus argentiventer*) Pest Repellent. *International Journal of Environment, Agriculture and Biotechnology*. 5(5)
- Syahputra, E., & Minarti., (2022). Joint Action of *Azadirachta indica* and *Barringtonia asiatica* Seed Extracts Against *Crocidolomia pavonana*.

- AGRIVITA Journal of Agricultural Science*, 44(1), 40-47:  
<http://doi.org/10.17503/agrivita.v44i1.2809>.
- Tong H, Su Q, Zhou X, Bai L.(2013).Field resistance of *Spodoptera litura* (Lepidoptera: Noctuidae) to organophosphates, pyrethroids, carbamates and four newer chemistry insecticides in Hunan, China. *J. Pest Sci.* **86**:599–609.  
doi: 10.1007/s10340-013-0505-y.
- Uelese, A., Ridland, P. M., Stouthamer, R., He, Y., Ang, G., Zalucki, M. P., & Furlong, M. J. (2014). *Trichogramma chilonis Ishii*: A potential biological control agent of *Crocidolomia pavonana* in Samoa. *Biological Control*, 73, 31–38. doi:10.1016/j.biocontrol.2014.03
- Ukoroiye, R. B., & Otaylor, R. A. (2020). Review on the bio-insecticidal properties of some plant secondary metabolites: Types, formulations, modes of action, advantages and limitations. *Asian Journal of Research in Zoology*, 3(4), 27–60. <https://doi.org/10.9734/ajriz/2020/v3i430099>
- Wahyulianingsih, W., Handayani, S., & Malik, A. (2016). Penetapan kadar flavonoid total ekstrak daun cengkeh (*Syzygium aromaticum* (L.) Merr & Perry). *Jurnal Fitofarmaka Indonesia*, 3(2), 188-193.
- Wang L-S, Narui T, Harada H, et al (2001) Ethnic uses of *Lichens* in Yunnan, China. *Bryologist* 104:345–349
- Wang LS, Qian ZG (2013) 中国药用地衣图鉴 [Zhong guo yao yong di yi tu jian = *Illustrated Medicinal Lichens of China*]. Yunnan ke ji chu ban she, China.

- War, A. R., Paulraj, M. G., Ahmad, T., Buhroo, A. A., Hussain, B., Ignacimuthu, S., & Sharma, H. C. (2012). Mechanisms of plant defense against insect herbivores. *Plant Signaling & Behavior*, *7(10)*, 1306–1320.
- Widiastuti & Mardian. (2015). Uji Bioaktivitas Antifeedant Ekstrak Metanol dan Fraksi-fraksi Daun Cocor Bebek (*Kalanchoe pinnata* Lam. Pers) terhadap Larva Ulat Grayak (*Spodoptera litura* Fabricius, 1775). Skripsi : Universitas Padjadjaran
- Ye, Li-Min, Xue-Yuan Di, Bin Yan, Jian-Feng Liu, Xiu-Qin Wang, and Mao-Fa Yang. 2022. Population Parameters and Feeding Preference of *Spodoptera litura* (Lepidoptera: Noctuidae) on Different *Asparagus officinalis* Tissues. *Insects*. 13 (12) : 1149. <https://doi.org/10.3390/insects13121>
- Yu, Hang, et al. (2022). Antifeedant Mechanism of *Dodonaea viscosa* Saponin A Isolated from the Seeds of *Dodonaea viscosa*. *Molecules*. Vol. 27 (14): 1-15
- Zhang, W., Wang, Y., Geng, Z., Guo, S., Cao, J., Zhang, Z., Pang, X., Chen, Z., Du, S., & Deng, Z. (2018). Antifeedant Activities of Lignans from Stem Bark of *Zanthoxylum armatum* DC. against *Tribolium castaneum*. *Molecules* (Basel, Switzerland), 23(3), 617. <https://doi.org/10.3390/molecules23030617>
- Zhijun, Huang, Junyan Tao, Ruan Jinlan dkk. 2014. Antiinflammatory effects and mechanisms of usnic acid, a compound firstly isolated from *Lichen Parmelia saxatili*. *Journal of Medicinal Plant Research* 8(4):197-207

- Zolovs, M., Jakubāne, I., Kirilova, J., Kivleniece, I., Moisejevs, R., Koļesnikova, J., & Pilāte, D. 2020. The potential antifidan activity of *Lichen*-forming fungal extracts against the invasive Spanish slug (*Arion vulgaris*). *Canadian Journal of Zoology*, 98(3), 195–201. <https://doi.org/10.1139/cjz-2019-0106>
- Zorrilla, J. G., D'Addabbo, T., Roscetto, E., Varriale, C., Catania, M. R., Zonno, M. C., Altomare, C., Surico, G., Nimis, P. L., & Evidente, A. (2022). Antibiotic and Nematocidal Metabolites from Two *Lichen* Species Collected on the Island of Lampedusa (Sicily). *International journal of molecular sciences*, 23(15), 8471. <https://doi.org/10.3390/ijms231>