

## DAFTAR PUSTAKA

- Abd El-Mageed, T. A., Semida, W.M., & Rady, M.M. 2017. Moringa leaf extract as biostimulant improves water use efficiency, physio-biochemical attributes of squash plants under deficit irrigation. *Agricultural Water Management* 193, 46–54.
- Aboody, M.S.A., & Mickymaray, S. 2020. Anti-fungal efficacy and mechanisms of flavonoids. *Antibiotics (Basel)* 9(2), 45. doi: 10.3390/antibiotics9020045.
- Adandonon, A., Aveling, T. A. S., Labuschagne, N., & Tamo, M. 2006. Biocontrol agents in combination with *Moringa oleifera* extract for intergrated control of *Sclerotium*-caused cowpea damping-off and stem rot. *Europen Journal of Plant Pathology* 115, 409–418.
- Afzal, N., Mehdi, F., Sahar, S., Galani, S., Shahzad, S., & Azhar, A. 2022. Plant extraxts induced systemic resistance in *Solanum lycopersicum* (tomato) seedlings against *Rhizoctonia solani*: modulation of antioxidant enzymes and pr-protein expression. *Pakistan Journal of Botany* 54(2), 701–709.
- Agrios. 2005. *Plant Pathology* Fifth Edition. Elsevier Academic Press. Florida.
- Ahmadu, T., K. Ahmad, Ismail, S. I., Rashed, O., Asib, N., & Omar, D. 2021. Antifungal efficacy of *Moringa oleifera* leaf and seed extracts against *Botrytis cinerea* causing gray mold disease of tomato (*Solanum lycopersicum* L.). *Brazilian Journal of Biology* 81(4), 1007–1022.
- Alcántara, B.M., Cuenca, M.R.M., Bermejo, A., Legaz, F., & Quiñones, A. 2016. Liquid organic fertilizers for sustainable agriculturel: nutrient uptake of organic versus mineral fertilizers in citrus tree. *PLoS ONE* 11(10), 1–20.
- Al husnan, L. A. & Alkahtani, M. D. F. 2016. Impact of moringa aqueous extract on pathogenic bacteria and fungi in vitro. *Annals of Agricultural Science* 61, 247–250.
- Alhussaen, K.M. 2012. Morphological and physicological characterization of *Alternaria solani* isolated fro tomato in Jordan valley. *Research Journal of Biological Sciences* 7(8), 316–319.
- Alwi, R. K. M., Maarif, M. S., Verchius, E., Rustandi, I. D., Syachanna, M. M. & Hazra, F. 2022. Commercialization of hydrogel fertilizer slow release based on organic waste, microbes, and mychorrhizal for floriculture. *Business Review and Case Studies* 3(1), 63–73.
- Ameriana, M. 2008. Perilaku petani sayuran dalam menggunakan pestisida kimia. *Jurnal Hortikultura* 18(1), 95–106.
- Aminah, S., Ramdhani, T., & Yanis, M. 2015. Kandungan nutrisi dan sifat fungsional tanaman kelor (*Moringa oleifera*). *Buletin Pertanian Perkotaan* 5(2), 35–44.
- Amira, J. P. 2022. Uji daya hambat ekstrak daun kelor (*Moringa oleifera*) terhadap pertumbuhan jamur (*Colletorichum capsici*) penyebab penyakit antraknosa pada cabai secara in vitro. *Agrotekbis* 10(4), 434–441.
- Arthagama, I. D. M., Dana, I. M., & Wiguna, P. K. 2021. Effect of various types of growing media and application of liquid organic fertilizer on the growth of *Dendrobium* orchids. *Internatinational Journal of Biosciences and Biotechnology* 8(2), 54–61.
- Astutik, D., Rahhutami, R., Handini, A. S., & Sutopo, A. 2020. The utilization of effective microorganism (EM4) on growth of oil palm seedling in pre

- nursery. International Journal of Multi Discipline Science (IJ-MDS) 3(2), 39–43.
- Ata, H., Papuangan, N., & Bahtiar. 2016. Identifikasi jamur patogen pada tanaman tomat (*Solanum lycopersicum* L). Bioedukasi 4(2), 541–550.
- Baharudin. 2015. Penggunaan pestisida nabati untuk mengendalikan hama dan penyakit pada tanaman pangan, industri dan hortikultura. Prosiding Seminar Nasional Agribisnis Universitas Halu Oleo, 37–50. doi: dx.doi.org/10.37149/3125.
- [Bandung Herbal]. 2020, Produk UMKM [internet]. [diacu 18/11/2022]. Tersedia dari:<https://rumah-bumn.id/produk/detail/36903>.
- Bashir, K. A., Bawa, J. A., & Mohammed, I. 2014. Efficacy of leaf extract of drumstick tree (*Moringa oleifera* Lam.) on the growth of local tomato (*Lycopersicon esculentum*). IOSR Journal of Pharmacy and Biological Sciences 9(4), 74–79.
- Batool, S., Khan, S., & Basra, S. M. A. 2019. Foliar application of moringa leaf extract improves the growth of moringa seedlings in winter. South African Journal of Botany 129, 347–353.
- Behiry, S., Al-Askar, A.A., Soliman, S.A., Alotibi, F.O., Basile, A., Abdelkhalek, A., Elsharkawy, M.M., Salem, M.Z.M., Hafez, E E., & Helfish, A.A. 2022. *Plantago lagopus* extract as a green fungicide induces systemic resistance against *Rhizoctonia* root rot disease in tomato plants. Frontiers in Plant Science 13, 966929. DOI:10.3389/fpls.2022.966929.
- Benu, M.M.M., Tae, A.S.J.A., & Mukkun, L. 2020. Dampak residu insektisida terhadap keanekaragaman jamur tanah. Jurnal Ilmu Tanah dan Lingkungan 22(2), 80–88.
- Bhowmik, D., Kumar, K.P.S., Paswan, S., & Srivasta, S. 2012. Tomato—a natural medicine and its health benefits. Journal of Pharmacognosy and Phytochemistry 1(1), 33–43.
- Bihon, W., Ognakossan, K.E., Tigneger, J.-B., Hanson, P., Ndiaye, K., & Srinivasan, R. 2022. Evaluation of different tomato (*Solanum lycopersicum* L.) entries and varieties for performance and adaptation in Mali, West Africa. Horticulturae 8, 579. <https://doi.org/10.3390/horticulturae8070579>.
- [CABI] Centre for Agriculture and Bioscience International. 2019. *Moringa oleifera* (Horse radish tree) [internet]. [diacu 11/09/2022]. Tersedia dari: <https://www.cabi.org/isc/datasheet/34868>.
- [CABI]. Centre for Agriculture and Bioscience International. 2021a. *Solanum lycopersicum* (Tomato) [internet]. [diacu 08/09/2022]. Tersedia dari: <https://www.cabi.org/isc/datasheet/31837>.
- [CABI] Centre for Agriculture and Bioscience International. 2021b. *Alternaria solani* (Early blight of potato and tomato) [internet]. [diacu 08/09/2022]. Tersedia dari: <https://www.cabi.org/isc/datasheet/4528>.
- Chaerani, R., Groenworld, R., Stam, P., & Voorrips, R.E. 2007. Assessment of early blight (*Alternaria solani*) resistance in tomato using a droplet inoculation method. Journal of General Plant Pathology 73, 96–103.
- Chapagain, B. P., Wiesman, Z., & Tsror (Lahkim), L. 2007. *In vitro* study of the antifungal activity of saponin-rich extracts against prevalent phytopathogenic fungi. Industrial Crops and Products 26, 109–115.

- Chen, J.H. 2006. The combined of chemical and organic fertilizers and/or biofertilizer for crop growth and soil fertility. International Workshop on Sustained Management of the Soil–Rhizosphere System for Efficient Crop Production and Fertilizer Use. Bangkok. Pp. 1–11.
- Coleman, J.J., Okoli, I., Tegos, G.P., Holson, E.B., Wagner, F.F., Hamblin, M.R., & Mylonakis, E. 2010. Characterization of plant-derived saponin natural products against *Candida albicans*. ACS Chemical Biology 5(3), 321–332.
- Cowan. 1991, Plant products as antimicrobial agents. Clinical Biology Reviews 12(4), 564–582.
- Culver, M., Fannuel, T., & Chiteka, A.Z. 2012. Effect of moringa extract on growth and yield of tomato. Greener Journal of Agricultural Sciences 2(5), 207–211.
- Das, S.K. 2014. Recent development and future of botanical pesticides in India. Popular Kheti 2(2), 93–99.
- Deliningrum, S. 2019. Penggunaan pestisida oleh petani tomat di Desa Cikole Kecamatan Lembang Kabupaten Bandung Barat [internet]. [diacu 3/11/2022]. Tersedia dari:<http://dkpp.jabarprov.go.id>.
- Dougoud, J., Toepfer, S., Bateman, M., & Jenner, W.H. 2019. Efficacy of homemade botanical insecticides based on traditional knowledge. A review. Agronomy for Sustainable Development 39(37). <https://doi.org/10.1007/s13593-019-0583-1>.
- El-Dekashey, M.H.Z., Attalah, S.Y., & Osman, S.H. 2022. Floral fertilization of moringa leaf extract, humid acid, seaweed extract and mineral fertilizer as affect productivity and storability of onion crop. Assiut Journal of Agriculture Science 53(5), 224–239.
- El-Mohamedy, R.S.R., & Abdalla, A.M. 2014. Evaluation of antifungal activity of *Moringa oleifera* extracts as natural fungicide against some plant pathogenic fungi *in-vitro*. International Journal of Agricultural Technology 10(4), 963–982.
- El-Nour, H. H. A. & Ewais, N. A. 2017. Effect of *Moringa oleifera* leaf extract (MLE) on pepper seed germination, seedlings improvement, growth, fruit yield and its quality. Middle East Journal of Agriculture 6(2), 448–463.
- Fenibo, E.O., Ijoma, G.N., & Matambo, T. 2021. Biopesticides in sustainable agriculture: a critical sustainable development driver governed by green chemistry principles. Front. Sustain. Food Syst. 5, 619058. doi: 10.3389/fsufs.2021.619058.
- Filly, A., Tixer, A. S. F., Louis, C., Fernandez, X., & Chemat, F. 2016. Water as a green solvent combined with different techniques for extraction of essential oil from lavender flowers. Science Direct 19 (6), 707–717.
- Freeman, B.B., & Reimers, K. 2010. Tomato consumption and health: emerging benefits. American Journal of Lifestyle Medicine 10(10). DOI: 10.1177/1559827610387488.
- Gautam, H.R., Bhardwaj, M. L., & Kumar, R. 2013. Climate change and its impact on plant diseases. Current Science 105(12), 1685–1691.
- Gholamnezhad, J. 2019. Effect of plant extracts on activity of some defense enzymes of apple fruit in interaction with *Botrytis cinerea*. Jurnal of Integrative Agriculture 18(1), 115–123.

- Gifoni, J.M., Oliveira, J.T.A., Oliveira, H.D., Batista, A.B., Pereira, M.L., Gomes, A.S., Oliveira, H.P., Grangeiro, T.B., & Vasconcelos, I. M. 2012. A novel chitin-binding protein from *Moringa oleifera* seed with potential for plant disease control. *Biopolymers* 98(4), 406–415.
- Goel, N. & Paul, P.K. 2015. Polyphenol oxidase and lysozyme mediate induction of systemic resistance in tomato, when a bioelicitor is used. *Journal of Plant Protection Research* 55(4), 343–350.
- Gomez, K.A., & Gomez, A.A. 1976. Statistical Procedures for Agriculture Research with Emphasis on Rice. IRRI. Los Banos. Philipines.
- Gondal, A.S., Rauf, A., & Naz, F. 2019. Anastomosis groups of *Rhizoctonia solani* associated with tomato foot rot in Pothohar Region of Pakistan. *Scientific Reports* 9(1), 3910. DOI: 10.1038/s41598-019-40043-5.
- Govere, S., Madziwa, B., & Mahlatini, P. 2011. The nutrient content of organic liquid fertilizers in Zimbabwe. *International Journal of Modern Engineering Research (UMER)* 1(1), 196–202.
- Griffin, D. M. 1981. Water potential as a selective factor in the microbial ecology of soils. In Pp. 141–151, *Water Potential Relations in Soil Microbiology* (J.F. Parr, W.R. Gardner, L.F. Elliott, Eds.). Soil Science Society of America. Wisconsin.
- Guleria, S., & Kumar, A. 2006. *Azadirachta indica* leaf extract induces resistance in sesame against *Alternaria* leaf spot disease. *Journal of Cell and Molecular Biology* 5, 81–86.
- Gulzar, N., Kamili, A.N., & Shah, M.A. 2021. Tomato early blight (*Alternaria solani*), pathogen, disease development and defense response phytohormone signaling. *International Research Journal of Plant Science* 12(4), 1–10.
- Hala, H. A. E. N & Nabila, A. E. 2017. Effect of *Moringa oleifera* leaf extract (MLE) on pepper seed germination, seedlings improvement, growth, fruit yield and its quality. *Middle East J Agric Res* 6, 448–463.
- Hanudin, Nuryani, W., & Marwoto, B. 2016. Induksi resistensi tanaman krisan terhadap *Puccinia horiana* P. Henn. dengan menggunakan ekstrak tanaman elisitor. *Jurnal Hortikultura* 26(2), 245–256.
- Hartz, T.K., Smith, R., & Gaskell, M. 2010. Nitrogen availability from liquid organic fertilizers. *Hort Technology* 20(1), 169–172.
- Hasanah, N.F., Muthahanas, I., & Isnaini, M. 2019. Identifikasi jamur patogen tanaman tomat (*Lycopersicum esculentum* Mill.) di lahan kering Amor-aAmor Lombok Utara. *Crop Agro* 12(2), 111–121.
- Hassan, H. S., Mohamed, A. A., Feleafel, M. N., Salem, M. Z. M., Ali, H. M., Akrami, M., & Abd-Elkader, D. Y. 2021. Natural plant extracts and microbial antagonists to control fungal pathogens and improve the productivity of zucchini (*Cucurbita pepo* L.) in vitro and in greenhouse. *Horticulturae* 7(470), 1–21.
- Hasyim, A., Setiawati, W., & Lukman, L. 2015. Inovasi teknologi pengendalian OPT ramah lingkungan pada cabai: upaya alternatif menuju ekosistem harmonis. *Pengembangan Inovasi Pertanian* 8(1), 1–10.
- Ihsan, M. S. J. Rachmawati, & Styadi, I. 2020. Metode penyaringan ekstrak daun kelor (*Moringa oleifera*) sebagai pupuk organik cair bagi pertumbuhan dan hasil tanaman sawi (*Brassica juncea* L.). *Jurnal Daun* 7(2), 126–137.

- Kagale, S., Marimuthu, T., Kagale, J., Thayumanavan, B., & Samiyappan, R. 2011. Induction of systemic resistance in rice by leaf extracts of *Zizyphus jujuba* and *Ipomoea carnea* against *Rhizoctonia solani*. *Plant Signaling & Behavior* 6(7), 919–923.
- Kalay, A.M., Patty, J., & Sinay, M. 2015. Perkembangan *Alternaria solani* pada tiga varietas tanaman tomat. *Jurnal Agrikultura* 26(1), 1–6.
- Kanchani, A.M.K.D.M., & Harris, K. D. 2019. Effect of foliar application of moringa (*Moringa oleifera*) leaf extract with recommended fertilizer on growth and yield of okra (*Abelmonchus esculentus*). *AGRIEST* 13(2), 38–54.
- Kemmitt, G. 2002. Early blight of potato and tomato. *Plant Health Instructor*. DOI: 10.1094/PHI-I-2002-0809-01.
- Kluepfel, M., Blake, J.H., & Keinath, A.P. 2021. Tomato Diseases & Disorders. Factsheet No. HGIC 2217. Clemson University Coastal REC, Clemson University.
- Komala, O., Yulianita, & Siwi, F.R. 2019. Aktivitas antijamur ekstrak etanol 50% dan etanol 96% daun pacar kuku *Lawsonia inermis* terhadap *Trichophyton mentagrophytes*. *Jurnal Ilmiah Ilmu Dasar dan Lingkungan Hidup* 19(1), 12–19.
- Krisnadi, A. D. 2015. Kelor Super Nutrisi. Kelorina.com. Blora.
- Krzyzaniak, Trouvelot, Y. S., Negrel, J., Cluzet, S., Valls, J., Richard, T., Bougaud, A., Jacquens, L., Klinguer, A., Chiltz, A., Adrian, M., & Héloir, M. C. 2018. A plant extract acts both as a resistance inducer and an oomycide against grapevine downy mildew. *Frontiers in Plant Science* 9, 1085. DOI: 10.3389/fpls.2018.01085.
- Kuri, S. K., Islam, M. R., & Mondal, U. 2011. Antifungal potentiality of some botanical extracts against important seedborne fungal pathogen associated with brinjal seeds, *Solanum melongena* L. *Journal of Agricultural Technology* 7(4), 1139–1153.
- Kusumawati, D. E. & Istiqomah. 2022. Pestisida Nabati Sebagai Pengendali OPT. Madza media. Malang.
- Larasati, T., Yassi, R. M., & Malis, E. 2021. Pengaruh jenis pelarut dalam ekstraksi daun kelor (*Moringa oleifera*) terhadap daya mortaliyas larva (*Aedes aegypti*). *Jurnal Crystal: Publikasi Penelitian Kimiad dan Terapannya* 3(1), 12–25.
- Li, Y. 2012. Early blight of tomato. The Connecticut Agricultural Experiment Station. Connecticut.
- Lutfiyanti, R., Ma'ruf, W.F., & Dewi, E.N. 2012. Aktivitas antijamur senyawa bioaktif ekstrak *Gelidium latifolium* terhadap *Candida albicans*. *Jurnal Pengelolaan dan Bioteknologi Hasil Perikan* 1(1), 26–33.
- Makmur. 2018. Respon pemberian berbagai dosis pupuk organik cair terhadap pertumbuhan dan perkembangan cabai merah. *Jurnal Galung Tropika* 7 (1), 1–10.
- Mangi, A.H., Jiskai, A.M., Khaskheli, M.I., Jiskani, M.M., Poussio, G.B., Qambrani, R.A., Mahar, M.A., & Jiskani, A.M. 2021. Evaluation of neem products against damping off disease of tomato. *Pakistan Journal of Phytopathology* 33(01), 37–45.

- Manzoor, M., Ali, H., Muhammad, A., Alam, I., Khalid, S.H., Idress, A., & Arif, M. 2015. Potential of moringa (*Moringa oleifera*: Moringaceae) as plant growth regulator and bio-pesticide against wheat aphids on wheat crop (*Triticum aestivum*; Poaceae). *Journal of Biopesticides* 8(2), 120–127.
- Miskiyah, & Munarso, S.J. 2009. Kontaminasi residu pestisida pada cabai merah, selada, dan bawang merah (studi kasus di Bandungan dan Brebes Jawa Tengah serta Cianjur Jawa Barat). *Jurnal Hortikultura* 19(1), 101–111.
- Mori, M., Aoyama, M., Doi, S., Kanetoshi, A., & Hayashi, T. 1997. Antifungal activity of bark extracts of deciduous trees. *Holz als Roh-und Werkstoff* 55, 130–132.
- Moyo, B., Masika, P.J., Hugo, A., & Muchenje, V. 2011. Nutritional characterization of moringa (*Moringa oleifera* Lam) leaves. *African Journal of Biotechnology* 10(60), 12925–12933.
- Mukhriani. 2014. Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. *Jurnal Kesehatan VII* (2), 361 – 367.
- Mulyaningsih, T. R. & Yusuf, S. 2018. Determination of minerals content in leaves of *Moringa oleifera* by neutron activation analysis. *Jurnal Iptek Nuklir Ganendra* 21(1), 11–16.
- Mugiyanto & Nugroho, H. 2000. Budi daya Tomat. Badan Penelitian dan Pengembangan Pertanian. Jambi.
- Munarso, S. J., Miskiyah, & Broto, W. 2009. Studi kandungan residu pestisida pada kubis, tomat, dan wortel di malang dan cianjur. *Buletin Teknologi Pascapanen Pertanian* 5(1), 27–32.
- Mustofa, M. J., Prihatiningru, A. E., & Nurmala, I. R. Effect of types and concentration of liquid organic fertilizer on the growth and production of pakcoy plants (*Brassica rapa* L.). annual Conference on Health and Food Science Technology 1104. Doi: :10.1088/1755-1315/1104/1/012010.
- Moridi, A., Zarei, M., Moosavi, A. A., & Ronaghi, A. 2021. Effect of liquid organic fertilizers and soil moisture status on some biological and physical properties of soil. *Polish Journal of Soil Science* 54(1), 41–58.
- Nasira, W., Adawiyah, R., Muhibdin, Sadimantara, G. R., & Yusuf, D. N. 2021. Effect of liquid organic fertilizer derived from moringa on growth of upland red rice lines crosses from SE Sulawesi. *IOP Conf. Series: Earth and Environmental Science* 807.
- Nasution, A., Mardina, V., & Wibowo, S.G. 2021. Macroscopic diagnosis of plant diseases caused by pathogenic microorganism. *Serambi Journal of Agricultural Technology (SJAT)* 3(1), 1–8.
- Ndubuaku, U.M., Ndubuaku, T.C.N., Ike, E., & Ezeaku, P.I. 2015. Effects of *Moringa oleifera* leaf extract on morphological and physiological growth of cassava and its efficacy in controlling *Zonocerus variegatus*. *African Journal of Biotechnology* 14(32), 2494–2500.
- Ngcobo, B. L. & Bertling, I. 2021. Influence of foliar *Moringa oleifera* leaf extract (MLE) application on growth, fruit yield and nutritional quality of cherry tomato. *Acta Horticulturae* 1306, 323–328.
- [NPIC] National Pesticide Information Centre. 2022. Biopesticides [internet]. [diacu 6/11/2022]. Tersedia dari: <http://npic.orst.edu/ingred/ptype/biopest.html>.

- Nwokeji, E. M., Ogwudire, V. E., Okere, S. E., Anyanwu, P. C., Obianigwe, J. K., & Ihejirika, G. O. 2022. Effect of moringa (*Moringa oleifera*) plant parts extracts on cercospora (frogeye) disease of sweet (bell) pepper (*Capsicum annuum* L.). Asian Research Journal of Current Science 4(1), 313–319.
- Ogbonna, C.U., Okonkwo, N.J., Nwankwo, E.N., Alo, M.N., Egbuche, C.M., Ezemoukan, L.C., Irikannu, K.C., & Ukonze, C.B. 2021. Aqueous extract of *Moringa oleifera* leaf in the management of insect pest of cabbage plant both in the laboratory and field. International Journal of Entomology Research 6(2), 88–98.
- Oniha, M., Eni, F., Akinnola, O., Omonigbehin, E. A., Ahuekwe, E. F., & Olorunshola, J. F. 2021. *In vitro* antifungal activity of extracts of *Moringa oleifera* on phytopathogenic fungi affecting *Carica papaya*. Journl of Medical Sciences 9 (A), 1081–1085.
- Osman, H.E., & Abohassan, A.A. 2012. Morphological and analytical characterization of *Moringa peregrina* populations in Western Saudi Arabia. International Journal of Theoretical & Applied Sciences 4(2), 174–184.
- Osman, A., & Elsobki, A.E.A.M. 2019. Insecticidal activity and chemical composition of *Moringa oleifera* extract against the leguminous aphid, *Aphis craccivora* Koch on broad bean plants. Journal of Plant Protection and Pathology 10(12), 567–571.
- Pamungkas, O. S. 2016. Bahaya paparan pestisida terhadap kesehatan manusia. Bioedukasi 24(1), 27–31.
- Panno, S., Davino, S., Caruso, A.G., Bertacca, S., Crnogorac, A., Mandić, A., Noris, E., & Matić, S. 2021. A review of the most common and economically important diseases that undermine the cultivation of tomato crop in the Mediterranean basin. Agronomy 11(11), 2188. DOI: org/10.3390/agronomy11112188.
- Patel, P., Patel, N., Patel, D., Desai, S., & Meshram, D. 2014. Phytochemical analysis and antifungal activity of *Moringa oleifera*. International Journal of Pharmacy and Pharmaceutical Sciences 6(5), 144–147.
- Paul, P.K., & Sharma, P.D. 2002. *Azadirachta indica* leaf extract induces resistance in barley against leaf stripe diseases. Physiological and Molecular Plant Pathology 61(1), 3–13.
- Pawukir, E.S., & Mariyono, J. 2002. Hubungan antara penggunaan pestisida dan dampak kesehatan: studi kasus di dataran tinggi Sumatra barat. Manusia dan Lingkungan 9(3), 126–136.
- Plaza, M., & Marina, M.L. 2019. Pressurized hot water extraction of bioactives. Trends in Analytical Chemistry 116, 236–247.
- Pohorille, A. & Pratt, L.R. 2012. Is water the universal solvent for life?. Orig Life Evol Biosph 42, 405 – 409.
- Pratiwi, N.W., Juliantari, E., & Napsiyah, L.K. 2016. Identifikasi jamur penyebab penyakit pascapanen pada beberapa komoditas bahan pangan. Jurnal Riau Biologis 1(14), 86–94.
- Putra, I.W.D.P., Dharmayudha, A.A.G.O., & Sudimartini, L.M. 2016. Identifikasi senyawa kimia ekstrak etanol daun kelor (*Moringa oleifera* L) di Bali. Indonesia Medicus Veterinus 5(5), 464–473.

- Rachmawatie, S. J., Purwanto, E., Sakya, A. T., & Dewi, W. S. 2022. Growth and content of N, P, K, Fe in rice plants with liquid organic fertilizer application of moringa leaf. IOP COnf. Ser.: Earth Environ. Sci 1114, 1–7.
- Rahmatzai, N.R., Zaitoun, A.A., Madkour, M.H., Ahmady, A., Hazim, Z., & Mousa, M.A.A. 2016. Morphological, pathogenic, cultural and physiological variability of the isolates of *Alternaria solani* causing early blight of tomato. International Journal of Advanced Research 4(11), 808–817.
- Rianto, W.R., Sumarjan, & Santoso, B.B. 2020. Karakter Tanaman Kelor (*Moringa oleifera* Lam.) aksesi Kabupaten Lombok Utara. Jurnal Sains Teknologi & Lingkungan 6(1), 116–131.
- Rivai, A.T.O. 2020. Identifikasi senyawa yang terkandung pada ekstrak daun kelor (*Moringa oleifera*). Indonesian Journal of Fundamnetal Sciences (IJFS) 6(2), 63–70.
- Rodriguez-Fuentes, H., Vidales-Contreras, J. A., Luna-Maldonado, A. I., & Rodriguez-Ortiz, J. C. 2012. Total Growth of Tomato Hybrids Under Greenhouse Conditions in Hoticulture. Intech: China.
- Roy, C.K., Akter, N., Sarkar, M.K.I., Pk, M.U., Begum, N., Zenat, E.A., & Jahan, M.A.A. 2019. Control of early blight of tomato by *Alternaria solani* and screening of tomato varieties against the pathogen. Open Microbiology Journal 13, 41–50.
- Sari, P.N., Auliya, M., & Nasution, N.E.A. 2020. The effect of applying fertilizer of moringa leaf (*Moringa oleifera*) extract and rice washing water to the growth of pakcoy plant (*Brassica rapa* L. spp. Chinensis (L.)). Journal of Physics: Conference Series. 1563 012021. DOI: 10.1088/1742-6596/1563/1/012021.
- Semangun, H. 1994. Penyakit–Penyakit Tanaman Hortikultura di Indonesia. Gadjah Mada University Press. Yogyakarta.
- Setiawati, W., Muhamar, A., Susanto, A., Boes, E., & Hudayya, A. 2018. Penerapan teknologi input luar rendah pada budi daya cabai merah untuk mengurangi penggunaan pupuk dan pestisida sintetik. Jurnal Hortikultura 28(1), 113–122.
- Setiawati, W., Sulastrini, I., Gunawan, O.S., & Gunaeni, N. 2001. Penerapan Teknologi PHT pada Tanaman Tomat. Monografi No. 22. Balai Penelitian Tanaman Sayuran. Pusat Penelitian dan Pengembangan Hortikultura. Badan Penelitian dan Pengembangan Pertanian.
- Shaji, H., Chandran, V., & Mathew, L. 2021. Organic fertilizers as a route to controlled release of nutrients. In Pp. 231–245. Controlled Release Fertilizers for Sustainable Agriculture (F.B. Lewu, T. Volova, S. Thomas, K.R. Rakhimol, Eds.). Academic Press. London.
- Sharma, R.K., Patel, D.R., Chaudhari, D.R., Kumar, V., & Patel, M.M. 2018. Effect of some fungicides against early blight of tomato (*Lycopersicon esculentum* Mill.) caused by *Alternaria solani* (Ell. & Mart.) Jones and Grout and their impact on yield. International Journal of Current Microbiology and Applied Sciences 7(7), 1395–1401.
- Sharma, L.K., Sharma, N., Dhungana, B., Adhikari, A., Shrestha, S.M., & Yadav, D. 2022. Comparative efficacy of biological, botanical and chemical

- treatments against damping off disease of tomato in Chitwan. International Journal of Social Sciences and Management 9(2), 67–74.
- Singh, M., Singh, S., & Verma, D. 2020. Morphological and pharmacognostical evaluation of *Moringa oleifera* Lam. (Moringaceae): A plant with high medicinal value in tropical and subtropical parts of the world. Pharmacognosy Reviews 14(18), 138–145.
- Sivaprakash, K.E., Senthil, M., Raja, J., Kurucheve, V., & Sangeetha, G. 2012. Evaluation of natural products for the management of damping-off of tomato incited by *Pythium aphanidermatum* (Edson) Fitz. Acta Phytopathologica et Entomologica Hungarica 47(1), 17–33.
- Somappa, J., Srivastava, K., Sarma, B.K., Pal, C., & Kumar, R. 2013. Studies on growth conditions of the tomato alternaria leaf spot causing *Alternaria solani* L. The Bioscan 8(1), 101–104.
- Sumalatha, N., Pushpahathi, B., Jagadeeshwar, R., & Reddy, R.V.S.K. 2018. Studies on blight of tomato incited by *Rhizoctonia solani*. International Journal of Current Microbiology and Applied Sciences 7(3), 1050–1059.
- Sumartini. 2012. Penyakit tular tanah (*Sclerotium rolfsii* dan *Rhizoctonia solani*) pada tanaman kacang-kacangan dan umbi-umbian serta cara pengendaliannya. Jurnal Litbang Pertanian 31(1), 27–34.
- Sunarto, T., Suganda, T., Sianipar, M.S., & Irwan, A.W. 2019. Ketahanan sistemik terinduksi pada tanaman padi dengan ekstrak tumbuhan terhadap nematoda bengkak akar (*Meloidogyne graminicola* golden and birchfiels). Jurnal Agrikultura 30(1), 25–32.
- Suryani, N.C., Permana, D.G.M., & Jambe, A.A.G.N.A. 2016. Pengaruh jenis pelarut terhadap kandungan total flavonoid dan aktivitas antioksidan ekstrak daun matoa (*Pometia pinnata*). ITEPA: Ilmu dan Teknologi Pangan 5(1). <https://ojs.unud.ac.id/index.php/itepa/article/view/22645>.
- Suryaningsih, E., & Hadisoeganda, W.W. 2004. Pestisida Botani untuk Mengendalikan Hama dan Penyakit pada Tanaman Sayuran. Balai Penelitian Tanaman Sayuran. Lembang.
- Susana, M.A.S.D. 2012. Uji Aktivitas Antijamur dan Bioautografi Ekstrak Etanol Daun Kelor (*Moringa oleifera* Lamk.) terhadap *Malassezia furfur*. [Skripsi]. Sekolah Tinggi Ilmu Kesehatan Ngudi Waluyo Ungaran. Semarang.
- Sutriadi, M.T., Harsanti, E.S., Wahyuni, S., & Wiardjaka, A. 2020. Pestisida nabati: prospek pengendali hama ramah lingkungan. Jurnal Sumberdaya Lahan 13(2), 89–101.
- Taheri, P., & Tarighi, S. 2012. The role of pathogenesis-related proteins in the tomato–*Rhizoctonia solani* interaction. Journal of Botany. ID 137037. Doi:10.1155/2012/137037.
- Taisa, R., Jumawati, R., & Kartina, R. 2021. Impact of liquid organic fertilizer application on growth three cauliflower cultivars. International Conference on Agriculture and Applied Science 1021. Doi: 10.1088/1755-1315/1012/1/012052.
- Tanti, N., Nurjannah, & Kalla, R. 2019. Pembuatan pupuk organik cair dengan cara aerob. ILTEK 14(2), 2053–2058.
- Taufik, I. 2011. Pencemaran pestisida pada perairan perikanan di Sukabumi Jawa Barat. Media Akuakultur 6(1), 69–75.

- Tuhuteru, S., Mahanani, A.U., & Rumbiak, R.E.Y. 2019. Pembuatan pestisida nabati untuk mengendalikan hama dan penyakit pada tanaman sayuran di Distrik Siepkosi Kabupaten Jayawijaya. *Jurnal Pengabdian Kepada Masyarakat* 25(3), 135–143.
- Verdiana, M., Widarta, I. W. R., & Permana, I. D. G. M. 2018. Pengaruh jenis pelarut pada ekstraksi menggunakan gelombang ultrasonic terhadap aktivitas antioksidan ekstrak kulit buah lemon (*Citrus limon* (Linn.) Burm F.). *Jurnal Ilmu dan Teknologi Pangan* 7(4), 213–222.
- Wahyuni, E. & Lagiman. 2020. *Teknik Budidaya dan Pemuliaan Tanaman Tomat*. Lembaga Penelitian dan Pengabdian Kepada Masyarakat. Yogyakarta.
- Woude, K.V.D. 2013. Rhizoctonia Root Rot. Technical Leaflet. SESVanderHave. Strasbourg.
- Wariki, W.C., Siahaan, R., & Rumondor, M. 2015. Analisis kualitatif residu profenofos pada tanaman tomat di Kecamatan Langowan Barat Sulawesi Utara. *Jurnal Ilmiah Sains* 15(1), 48–51.
- Widhayasa, B., Sastrahidayat, I.R., & Djauhari, S. 2014. Pekecembahan jamur *Alternaria solani* dan infeksinya pada sembilan varietas tomat. *Jurnal HPT* 2(3), 102–108.
- Wididana, G. N. 1994. Application of effective microorganism (EM4) and bokashi on natural farming. *Bulletin Kyusci Nature Farming* 3(2), 47–54.
- Wiratno, Siswanto, & Trisawa, I.M. 2013. Perkembangan penelitian, formulasi, dan pemanfaatan pestisida nabati. *Jurnal Litbang Pertanian* 32(4), 150–155.
- Yahya, A.L.K., Martosudiro, M., & Choliq, F.A. 2021. Efektifitas ekstrak tanaman kelor (*Moringa oleifera* Lam.) terhadap penyakit bercak cokelat *Alternaria* sp. pada tanaman tomat. *Jurnal HPT* 9(4), 115–126.
- Yaméogo, C. W. Bengaly, M. D., Savadogo, A., Nikiema, P. A., & Traore, S. A. 2011. Determination of chemical composition and nutritional values of *Moringa oleifera* leaves. *Pakistan Journal of Nutrition* 10(3), 264–268.
- Yuantari, M.G.C., Widianarko, B., & Sunoko, H.R. 2015. Analisis risiko pajanan pestisida terhadap kesehatan petani. *Jurnal Kesehatan Masyarakat* 10(2), 239–254.
- Yulia, E., Bangun, R. T., Tohidin, & Hersanti. 2021. Pengaruh ekstrak kasar umbi udara binahong (*Anredera cordifolia* (Ten.) Steenis) terhadap penghambatan koloni dan kejadian penyakit akibat *Alternaria solani* pada bibit tomat. *Jurnal Agrikultura* 22(3), 228–238.
- Zhai, Z., Ehret, D.L., Forge, T., Helmer, T., Lin, W., Dorais, M., & Papadopoulos, A.P. 2009. Organic fertilizers for greenhouse tomatoes: productivity and substrate microbiology. *Horticultural Science* 44(3), 800–809.
- Zygadlo, J.A., Gusman, C. A., & Gossro, N. R. 1994. Antifungal properties of the leaf oils of *Tagetes minuta* and *T. filifolia* lag. *Journal of Essential Oil Research* 6(6), 617–621.