

DAFTAR PUSTAKA

- Abuley, I. K., & Nielsen, B. J. 2017. Evaluation of models to control potato early blight (*Alternaria solani*) in Denmark. *Crop Protection* 102, 118–128. <https://doi.org/10.1016/j.cropro.2017.08.012>.
- Al-Askar, A. A. 2016. Bioactive compounds produced by *Trichoderma harzianum* 1-ssr for controlling *Fusarium verticillioides* (Sacc.) nirenberg and growth promotion of sorghum vulgare. *Egyptian Journal of Biological Pest Control* 26(2), 379–386.
- Aldiba, A. S., Escov, I. D., & Melnikov, A. V. 2019. Biological control of early blight on potato caused by *Alternaria solani* by microbial antagonists. *The Agrarian Scientific Journal* 7(9), 4–10. <https://doi.org/10.28983/asj.y2019i9pp4-10>.
- Amatullah, L., Ein, I., & Santoni, M. M. 2021. Identifikasi Penyakit Daun Kentang Berdasarkan Fitur Tekstur Dan Warna Dengan Menggunakan Metode K-Nearest Neighbor. Jakarta (Indonesia): Seminar Nasional Mahasiswa Ilmu Komputer Dan Aplikasinya (SENAMIKA).783–791p.
- Asri, A. C., & Zulaika, E. (2016). Sinergisme antar Isolat *Azotobacter* yang dikonsorsiumkan. *Jurnal Sains Dan Seni ITS*, 5(2), 57–59.
- Awan, Z. A., & Shoaib, A. 2019. Combating early blight infection by employing *Bacillus subtilis* in combination with plant fertilizers. *Current Plant Biology*, 20(October), <https://doi.org/10.1016/j.cpb.2019.100125>.
- [BPS] Badan Pusat Statistik. 2021. Statistik Tanaman Sayuran dan Buah-Buahan Semusim Indonesia. 2088-8392p.
- Baker, B. P., Green, T. A., & Loker, A. J. 2020. Biological control and integrated pest management in organic and conventional systems. *Biological Control*, 140.1-9.
- [Balitsa] Badan Penelitian Tanaman Sayuran. (2015, September 3). Budidaya Tanaman Kentang [Internet]. [diacu 2023 November 3] Tersedia dari: <https://hortikultura.litbang.pertanian.go.id/web/berita-692-budidaya-tanaman-kentang.html#>.

- Bauske, M. J., Robinson, A. P., & Gudmestad, N. C. 2018. Early Blight in Potato — Publications. North Dakota State University Extension. <https://www.ag.ndsu.edu/publications/crops/early-blight-in-potato>
- Bharti, V., & Ibrahim, S. 2020. Biopesticides: Production, Formulation and Application Systems. *International Journal of Current Microbiology and Applied Sciences* 9(10), 3931–3946. <https://doi.org/10.20546/ijcmas.2020.910.453>.
- Bonaterrea, A., Badosa, E., Daranas, N., Francés, J., Roselló, G., & Montesinos, E. 2022. Bacteria as Biological Control Agents of Plant Diseases. *Microorganisms* 10(9). <https://doi.org/10.3390/microorganisms10091759>.
- [BPTP] Badan Pengkajian Teknologi Pertanian. 2015. *Petunjuk Teknis Budidaya Kentang*. ISBN: 978-979-3595-47-4.
- Bezvershenko, Andrii. 2020. Potato Plant Vector Illustration in Flat Design. Potato Growth Diagram with Parts of Plant, Stem, Roots, Flowers, Seed Isolated on White Background [Internet]. [diacu 2023 Juli 27] Tersedia dari: <https://www.dreamstime.com/potato-plant-vector-illustration-flat-design-potato-growth-diagram-parts-plant-tubers-stem-roots-flowers-seeds-isolated-image137327720>.
- Campbell, C.L. and Madden, L.V. 1990. *Introduction to Plant Disease Epidemiology*, Wiley, New York, 532 pp.
- Campos, H., & Ortiz, O. 2020. The Potato Crop. In *The Potato Crop*. Springer Nature Switzerlans AG. <https://doi.org/10.1007/978-94-011-2340-2>.
- Caulier, S., Gillis, A., Colau, G., Licciardi, F., Liépin, M., Desoignies, N., Modrie, P., Legrève, A., Mahillon, J., & Bragard, C. 2018. Versatile antagonistic activities of soil-borne *Bacillus* spp. and *Pseudomonas* spp. against *Phytophthora infestans* and other potato pathogens. *Frontiers in Microbiology* 9:143, 1–15. <https://doi.org/10.3389/fmicb.2018.00143>.
- Chaerani, C., Kardin, M. K., Suhardi, S., Sofiari, E., Van Ginkel, R. V., Groenwolt, R., & Voorrips, R. E. 2018. Variation in aggressiveness and aflp among *Alternaria solani* isolates from indonesia. *Indonesian Journal of Agricultural Science* 18(2), 51. <https://doi.org/10.21082/ijas.v18n2.2017.p51-62>.

- Chen, Y., Cao, S., Chai, Y., Clardy, J., Kolter, R., Guo, J. H., & Losick, R. 2012. A *Bacillus subtilis* sensor kinase involved in triggering biofilm formation on the roots of tomato plants. *Molecular Microbiology* 85(3), 418–430. <https://doi.org/10.1111/j.1365-2958.2012.08109.x>.
- Deleu, M., Paquot, M., & Nylander, T. 2008. Effect of fengycin, a lipopeptide produced by *Bacillus subtilis*, on model biomembranes. *Biophys. J* 94, 2667–2679. <https://doi.org/10.1529/biophysj.107.114090>.
- Dey, R., Pal, K., & Tilak, K. V. B. . 2014. Growth promoting rhizobacteria in crop protection and challenges. In *Future Challenges in Crop Protection Against Fungal Pathogens* (pp. 31–58). Springer Science, Business Media New York.
- [DKP3] Dinas Ketahanan Pangan, Pertanian, dan Perikanan. 2020. Mentan Dorong Diversifikasi Bahan Pangan Lokal untuk Ketahanan Pangan | Dinas Ketahanan Pangan, Pertanian dan Perikanan [Internet]. [diacu 2022 Desember 10]. Tersedia: <https://dkpp.bulelengkab.go.id/informasi/detail/artikel/mentan-dorong-diversifikasi-bahan-pangan-lokal-untuk-ketahanan-pangan-68>.
- Dvořák, P., Tomášek, J., Hamouz, K., & Jedličková, M. 2016. Potatoes. In P. Konvalina (Ed.), *Organic Farming - A Promosing Way of Food Production* (pp. 147-166). České Budějovice, Czech Republic: InTechOpen.
- El-Khair, A., & Haggag, H. 2007. Application of Some Bactericides and Bioagents for Controlling the Soft Rot Disease in Potato. *Research Journal of Agriculture and Biological Sciences* 3(5), 463–473.
- Ellis, & Martin, G. 1896. *Alternaria solani*. Annual Report of the Vermont Agricultural Experimental Station 9(86).
- El-Naggar, M. A., Abouleid, H. Z., El-Deeb, H. M., Abd-El-Kareem, F., & Elshahawy, I. E. 2016. Biological control of potato late blight by means of induction systemic resistance and antagonism. *Research Journal of Pharmaceutical, Biological and Chemical Sciences* 7(1), 1338–1348.
- Faidah, F., Puspita, F., & Ali, M. 2017. Jamur dan intensitas serangannya pada tanaman buah naga merah (*Hylocereus polyrhizus*) di. *JOM Faperta UR*, 4(1), 1–14.

- Fitriatin, B. N., Yuniarti, A., Turmuktini, T., & Ruswandi, F. K. 2014. The effect of phosphate solubilizing microbe producing growth regulators on soil phosphate, growth and yield of maize and fertilizer efficiency on Ultisol. *Eurasian Journal of Soil Science (Ejss)* 3(2), 101. <https://doi.org/10.18393/ejss.34313>.
- Fitriatin, B. N., Suryatmana, P., Yuniarti, A., & Istifadah, N. 2017. The application of phosphate solubilizing microbes biofertilizer to increase soil P and yield of maize on ultisols Jatinangor. *KnE Life Sciences* 2(6), 179. <https://doi.org/10.18502/cls.v2i6.1037>.
- Fravel, D. . 2005. Commercialization and implementation of biocontrol. *Annual Review of Phytopathology* 43, 337–359.
- Gandjar, I., W, S., & A, O. 2006. *Mikologi Dasar dan Terapan*. Yayasan Obor Indonesia.
- Gangwar, O., Sharma, P., & Singh, U. (2013). Growth and survival of *Trichoderma harzianum* and *Pseudomonas fluorescens* on different substrates and their temporal and spatial population dynamics in Growth and survival of *Trichoderma harzianum* and *Pseudomonas fluorescens* on different substrates. *Indian Phytopath* 3(1), 252–257.
- Ganie, S. A., Ghani, M. Y., Nissar, Q., Jabeen, N., & Anjum, Q. 2013. Status and symptomatology of early blight (*Alternaria solani*) of potato (*Solanum tuberosum* L.) in Kashmir valley. *African Journal of Agricultural Research* 8(41), 5104–5115. <https://doi.org/10.5897/AJAR2013.7338>.
- Gullino, M. L., Tinivella, F., Garibaldi, A., Kemmit, G., Bacci, L., & Sheppard, B. (2010). Mancozeb: Past, Present, Future. In *Plant Disease* (Vol. 94, Issue 9, pp. 1076–1087).
- Gohil, R. B., Raval, V. H., Panchal, R. R., & Rajput, K. N. 2022. Plant growth-promoting activity of *Bacillus* sp. PG-8 isolated from fermented panchagavya and its effect on the growth of *Arachis hypogea*. *Frontiers in Agronomy* 4(3), 1–13. <https://doi.org/10.3389/fagro.2022.805454>.

- Großkinsky, D. K., Tafner, R., Moreno, M. V., Stenglein, S. A., De Salamone, I. E. G., Nelson, L. M., Novák, O., Strnad, M., Van Der Graaff, E., & Roitsch, T. 2016. Cytokinin production by *Pseudomonas fluorescens* G20-18 determines biocontrol activity against *Pseudomonas syringae* in Arabidopsis. *Scientific Reports*, 6(March), 1–11. <https://doi.org/10.1038/srep23310>.
- Hamm, P. ., & Ocamb, C. 2023. Potato (*Solanum tuberosum*)-Potato Leafroll Virus (Leaf Roll). Pacific Northwest: Pest Management Handbooks. <https://pnwhandbooks.org/plantdisease/hostdisease/potato-solanum-tuberosum-potato-leafroll-virus-leaf-roll>.
- Harni, M., Anggraini, T., Rini, R., & Suliansyah, I. 2022. Review artikel: Pati pada berbagai sumber tanaman. *Agroteknika*, 5(1), 26–39. <https://doi.org/10.55043/agroteknika.v5i1.118>
- Hidayah, P., Izzati, M., & Parman, S. 2017. Pertumbuhan dan Produksi Tanaman Kentang (*Solanum tuberosum* L. var. Granola) pada Sistem Budidaya yang Berbeda. *Buletin Anatomi Dan Fisiologi*, 2(2), 218. <https://doi.org/10.14710/baf.2.2.2017.218-225>.
- Horsfield, A., Wicks, T., Davies, K., Wilson, D., & Paton, S. 2010. Effect of fungicide use strategies on the control of early blight (*Alternaria solani*) and potato yield. *Australasian Plant Pathology* 39(4), 368–375. <https://doi.org/10.1071/AP09090>.
- Istifadah, N., Firman, A. R., & Desiana, M. F. 2020. Effectiveness of compost and microbial-enriched compost to suppress powdery mildew and early blight diseases in tomato. *Journal of Animal and Plant Sciences* 30(2), 377–383. <https://doi.org/10.36899/JAPS.2020.2.0031>.
- Istifadah, N., Fatiyah, N., Fitriatin, B. N., & Djaya, L. 2019. Effects of dosage and application frequency of microbial consortium mixed with animal manure on bacterial wilt and late blight diseases of potato. *IOP Conference Series: Earth and Environmental Science* 334(1), 1–7. doi.org/10.1088/1755-1315/334/1/012038.

- Istifadah, N., Fatiyah, N., Sunarto, T., Djaya, L., Fitriatin, B. N. 2018. The effects of delivery methods of biocontrol agents and their combination with synthetic fertilizers on potato growth diseases. *Academic Journal of Science* 08(01), 63–70.
- Istifadah, N., Sapta, D., Krestini, H., Fitriatin, B.N., Suryatmana, P., Nurbaity, A., & Hidersah, R. 2018. The effect of dosages of microbial consortia formulation and synthetic fertilizer on the growth and yield of field-grown chili. *IOP Conference Series: Earth and Environmental Science* 142(1), 1-7.
- Istifadah, N., & Hakim, H. 2017. Kemampuan kompos dan kompos plus untuk meningkatkan ketahanan tanaman tomat terhadap penyakit bercak coklat (*Alternaria solani* Sor.). *Jurnal Agrikultura* 28(3), 111–117.
- Istifadah, Noor, Nurhasanah, L., Fitriatin, B. N., & Sunarto, T. 2016. Kemampuan formula biopestisida dan bahan organik untuk menekan penyakit bengkak akar (*Meloidogyne* spp.) pada tanaman cabai. *Prosiding Seminar Nasional PAGI*, 546–550.
- Istifadah, N., Melawati, A., Suryatmana, P., & Fitriatin, B. N. 2014. Pupuk hayati untuk menekan penyakit rebah semai (*Rhizoctonia solani*) pada cabai. *Agric. Sci. J.*, I(September), 337–345.
- Istifadah, Noor, & Nasahi, C. 2007. Penggunaan bokashi dan kascing untuk menekan penyakit karat (*Phakopsora pachyrhizi* Syd.) pada kedelai. *Jurnal Agrikultura* 18, 42–47. 337-345.
- Jambhulkar, P. P., Sharma, P., & Yadav, R. 2016. Microbial inoculants in sustainable agricultural productivity, (2) 1–308. <https://doi.org/10.1007/978-81-322-2644-4>.
- Jang, S., Kwon, S. L., Lee, H., Jang, Y., Park, M. S., Lim, Y. W., Kim, C., & Kim, J. J. 2018. New report of three unrecorded species in *Trichoderma harzianum* species complex in Korea. *Mycobiology*, 46(3), 177–184. <https://doi.org/10.1080/12298093.2018.1497792>.
- Jawetz, Melnick, & Adelberg. 2005. *Medical Microbiology* (23th ed). Mc Graw Hill Company. USA.

- Kalaimurugan, D., Vivekanandhan, P., Sivasankar, P., Durairaj, K., Senthilkumar, P., Shivakumar, M. S., & Venkatesan, S. 2019. Larvicidal Activity of Silver Nanoparticles Synthesized by *Pseudomonas fluorescens* YPS3 Isolated from the Eastern Ghats of India. *Journal of Cluster Science*, 30(1), 225–233. <https://doi.org/10.1007/s10876-018-1478-z>.
- Kalay, A. M., Patty, J., & Sinay, M. 2015. Perkembangan *Alternaria solani* pada Tiga Varietas Tanaman Tomat. *Agrikultura*, 26(1), 1–6. <https://doi.org/10.24198/agrikultura.v26i1.8455>.
- [Kementan] Kementerian Pertanian. 2021. Mentan SYL: Diversifikasi Pangan Strategi Ketahanan Pangan di Tengah Pandemi [Internet]. [diacu 2022 November 13] Tersedia: <https://www.pertanian.go.id/home/?show=news&act=view&id=4826>.
- Kemmitt, G. 2013. Early Blight of Potato and Tomato [Internet]. [diacu 2022 November 10]. Tersedia dari: <http://www.apsnet.org/edcenter/disandpath/PotatoTomato.aspx>.
- Kumar, M. A., & Sharma, P. 2016. Morphological Characterization of Biocontrol Isolates of Trichoderma to Study the Correlation between Morphological Characters and Biocontrol Efficacy. *International Letters of Natural Sciences*, 55(1), 57–67. <https://doi.org/10.18052/www.scipress.com/ilns.55.57>.
- Kumar, S., & Ray, P. (2018). Host plant preference of army worm (*Spodoptera litura*) on crops and weeds. *Indian Journal of Weed Science*, 50(1), 100. <https://doi.org/10.5958/0974-8164.2018.00025.4>
- Lesmana, A. M., Fadhillah, R. P., & Rozikin, C. 2022. Identifikasi penyakit pada citra daun kentang menggunakan convolutional neural network (CNN). *Jurnal Sains Dan Informatika* 8(1), 21–30. <https://doi.org/10.34128/jsi.v8i1.377>.
- Liu, N., Zhao, R., Qiao, L., Zhang, Y., Li, M., Sun, H., Xing, Z., & Wang, X. 2020. Growth stages classification of potato crop based on analysis of spectral response and variables optimization. *Sensors (Switzerland)*, 20(14), 1–20. <https://doi.org/10.3390/s20143995>.

- Madigan, M. 2005. *Brock Biology of Microorganisms* (J. Martinko (ed.); 11th ed). Prentice Hall.
- Maharani, Y., Hidayat, P., Rauf, A., & Maryana, N. 2018. Kutudaun (Hemiptera: Aphididae) pada gulma di sekitar lahan pertanian di Jawa Barat beserta kunci identifikasinya. *Jurnal Entomologi Indonesia* 15(2), 74. <https://doi.org/10.5994/jei.15.2.68>
- Maina, C., Oyoo, J., Rono, M., Mendi, M., Mwangi, C., Chabari, J., & Njogu, A. 2018. Potato Production Handbook National Potato Council of Kenya a Guideline for Farmers and Trainers Potato Production Handbook 2. National Potato Council of Kenya.
- Meno, L., Escuredo, O., Rodríguez-Flores, M. S., & Seijo, M. C. 2021. Looking for a Sustainable Potato Crop. Field Assessment of Early Blight Management. *Agricultural and Forest Meteorology*, 308–309, 108617. <https://doi.org/10.1016/j.agrformet.2021.108617>.
- Muhibuddin, Maulana, Z., Fatmawati, & Mahmud, H. 2022. Teknologi Budidaya Kentang di Dataran Tinggi dan Medium (Issue 75). Makassar. De La Macca. <https://www.ptonline.com/articles/how-to-get-better-mfi-results>.
- Motaher, M., & Sultana, F. 2020. Application and Mechanisms of Plant Growth Promoting Fungi (PGPF) for Phytostimulation. In *Organic Agriculture*. Dhaka, Bangladesh. Intech Open Publisher.
- Naher, L., Yusuf, U. K., Ismail, A., & Hossain, K. 2014. *Trichoderma* spp.: A biocontrol agent for sustainable management of plant diseases. *Pakistan Journal of Botany*, 46(4), 1489–1493.
- Oepp, B., & Bulletin, E. (2015). *Spodoptera littoralis*, *Spodoptera litura*, *Spodoptera frugiperda*, *Spodoptera eridania*. *EPPO Bulletin*, 45(3), 410–444. <https://doi.org/10.1111/epp.12258>
- Pal, K., & Gardener, McSpadde B. 2006. Biological Control of Plant Root Pathogens. Gujarat, India. The Plant Health Instructor.
- Pathma, J., Rahul, G., Kamaraj, Kennedy R Subashri, R., & Sakthivel, N. (2011). Secondary metabolite production by bacterial antagonists. *Journal of Biological Control*, 25, 165–181.
- Pitojo, S. 2008. Penangkaran Benih Kentang. Yogyakarta. Kanisius.

- Prihatiningsih, N., T. Arwiyanto., B. Hadisutrisno dan J. Widada. 2015. Mekanisme antibiosis *Bacillus subtilis* B315 untuk pengendalian penyakit layu bakteri kentang. *J. HPT Tropika* 15 (1), 64-71.
- [Puslitbang] Pusat Penelitian dan Pengembangan Hortikultura. 2013. Budidaya Tanaman Kentang [Internet]. [diacu 2022 November 11] Tersedia: [Http://Hortikultura.Litbang.Pertanian.Go.Id/Web/Berita-339-Jadikan-Ramadhan-Sebagai-Wadah-Pembentukan-Jiwa-Yang-Tangguh.Html](http://Hortikultura.Litbang.Pertanian.Go.Id/Web/Berita-339-Jadikan-Ramadhan-Sebagai-Wadah-Pembentukan-Jiwa-Yang-Tangguh.Html).
- Ramachandran, R., Chalasani, A. G., Lal, R., & Roy, U. 2014. A broad-spectrum antimicrobial activity of *Bacillus subtilis* RLID 12.1. *Scientific World Journal*. <https://doi.org/10.1155/2014/968487>.
- Saktiani, Octa. 2018. Pengaruh Penambahan Formula Konsorsium Mikrob pada Kompos dan Cara Aplikasinya terhadap Penyakit Bercak Coklat, Pertumbuhan, dan Hasil Tanaman Tomat. Skripsi. Tidak Diterbitkan. Fakultas Pertanian. Agroteknologi. Universitas Padjajaran
- Saranraj, P. (2014). Biocontrol potentiality of plant growth promoting bacteria (PGPR) - *Pseudomonas fluorescens* and *Bacillus subtilis*: A review. *African Journal of Agricultural Research* 9(16), 1265–1277. <https://doi.org/10.5897/AJAR2013.7914>
- Satya, M. N., & Wahyudin, A. 2005. Wisata Dataran Tinggi Dieng. *Pelita-Jurnal Penelitian Mahasiswa UNY* 1(1), 5–11.
- Shafi, J., Tian, H., & Ji, M. 2017. *Bacillus* species as versatile weapons for plant pathogens: a review. *Biotechnology and Biotechnological Equipment* 31(3), 446459. <https://doi.org/10.1080/13102818.2017.1289>
- Sharma, O. P. 2002. *Plant Taxonomy*. New Delhi, India. Mc. Graw Hill Company Limited.
- Sharma, P. 2011. Evaluation of disease control and plant growth promotion potential of biocontrol agents on *Pisum sativum* and comparison of their activity with popular chemical control agent - carbendazim. *Journal of Toxicology and Environmental Health Science* 3(May), 127–138.

- Shofiyani, A., A. Suyadi. 2014. Kajian Efektifitas Penggunaan Agensia Hayati *Trichoderma* sp. Untuk Mengendalikan Penyakit Layu Fusarium Pada Tanaman Bawang Merah Diluar Musim. Prosiding Seminar Hasil Penelitian LPPM UMP 2014. ISSN 978-602-14930
- Singh, B. 2014. Indexing of potato leaf roll virus (PLRV) from potato growing areas of punjab, India. International Journal Of Virology 4(10), 272–279. <https://doi.org/10.3923/ijv.2014.272.279>
- Soedarto. 2015. Mikrobiologi Kedokteran. CV. Agung Seto. Jakarta
- Soesanto, L. 2008. Pengantar Pengendalian Hayati Penyakit Tanaman, Suplemen ke Gulma dan Nematoda. Rajawali Pers.
- Soesanto, L., E. Mugiastuti dan R. F. Rahayuniati. 2011. Inventarisasi dan identifikasi patogen tular-tanah pada pertanaman kentang di Kabupaten Purbalingga. J. Hort. Vol 21(3): 254-264.
- Soesanto, L., E. Mugiastuti dan R. F. Rahayuniati. 2014. Aplikasi formula cair *Pseudomonas fluorescens* p60 untuk menekan penyakit virus cabai merah. Jurnal Fitopatologi Indonesia 9 (6), 179-185.
- Sood, M., Kapoor, D., Kumar, V., Sheteiwiy, M. S., Ramakrishnan, M., Landi, M., Araniti, F., & Sharma, A. 2020. Trichoderma: The “secrets” of a multitasking biocontrol agent. Plants 9(6), 1–25.
- Suanda, I. W. 2019. Karakterisasi morfologis *Trichoderma* sp. isolat JB dan daya hambatnya terhadap jamur *Fusarium* sp. penyebab penyakit layu dan jamur akar putih pada beberapa tanaman. Widya Biologi 10(2), 99–112.
- Suganthi, D., Sharma, O. P., Mohan, G., Pruthi, S., & Manjeet, K. 2020. Importance of early blight of potato induced by (*Alternaria solani*) and its management. Biotica Research Today 2(9), 870–873.
- Suswanto, I. 2014. Kajian formulasi mutan *Trichoderma* sebagai kandidat agens pengendali hayati hawar beludru *Septobasidium* pada lada. Jurnal Teknologi Perkebunan dan Pengelolaan Sumberdaya Lahan 4(2), 22-29.
- Sutarman, Prihatiningrum, A. E., & Miftakhurrohmat, A. 2020. Pengelolaan Penyakit Tanaman Terpadu. UMSIDA PRESS.
- Suyono, Y., & Farid, S. 2011. *Pseudomonas* pada tanah yang terindikasi kontaminasi logam. Jurnal Biopopral Industri 2(1), 8–13.

- Tsedaley, B. 2014. Review on early blight (*Alternaria* spp.) of potato disease and its management options. *J. Bio. Agri* 4, 191–198.
- USDA. 2018. *Food Data Central* [Internet]. [diacu November 27]. Tersedia: <https://Fdc.Nal.USda.Gov/FdcApp.Html#/FoodDetails/170026/Nutrients>.
- Utami, G. R., Rahayu, M. S., & Setiawan, A. 2015. Penanganan Budidaya Kentang (*Solanum tuberosum* L.) di Bandung, Jawa Barat. *Buletin Agrohorti* 3(1), 105. <https://doi.org/10.29244/agrob.3.1.105-109>.
- Verhagen, B. W. M., Trotel-Aziz, P., Couderchet, M., Höfte, M., & Aziz, A. 2010. *Pseudomonas* spp.-induced systemic resistance to *Botrytis cinerea* is associated with induction and priming of defence responses in grapevine. *Journal of Experimental Botany* 61(1), 249–260. <https://doi.org/10.1093/jxb/erp295>.
- Vidhyasekaran, P., & Muthamilan, M. 1995. Development of formulations of *Pseudomonas fluorescens* for control of chickpea wilt. *Plant Disease*, 79, 782–786.
- Vidhyasekaran, P., R. Rabindran., M. Muthamilan., K. Nayar., K. Rajappan., N. Subramanian., K. Vasumathi. 1997. Development of powder formulation of *Pseudomonas fluorescens* for control of rice blast. *Plant Pathol.* Vol. 46: 291-297.
- Vinale, F., Manganiello, G., Nigro, M., Mazzei, P., Piccolo, A., Pascale, A., Ruocco, M., Marra, R., Lombardi, N., Lanzuise, S., Varlese, R., Cavallo, P., Lorito, M., & Woo, S. L. 2014. A novel fungal metabolite with beneficial properties for agricultural applications. *Molecules* 19(7), 9760–9772. <https://doi.org/10.3390/molecules19079760>
- Vitti, A., Pellegrini, E., Nali, C., Lovelli, S., Sofo, A., Valerio, M., Scopa, A., & Nuzzaci, M. 2016. *Trichoderma harzianum* T-22 induces systemic resistance in tomato infected by cucumber mosaic virus. *Frontiers in Plant Science* 7, 1–11. <https://doi.org/10.3389/fpls.2016.01520>
- Weller, D. 2007. *Pseudomonas* biocontrol agents of soilborne pathogens: looking back over 30 Years. *Phytopathology*, 97, 250.

- Wharton, P. S., Kirk, W. W., Schafer, R. L., & Tumbalam, P. 2012. Evaluation of biological seed treatments in combination with management practices for the control of seed-borne late blight in potato. *BiologicalControl* 63(3),326–332.
- Wilkinson, K. M. 2008. Beneficial Microorganism. In *Nursery Manual for Native Plants* (Vol. 1, pp. 247–261). U.S Department of Agriculture.
- Yarullina, L., Tsvetkov, V., Burkhanova, G., Cherepanova, E., & Sorokan, A. 2021. Influence of *Bacillus Subtilis* and Stress Phytohormones on the Content of H₂O₂, Expression of Protective Proteins Genes and Proteome of Potato Leaves When Infected with *Phytophthora infestans* Mont de Bary in Conditions of Soil. Basel (Switzerland): Proceedings. <https://doi.org/10.3390/iecps2020-08627>.
- Yoseva, S. 2009. Pemangkasan dan aplikasi beberapa dosis paclobutrazol terhadap pembentukan umbi kentang (*Solanum tuberosum* L). *Jurnal Penelitian*, 8(2), 20–24.
- Zhang, D., Yu, S., Yang, Y., Zhang, J., Zhao, D., Pan, Y., Fan, S., & Zhu, J. 2020. Antifungal effects of volatiles produced by *Bacillus subtilis* against *Alternaria solani* in Potato 11(1196),1–12. <https://doi.org/10.3389/fmicb.2020.01196>.
- Zaffaroni, M., Rimbaud, L., Mailleret, L., Cunniffe, N. J., & Bevacqua, D. 2021. Modelling interference between vectors of non-persistently transmitted plant viruses to identify effective control strategies. *PLoS Computational Biology* 17(12), 1–19. <https://doi.org/10.1371/journal.pcbi.1009727>.