

DAFTAR PUSTAKA

- Allegaert, K. (2020). A Critical Review on the Relevance of Paracetamol for Procedural Pain Management in Neonates. *Frontiers in Pediatrics*, 8(March), 1–11. <https://doi.org/10.3389/fped.2020.00089>
- American Academy of Pediatric. (2006). Prevention and management of pain in the neonate: An update. *Pediatrics*, 118(5), 2231–2241. <https://doi.org/10.1542/peds.2006-2277>
- Asadi-Noghabi, F., Tavassoli-Farahi, M., Yousefi, H., & Sadeghi, T. (2014). Neonate pain management: what do nurses really know? *Global Journal of Health Science*, 6(5), 284–293. <https://doi.org/10.5539/gjhs.v6n5p284>
- Balice-bourgois, C., Zumstein-shaha, M., Simonetti, G. D., & Balice-bourgois, C. (2020). Interprofessional Collaboration and Involvement of Parents in the Management of Painful Procedures in Newborns. *Frontiers in Pediatrics*, 8(July), 1–10. <https://doi.org/10.3389/fped.2020.00394>
- Bellieni, C. V., Bagnoli, F., Perrone, S., Nenci, A., Cordelli, D. M., Fusi, M., Ceccarelli, S., & Buonocore, G. (2002). Effect of multisensory stimulation on analgesia in term neonates: A randomized controlled trial. *Pediatric Research*, 51(4 I), 460–463. <https://doi.org/10.1203/00006450-200204000-00010>
- Bellieni, C. V, Aloisi, A. M., Ceccarelli, D., Valenti, M., Arrighi, D., Muraca, M. C., Temperini, L., Pallari, B., Lanini, A., & Buonocore, G. (2013). Intramuscular injections in newborns: analgesic treatment and sex-linked response. *The Journal of Maternal-Fetal and Neonatal Medicine*, 26(4), 419–422. <https://doi.org/10.3109/14767058.2012.733777>

- Bellieni, C. V., Aloisi, A. M., Doheny, K. K., & Flores-Muñoz, M. A. (2021). Neonatal Procedural Pain Management. *Frontiers in Pediatrics*. <https://doi.org/10.3389/fped.2021.783290>
- Bembich, S., Cont, G., Baldassi, G., Bua, J., & Demarini, S. (2015). Maternal holding vs oral glucose administration as nonpharmacologic analgesia in newborns: A functional neuroimaging study. *JAMA Pediatrics*, 169(3), 284–285. <https://doi.org/10.1001/jamapediatrics.2014.3052>
- Bembich, S., Cont, G., Causin, E., Paviotti, G., Marzari, P., & Demarini, S. (2018). Infant Analgesia With a Combination of Breast Milk, Glucose, or Maternal Holding. *Pediatrics*, 142(3). <https://doi.org/10.1542/peds.2017-3416>
- Bembich, S., Davanzo, R., Brovedani, P., Clarici, A., Massaccesi, S., & Demarini, S. (2013). Functional Neuroimaging of Breastfeeding Analgesia by Multichannel Near-Infrared Spectroscopy. *Neonatology*, 104, 255–259. <https://doi.org/10.1159/000353386>
- Bigelow, A. E., & Williams, L. R. (2020). To have and to hold: Effects of physical contact on infants and their caregivers. *Infant Behavior and Development*, 61. <https://doi.org/10.1016/j.infbeh.2020.101494>
- Bijari, B. B., Iranmanesh, S., Eshghi, F., & Baneshi, M. R. (2012). Gentle Human Touch and Yakson: The Effect on Preterm's Behavioral Reactions. *ISRN Nursing*, 1–6. <https://doi.org/10.5402/2012/750363>
- Boquien, C. (2018). Human Milk: An Ideal Food for Nutrition of Preterm Newborn. *Frontiers in Pediatrics*, 6(295), 1–9. <https://doi.org/10.3389/fped.2018.00295>
- Britto, D., Pn, S. R., Nesargi, S., Nair, S., Rao, S., & Thilagavathy, T. (2014). Perception and Assessment of Painful Procedures in the NICU. *Journal of*

- Tropical Pediatrics*, 60(6), 2–7. <https://doi.org/10.1093/tropej/fmu039>
- Bucsea, O., & Riddell, R. P. (2019). Non-pharmacological pain management in the neonatal intensive care unit: Managing neonatal pain without drugs. *Seminars in Fetal and Neonatal Medicine*, 24(4). <https://doi.org/10.1016/j.siny.2019.05.009>
- Buonocore, G., & Bellieni, C. V. (2017). *Neonatal Pain* (2nd ed.). Springer Nature. <https://doi.org/10.1007/978-3-319-53232-5>
- Burnett, A. C., & Cheong, J. L. Y. (2018). Biological and Social Influences on the Neurodevelopmental Outcomes of Preterm Infants. *Clin Perinatol*, 45, 485–500. <https://doi.org/10.1016/j.clp.2018.05.005>
- Calkovska, A., Mokra, D., Calkovsky, V., Matasova, K., & Zibolen, M. (2019). Clinical considerations when treating neonatal aspiration syndromes. *Expert Review of Respiratory Medicine*, 13(2), 193–203. <https://doi.org/10.1080/17476348.2019.1562340>
- Campbell-Yeo, M., Eriksson, M., & Benoit, B. (2022). Assessment and Management of Pain in Preterm Infants: A Practice Update. *Children*, 9(244), 1–18. <https://doi.org/10.3390/children9020244>
- Carbajal, R., Danan, C., Coquery, S., Nolent, P., Ducrocq, S., Saizou, C., Lenclen, R., Annequin, D., & Anand, K. J. S. (2008). Epidemiology and Treatment of Painful Procedures in Neonates in Intensive Care Units. *JAMA*, 300(1), 60–70. <https://doi.org/10.1001/jama.300.1.60>
- Carnicero, L. B., Rodríguez, M. A., López, A. de la H., Ramos, S. M., Luengo, F. M., Urueña, S. I. M., & Carbonero, S. C. (2022). Parasympathetic evaluation for procedural pain assessment in neonatology. *Anales de Pediatría*, 97(6), 390–397. <https://doi.org/10.1016/j.anpede.2022.08.013>

- Chen, J. (2011). History of pain theories. *Neuroscience Bulletin*, 27(5), 343–350.
<https://doi.org/10.1007/s12264-011-0139-0>
- Chen, M., Shi, X., Chen, Y., Cao, Z., Cheng, R., Xu, Y., Liu, L., & Li, X. (2012). A Prospective Study of Pain Experience in a Neonatal Intensive Care Unit of China. *Clin J Pain*, 28(8), 700–704. <https://doi.org/10.1097/AJP.0b013e3182400d54>
- Chhugani, M. (2014). Therapeutic Touch Modalities and Premature Neonate's Health Outcome: A Literature Review. *Journal of Neonatal Biology*, 03(04), 3–5.
<https://doi.org/10.4172/2167-0897.1000148>
- Cignacco, E., Hamers, J., Ra, V. L., Stoffel, L., Büchi, S., Müller, R., Schütz, N., Zimmermann, L., & Nelle, M. (2009). Neonatal procedural pain exposure and pain management in ventilated preterm infants during the first 14 days of life. *Swiss Medical Weekly*, 139(15–16), 226–232.
- Cohen, M., Quintner, J., & Rysewyk, S. Van. (2018). Reconsidering the International Association for the Study of Pain definition of pain. *Pain*, 3, 1–7.
<https://doi.org/10.1097/PR9.0000000000000634>
- Cong, X., McGrath, J. M., Cusson, R. M., & Zhang, D. (2013). Pain assessment and measurement in neonates: An updated review. *Advances in Neonatal Care*, 13(6), 379–395. <https://doi.org/10.1097/ANC.0b013e3182a41452>
- Cordeiro, R. A., & Costa, R. (2014). Non-pharmacological methods for relief of discomfort and pain in newborns: A collective nursing construction. *Text Context Nursing*, 23(1), 185–192. <https://doi.org/10.1590/S0104-07072014000100022>
- Craig, A., Deerwester, K., Fox, L., Jacobs, J., & Evans, S. (2019). Maternal holding during therapeutic hypothermia for infants with neonatal encephalopathy is feasible. *Acta Paediatrica, International Journal of Paediatrics*, 108(9), 1597–

1602. <https://doi.org/10.1111/apa.14743>.
- Dezhdar, S., Jahanpour, F., Bakht, S. F., & Ostovar, A. (2016). The effects of kangaroo mother care and swaddling on venipuncture pain in premature neonates: A randomized clinical trial. *Iranian Red Crescent Medical Journal*, 18(4). <https://doi.org/10.5812/ircmj.29649>
- Donato, J., Rao, K., & Lewis, T. (2019). Pharmacology of Common Analgesic and Sedative Drugs Used in the Neonatal Intensive Care Unit. *Clinics in Perinatology*, 46(4), 673–692. <https://doi.org/10.1016/j.clp.2019.08.004>
- Efendi, D., Caswini, N., Tane, R., Kurniasari, M. D., Hasanul, H. M., & Farid, R. I. (2021). Comparison of mother's therapeutic touch and voice stimulus in reduce pain in premature infants undergoing invasive procedures. *Medical and Surgical Pediatrics*, 43(259). <https://doi.org/10.4081/pmc.2021.259>
- Einaudi, M., Gire, C., Auquier, P., & Coz, P. Le. (2015). How do physicians perceive quality of life? Ethical questioning in neonatology. *BMC Medical Ethics*, 16(50), 1–6. <https://doi.org/10.1186/s12910-015-0045-5>
- Filippa, M., Poisbeau, P., Mairesse, J., Monaci, M. G., Baud, O., Hüppi, P., Grandjean, D., & Kuhn, P. (2019). Pain, Parent Involvement, and Oxytocin in the Neonatal Intensive Care Unit. *Frontiers in Psychology*, 10, 1–15. <https://doi.org/10.3389/fpsyg.2019.00715>
- Fitri, S. Y. R., Lusmilasari, L., & Juffrie, M. (2019). The Indonesian version of the Premature Infant Pain Profile-Revised: Translation and adaptation of a neonatal pain assessment. *International Journal of Nursing Sciences*, 6(4), 439–444. <https://doi.org/10.1016/j.ijnss.2019.06.010>
- Fitri, S. Y. R., Lusmilasari, L., Juffrie, M., & Bellieni, C. V. (2020). Modified Sensory

- Stimulation Using Breastmilk for Reducing Pain Intensity in Neonates in Indonesia: A Randomized Controlled Trial. *Journal of Pediatric Nursing*, 53, e199–e203. <https://doi.org/10.1016/j.pedn.2020.04.004>
- Flacking, R., Thomson, G., & Axelin, A. (2016). Pathways to emotional closeness in neonatal units - a cross-national qualitative study. *BMC Pregnancy and Childbirth*, 16(1), 1–8. <https://doi.org/10.1186/s12884-016-0955-3>
- Frcia, E. M. W. M., Children, S., Bank, W., & Sheffield, S. (2011). Procedural pain management in neonates, infants and children. *British Journal of Pain*, 5(3), 4–12. <https://doi.org/10.1177/204946371100500303>
- Fuller, B. F. (2002). Infant Gender Differences Regarding Acute Established Pain. *Clinical Nursing*, 11(2), 190–203. <https://doi.org/10.1177/105477380201100207>
- Garcia-rodriguez, M. T., Bujan-bravo, S., Seijo-bestilleiro, R., & Gonzalez-martin, C. (2021). Pain assessment and management in the newborn: A systematized review. *World Journal of Clinical Cases*, 9(21), 5921–5932. <https://doi.org/10.12998/wjcc.v9.i21.5921>
- Gere, S., Berhane, Y., & Worku, A. (2021). Chest-to-Back Skin-to-Skin Contact to Regulate Body Temperature for Low Birth Weight and / or Premature Babies: A Crossover Randomized Controlled Clinical Trial. *International Journal of Pediatrics*, 2021. <https://doi.org/10.1155/2021/8873169>
- Gibbins, S., Stevens, B., Yamada, J., Dionne, K., Campbell-yeo, M., Lee, G., Caddell, K., Johnston, C., & Taddio, A. (2014). Validation of the Premature Infant Pain Profile-Revised (PIPP-R). *Early Human Development*, 90, 189–193. <https://doi.org/10.1016/j.earlhumdev.2014.01.005>
- Grove, S. K., & Gray, J. R. (2021). *Memahami Penelitian Keperawatan: Membangun*

- Praktik Berbasis Bukti* (A. Setiawan (ed.); 7th ed.). Elsevier.
- Grunau, R. E. (2020). Personal perspectives: Infant pain—A multidisciplinary journey. *Paediatric and Neonatal Pain*, 2(2), 50–57. <https://doi.org/10.1002/pne2.12017>
- Gursul, D., Hartley, C., & Slater, R. (2019). Nociception and the neonatal brain. *Seminars in Fetal and Neonatal Medicine*, 24. <https://doi.org/10.1016/j.siny.2019.05.008>
- Hall, R. W. (2005). Short and Long-term Impact of Neonatal Pain and Stress: More Than an Ouchie. *Neurology*. <https://doi.org/10.1542/neo.6-2-e69>
- Hall, R. W., & Anand, K. J. S. (2005). Physiology of Pain and Stress in the Newborn. *NeoReviews*, 6(2), e61–e68. <https://doi.org/10.1542/neo.6-2-e61>
- Hall, R. W., & Anand, K. J. S. (2014). Pain Management in Newborns. *Clin Perinatol*, 41(4), 895–924. <https://doi.org/10.1016/j.clp.2014.08.010>.
- Hallowell, S. G., Rogowski, J. A., Eileen, T., Policy, H. C., & State, T. (2020). How Nurse Work Environments Relate to the Presence of Parents in Neonatal Intensive Care. *Adv Neonatal Care*, 19(1), 65–72. <https://doi.org/10.1097/ANC.0000000000000431>.
- Harrison, D., Reszel, J., Bueno, M., Sampson, M., Vs, S., Taddio, A., Larocque, C., Turner, L., Harrison, D., Reszel, J., Bueno, M., Sampson, M., Vs, S., Taddio, A., Larocque, C., & Turner, L. (2016). Breastfeeding for procedural pain in infants beyond the neonatal period (Review). *Cochrane Database of Systematic Reviews*, 10. <https://doi.org/10.1002/14651858.CD011248.pub2>.
- Hatfield, L. A. (2014). Neonatal pain: What's age got to do with it? *Surgical Neurology International*, 75, 479–489. <https://doi.org/10.4103/2152-7806.144630>

- Hermann, C., Hohmeister, J., Demirakc, S., Zohsel, K., & Flor, H. (2006). Long-term alteration of pain sensitivity in school-aged children with early pain experiences. *Pain*, 125, 278–285. <https://doi.org/10.1016/j.pain.2006.08.026>
- Hoarau, K., Payet, M. L., Zamidio, L., Bonsante, F., & Iacobelli, S. (2021). “Holding—Cuddling” and Sucrose for Pain Relief During Venepuncture in Newborn Infants: A Randomized, Controlled Trial (CASA). *Frontiers in Pediatrics*, 8. <https://doi.org/10.3389/fped.2020.607900>
- Hockenberry, M. J., & Wilson, D. (2011). *Wong’s Nursing Care of Infant and Children* (9th ed.). Elsevier Mosby.
- Hockenberry, M. J., & Wilson, D. (2015). *Wong’s Nursing Care of Infants and Children* (10th Ed). Elsevier.
- Hohmeister, J., Kroll, A., Wollgarten-hadamek, I., Zohsel, K., Demirakça, S., Flor, H., & Hermann, C. (2010). Cerebral processing of pain in school-aged children with neonatal nociceptive input :An exploratory fMRI study. *Pain*, 150(2), 257–267. <https://doi.org/10.1016/j.pain.2010.04.004>
- Holsti, L., & Grunau, R. E. (2011). Considerations for Using Sucrose to Reduce Procedural Pain in Preterm Infants. *Pediatrics*, 125(5), 1042–1047. <https://doi.org/10.1542/peds.2009-2445>.
- Hunt, R. W., Hickey, L. M., Burnett, A. C., Anderson, P. J., Ling, J., Cheong, Y., Doyle, L. W., & Hunt, R. W. (2017). Early surgery and neurodevelopmental outcomes of children born extremely preterm. *Arch Dis Child Fetal Neonatal*, 1–6. <https://doi.org/10.1136/archdischild-2017-313161>
- Ialongo, C., & Bernardini, S. (2016). Phlebotomy, a bridge between laboratory and patient. *Biochimia Medica*, 26(1), 17–33. <https://doi.org/10.11613/BM.2016.002>

- IASP. (1979). *Pain Terms and Definition.* <https://www.iasppain.org/resources/terminology/#pain>
- Inal, S., Yilmaz, D. A., & Erdim, L. (2022). The effectiveness of swaddling and maternal holding applied during heel blood collection on pain level of healthy term newborns; randomized controlled trial. *Early Child Development and Care*, 192(13), 2066–2077. <https://doi.org/10.1080/03004430.2021.1979536>
- Isa, H., Maciel, A., Foureaux, M., Caroline, A., Costa, L., & De, J. (2019). Pharmacological and nonpharmacological measures of pain management and treatment among neonates. *Rev Bras Ter Intensiva*, 31(1), 21–26. <https://doi.org/10.5935/0103-507X.20190007>
- Jeong, I. S., Park, S. M., Lee, J. M., Choi, Y. J., & Lee, J. (2014). The frequency of painful procedures in neonatal intensive care units in South Korea. *International Journal of Nursing Practice*, 20, 398–407. <https://doi.org/10.1111/ijn.12202>
- Jira, L., Weyessa, N., Mulatu, S., & Alemayehu, A. (2020). Knowledge and Attitude Towards Non- Pharmacological Pain Management and Associated Factors Among Nurses Working in Benishangul Gumuz Regional State Hospitals in Western Ethiopia ., *Journal of Pain Research*, 2917–2927.
- Johnston, C., Disher, T., Benoit, B., Fernandes, A., Streiner, D., Inglis, D., Zee, R., Johnston, C., Disher, T., Benoit, B., Fernandes, A., Streiner, D., Inglis, D., & Zee, R. (2017). Skin-to-skin care for procedural pain in neonates (Review). *Cochrane Database of Systematic Reviews*, 2. <https://doi.org/10.1002/14651858.CD008435.pub3>.
- Jones, L., Fabrizi, L., Laudiano-Dray, M., Whitehead, K., Meek, J., Verriotis, M., & Fitzgerald, M. (2017). Nociceptive Cortical Activity Is Dissociated from

- Nociceptive Behavior in Newborn Human Infants under Stress. *Current Biology*, 27(24), 3846-3851.e3. <https://doi.org/10.1016/j.cub.2017.10.063>
- Karakoç, A., & Türker, F. (2014). Effects of white noise and holding on pain perception in newborns. *Pain Management Nursing*, 15(4), 864–870. <https://doi.org/10.1016/j.pmn.2014.01.002>
- Kassab, M., Alhassan, A. A., Alzoubi, K. H., & Khader, Y. S. (2017). Number and Frequency of Routinely Applied Painful Procedures in University Neonatal Intensive Care Unit. *Clinical Nursing Research*, 28(4), 488–501. <https://doi.org/10.1177/1054773817744324>
- Kemenkes RI. (2021). *Profil Kesehatan Indonesia 2020*. Kementerian Kesehatan Republik Indonesia.
- Kemenkes RI. (2022). *Profil Kesehatan Indonesia 2021*. Kementerian Kesehatan Republik Indonesia.
- Khaleghi, M., Khoshnawa Fomani, F., & Sadat Hoseini, A. S. (2023). The effect of the comfort care model on distress, pain, and hemodynamic parameters in infants after congenital heart defect surgery. *Journal of Neonatal Nursing*, 29(1), 108–116. <https://doi.org/10.1016/j.jnn.2022.03.004>
- Kilmer, P. D. (2020). Effects of Developmental Care on Neurodevelopment of Preterm Infants. *Iran J Child Neurol*, 14(2), 7–15. <https://doi.org/10.1177/1461444810365020>
- Kolcaba, K., & DiMarco, M. A. (2005). Comfort Theory and its application to pediatric nursing. *Pediatric Nursing*, 31(3), 187–194.
- Koukou, Z., Theodoridou, A., Taousani, E., Antonakou, A., Panteris, E., Papadopoulou, S. S., Skordou, A., & Sifakis, S. (2022). Effectiveness of Non-

- Pharmacological Methods, Such as Breastfeeding, to Mitigate Pain in NICU Infants. *Children*, 9(10), 1–14. <https://doi.org/10.3390/children9101568>
- Krasteva, M. (2013). Pain in the neonatal period. I -- physiological aspects, causes, response, diagnosis and long-term effects of neonatal pain. *Akush Ginekol (Sofiiia)*, 52(5), 47–53.
- Krishnan, L. (2013). Pain Relief in Neonates. *Journal of Neonatal Surgery*, 2(2). <https://doi.org/10.21699/jns.v2i2.59>
- Kyle, T. (2008). *Essentials of Pediatric Nursing*. Wolters Kluwer Health/ Lippincott Williams & Wilkins.
- Kyololo, O. B. M., Stevens, B., Gastaldo, D., & Gisore, P. (2014). Procedural pain in neonatal units in Kenya. *Arch Dis Child Fetal Neonatal*, 99, F464–F467. <https://doi.org/10.1136/archdischild-2014-306003>
- Lan, H., Yang, L., Lin, C., Hsieh, K., Chang, Y., & Yin, T. (2021). Breastmilk as a Multisensory Intervention for Relieving Pain during Newborn Screening Procedures : A Randomized Control Trial. *International Journal of Environmental Research and Public Health*, 18. <https://doi.org/10.3390/ijerph182413023>
- Lavery I, I. P. (2005). Venepuncture: best practice. *Nursing Standard*, 19(49), 55–65. <https://doi.org/10.7748/ns2005.08.19.49.55.c3936>
- Lincetto, O., & Banerjee, A. (2020). World Prematurity Day: improving survival and quality of life for millions of babies born preterm around the world. *Am J Physiol Lung Cell Mol Physiol*, 319, L871–L874. <https://doi.org/10.1152/ajplung.00479.2020>
- Lombanaa, W. G., & Vidal, S. E. G. (2012). Pain and gender differences: A clinical

- approach. *Colombian Journal of Anesthesiology*, 40(3), 207–212. <https://doi.org/10.1016/j.rcae.2012.05.006>
- Maitre, N. L., Key, A. P., Chorna, O. D., Slaughter, J. C., Matusz, P. J., Wallace, M. T., & Murray, M. M. (2018). The dual nature of early-life experience on somatosensory processing in the human infant brain. *Curr Biol*, 27(7), 1048–1054. <https://doi.org/10.1016/j.cub.2017.02.036>.
- Mangat, A. K., Oei, J. L., Chen, K., Quah-Smith, I., & Schmölzer, G. M. (2018). A Review of Non-Pharmacological Treatments for Pain Management in Newborn Infants. *Children*, 5(10), 1–12. <https://doi.org/10.3390/children5100130>
- Marko, T., Dickerson, M. L., & Tadros, J. (2016). History and Overview of Neonatal Pain. In *Clinical Handbook of Neonatal Pain Management for Nurses*. Springer Publishing Company. <https://doi.org/10.1891/9780826194381.0001>
- Martin, S. L., Power, A., Boyle, Y., Anderson, I. M., Silverdale, M. A., Jones, A. K. P., Martin, S. L., Power, A., Boyle, Y., & Anderson, I. M. (2017). 5-HT modulation of pain perception in humans. *Psychopharmacology*, 234, 2929–2939. <https://doi.org/10.1007/s00213-017-4686-6>
- Marvin, M. M., Gardner, M. S. F. C., Doheny, K. K., Sars, K. M., Travagli, R. A., & Doheny, K. K. (2018). Increased Frequency of Skin-to-Skin Contact Is Associated with Enhanced Vagal Tone and Improved Health Outcomes in Preterm Neonates. *American Journal of Perinatology*, 1(212). <https://doi.org/10.1055/s-0038-1669946>.
- Mediani, H. S. (2019). *Manajemen Nyeri pada Anak: Panduan Praktik Perawat* (Egi Komara Yudha (ed.)). EGC.
- Melzack, R. (2005). Evolution of the neuromatrix theory of pain. The Prithvi Raj

- Lecture: Presented at the Third World Congress of World Institute of Pain, Barcelona 2004. *Pain Practice*, 5(2), 85–94. <https://doi.org/10.1111/j.1533-2500.2005.05203.x>
- Melzack, R., & Wall, P. D. (1965). Pain Mechanisms: A New Theory. *Science*, 150(3699), 971–979.
- Mirlashari, J., Holsti, L., Begjani, J., Roohipoor, R., & Fakhr, A. S. (2021). Comparison of Breast Milk and Sucrose in Neonatal Pain Relief and Coping with Stress of ROP Examination Using ALPS-Neo. *Iranian Journal of Neonatology*, 12(2). <https://doi.org/10.22038/ijn.2021.49621.1866>
- Moayedi, M., & Davis, K. D. (2013). Theories of pain: from specificity to gate control. *J Neurophysiol*, 109, 5–12. <https://doi.org/10.1152/jn.00457.2012>
- Modarres, M., Jazayeri, A., Rahnama, P., & Montazeri, A. (2013). Breastfeeding and pain relief in full-term neonates during immunization injections: A clinical randomized trial. *BMC Anesthesiology*, 13(22). <https://doi.org/10.1186/1471-2253-13-22>
- Neu, M., Hazel, N. A., Robinson, J., Schmiege, S. J., & Laudenslager, M. (2015). Effect of holding on co-regulation in preterm infants: a randomized controlled trial. *Early Hum Dev*, 90(3), 141–147. <https://doi.org/10.1016/j.earlhummdev.2014.01.008>.
- Neu, M., Robinson, J., & Schmiege, S. J. (2013). Influence of holding practice on preterm infant development. *MCN The American Journal of Maternal/Child Nursing*, 38(3), 136–143. <https://doi.org/10.1097/NMC.0b013e31827ca68c>
- Nursalam. (2016). *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis* (4th ed.). Salemba Medika.

- Obeidat, H. M., & Shuriquie, M. A. (2015). Effect of Breast-Feeding and Maternal Holding in Relieving Painful Responses in Full-Term Neonates. *J Perinat Neonat Nurs*, 29(3), 248–254. <https://doi.org/10.1097/JPN.0000000000000121>
- Oliveira, N. C. A. C., Gaspardo, C. M., & Linhares, M. B. M. (2017). Pain and distress outcomes in infants and children: a systematic review. *Brazilian Journal of Medical and Biological Research*, 50(7), 1–12. <https://doi.org/10.1590/1414-431X20175984>
- Ozawa, M., Kanda, K., Hirata, M., Kusakawa, I., & Suzuki, C. (2011). Influence of repeated painful procedures on prefrontal cortical pain responses in newborns. *Acta Paediatrica*, 100, 198–203. <https://doi.org/10.1111/j.1651-2227.2010.02022.x>
- Parsa, P., Karimi, S., Basiri, B., & Roshanaei, G. (2018). The effect of kangaroo mother care on physiological parameters of premature infants in Hamadan City, Iran. *The Pan African Medical Journal*, 30, 89. <https://doi.org/10.11604/pamj.2018.30.89.14428>
- Patriksson, K., & Selin, L. (2022). Parents and newborn “togetherness” after birth. *International Journal of Qualitative Studies on Health and Well-Being*, 17(1). <https://doi.org/10.1080/17482631.2022.2026281>
- Patural, H., Goffaux, P., Lafrenaye, S., & Marchand, S. (2008). Preterm births: Can neonatal pain alter the development of endogenous gating systems? *European Journal of Pain*, 12, 945–951. <https://doi.org/10.1016/j.ejpain.2008.01.003>
- Pavlyshyn, H., & Sarapuk, I. (2023). Skin-to-skin contact—An effective intervention on pain and stress reduction in preterm infants. *Frontiers in Pediatrics*, 11(March), 1–10. <https://doi.org/10.3389/fped.2023.1148946>

- Perry, M., Road, G., Chen, J., Xu, W., & Cong, X. S. (2018). Neonatal Pain: Perceptions and Current Practice. *Crit Care Nurs Clin North Am*, 30(4), 549–561. <https://doi.org/10.1016/j.cnc.2018.07.013>.
- Ponthier, L., Ensuque, P., Guigonis, V., Bedu, A., Bahans, C., Teynie, F., & Medrel-Lacorre, S. (2020). Parental presence during painful or invasive procedures in neonatology: A survey of healthcare professionals. *Archives de Pediatrie*, 27(7), 362–367. <https://doi.org/10.1016/j.arcped.2020.06.011>
- Potter & Perry. (2005). *Buku Ajar Fundamental Keperawatan: Konsep, Proses, dan Praktik* (4th ed.). Jakarta: EGC.
- Ranger, M., Chau, C. M. Y., Garg, A., Woodward, T. S., Beg, M. F., Bjornson, B., Poskitt, K., Fitzpatrick, K., Synnes, A. R., Miller, S. P., & Grunau, R. E. (2013). Neonatal Pain-Related Stress Predicts Cortical Thickness at Age 7 Years in Children Born Very Preterm. *PloS One*, 8(10). <https://doi.org/10.1371/journal.pone.0076702>
- Raza, F., Khan, I. A., & Scholar, I. (2015). Pain: History, culture and philosophy. *Acta Medico-Historica Adriatica (AMHA)*, 13(1), 113–130.
- Reynolds, L. C., Duncan, M. M., Smith, G. C., Mathur, A., Neil, J., Inder, T., & Pineda, R. G. (2013). Parental presence and holding in the neonatal intensive care unit and associations with early neurobehavior. *Journal of Perinatology*, 33, 636–641. <https://doi.org/10.1038/jp.2013.4>
- Richard, D. M., Dawes, M. A., Mathias, C. W., Acheson, A., Hill-kapturczak, N., & Dougherty, D. M. (2009). L-Tryptophan: Basic Metabolic Functions, Behavioral Research and Therapeutic Indications. *International Journal of Tryptophan Research*, 2, 45–60. <https://doi.org/10.4137/ijtr.s2129>

- Riddell, R. R. P., Racine, N. M., Gennis, H. G., Turcotte, K., Uman, L. S., Horton, R. E., Kohut, S. A., Stuart, J. H., Stevens, B., & Lisi, D. M. (2017). Non-pharmacological management of infant and young child procedural pain (Review). *Cochrane Database of Systematic Reviews*, 12. <https://doi.org/10.1002/14651858.CD006275.pub3>.
- Roofthooft, D. W. E., Simons, H. P., Anand, K. J. S., Tibboel, D., & Dijk, M. van. (2014). Eight Years Later, Are We Still Hurting Newborn Infants? *Neonatology*, 105, 218–226. <https://doi.org/10.1159/000357207>
- Salzwedel, A. P., Stephens, R. L., Goldman, B. D., Lin, W., John, H., Gao, W., Angeles, L., Hill, C., Carolina, N., Hill, C., Hill, C., Hill, C. C., Hill, C., & Angeles, L. (2020). Development of amygdala functional connectivity during infancy and its relationship with 4-year behavioral outcomes. *Biol Psychiatry Cogn Neurosci Neuroimaging*, 4(1), 1–19. <https://doi.org/10.1016/j.bpsc.2018.08.010>.
- Schrauwen, L., Kommers, D. R., & Oetomo, S. B. (2018). Viewpoints of Parents and Nurses on How to Design Products to Enhance Parent – Infant Bonding at Neonatal Intensive Care Units: A Qualitative Study Based on Existing Designs. *Health Environments Research & Design Journal*, 11(2), 20–31. <https://doi.org/10.1177/1937586717728483>
- Sellam, G., Cignacco, E. L., Craig, K. D., & Engberg, S. (2011). Contextual factors influencing pain response to heelstick procedures in preterm infants: What do we know? A systematic review. *European Journal of Pain*, 15, 661.e1-661.e15. <https://doi.org/10.1016/j.ejpain.2011.01.002>
- Shafiei, E., Ameri, Z. D., Sheikhbardsiri, H., Yaseri, M., & Baniasadi, H. (2020). The

- Effect of Mother's Lullaby on Preterm Infants' Physiological Parameters. *The Journal of Pediatric Research*, 7(1), 46–51.
<https://doi.org/10.4274/jpr.galenos.2019.88942>
- Shah, P. S., Aliwalas, L., & Shah, V. (2007). Breastfeeding or breastmilk to alleviate procedural pain in neonates: A systematic review. *Breastfeeding Medicine*, 2(2), 74–82. <https://doi.org/10.1089/bfm.2006.0031>
- Shah, V., Taddio, A., McMurtry, C. M., Halperin, S. A., Noel, M., Riddell, R. P., & Chambers, C. T. (2015). Pharmacological and Combined Interventions to Reduce Vaccine Injection Pain in Children and Adults: Systematic Review and meta-analysis. *Clinical Journal of Pain*, 31(10), S38–S63.
<https://doi.org/10.1097/AJP.0000000000000281>
- Shen, Q., Huang, Z., Leng, H., Luo, X., & Zheng, X. (2022). Efficacy and safety of non-pharmacological interventions for neonatal pain: an overview of systematic reviews. *BMJ Open*, 12(9), 1–8. <https://doi.org/10.1136/bmjopen-2022-062296>
- Sopiyudin. (2019). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan* (5th ed.). Epidemiologi Indonesia.
- Sprouse-Blum, A. S., Smith, G., Sugai, D., & Parsa, F. D. (2010). Understanding endorphins and their importance in pain management. *Hawaii Medical Journal*, 69(3), 70–71.
- Stevens, B., Gibbins, S., Yamada, J., & Taddio, A. (2014). The Premature Infant Pain Profile-Revised (PIPP-R): Initial Validation and Feasibility. *Clin J Pain*, 30(3), 238–243.
- Stevens, B., Johnston, C., Petryshen, P., & Taddio, A. (1996). Premature infant pain profile: Development and initial validation. *Clinical Journal of Pain*, 12(1), 13–

22. <https://doi.org/10.1097/00002508-199603000-00004>
- Stevens, B., Johnston, C., Taddio, A., Gibbins, S., & Janet Yama. (2010). The Premature Infant Pain Profile: Evaluation 13 Years After Development. *Clin J Pain*, 26(9), 813–830.
- Sun, Y., Zhang, J., Chen, X., Yang, Y., Qiu, J., Lu, K., Cheng, R., & Lu, K. (2020). Effectiveness of Gentle Human Touch for Pain Control During Examination for Retinopathy of Pre-maturity: A Randomized Controlled Trial. *Frontiers in Pediatrics*, 8, 1–9. <https://doi.org/10.3389/fped.2020.608378>
- Ullsten, A., Andreasson, M., & Eriksson, M. (2021). State of the Art in Parent-Delivered Pain-Relieving Interventions in Neonatal Care: A Scoping Review. *Frontiers in Pediatrics*, 9(April), 1–19. <https://doi.org/10.3389/fped.2021.651846>
- UN IGME. (2021). *Levels & Trends in Child Mortality: Report 2021*.
- Valeri, B. O., Holsti, L., & Linhares, M. B. M. (2015). Neonatal Pain and Developmental Outcomes in Children: A Systematic Review. *Clin J Pain*, 31(4), 355–362. <https://doi.org/10.1097/AJP.0000000000000114>
- Verriotis, M., Jones, L., Whitehead, K., Laudiano-dray, M., Panayotidis, I., Patel, H., Meek, J., Fabrizi, L., & Fitzgerald, M. (2018). The distribution of pain activity across the human neonatal brain is sex dependent. *NeuroImage*, 178, 69–77. <https://doi.org/10.1016/j.neuroimage.2018.05.030>
- Vo, T., & Desai, M. (2021). Immigrant Southeast and East Asian mothers' transnational postpartum cultural practices: A meta-ethnography. *Women's Health*, 17, 1–11. <https://doi.org/10.1177/17455065211060640>
- Vu-Ngoc, H., Uyen, N. C. M., Thinh, O. P., Don, L. D., Danh, N. V. T., Truc, N. T.

- T., Vi, V. T., Vuong, N. L., Huy, N. T., & Duong, P. D. T. (2020). Analgesic effect of non-nutritive sucking in term neonates: A randomized controlled trial. *Pediatrics and Neonatology*, 61(1), 106–113. <https://doi.org/10.1016/j.pedneo.2019.07.003>
- Walker, S. M. (2019). Long-term effects of neonatal pain. *Seminars in Fetal and Neonatal Medicine*, 24(4). <https://doi.org/10.1016/j.siny.2019.04.005>
- Walker, S. M., Franck, L. S., Fitzgerald, M., Myles, J., Stocks, J., & Marlow, N. (2009). Long-term impact of neonatal intensive care and surgery on somatosensory perception in children born extremely preterm. *Pain*, 141(1–2), 79–87. <https://doi.org/10.1016/j.pain.2008.10.012>
- Walker, S. M., Melbourne, A., Reilly, H. O., Beckmann, J., Ourselin, S., & Marlow, N. (2018). Somatosensory function and pain in extremely preterm young adults from the UK EPICure cohort : sex-dependent differences and impact of neonatal surgery. *British Journal of Anaesthesia*, 121(3), 623–635. <https://doi.org/10.1016/j.bja.2018.03.035>
- WHO. (2022). *Newborn Mortality*. <https://www.who.int/news-room/fact-sheets/detail/levels-and-trends-in-child-mortality-report-2021#:~:text=The~first~month~of~life,million~newborns~dying~in~2020.>
- Williams, K. G., Patel, K. T., Stausmire, J. M., Bridges, C., Mathis, M. W., & Barkin, J. L. (2018). The Neonatal Intensive Care Unit: Environmental Stressors and Supports. *International Journal of Environmental Research and Public Health*, 15(1). <https://doi.org/10.3390/ijerph15010060>
- Williams, M. D., & Lascelles, B. D. X. (2020). Early Neonatal Pain - A Review of Clinical and Experimental Implications on Painful Conditions Later in Life.

Frontiers in Pediatrics, 8(30). <https://doi.org/10.3389/fped.2020.00030>

Yue, J., Liu, J., Williams, S., Zhang, B., Zhao, Y., Zhang, Q., Zhang, L., Liu, X., Wall, S., Wetzel, G., Zhao, G., & Bouey, J. (2020). Barriers and facilitators of kangaroo mother care adoption in five Chinese hospitals: a qualitative study. *BMC Public Health*, 1–11. <https://doi.org/10.1186/s12889-020-09337-6>