

## DAFTAR PUSTAKA

- Abiddin, N. F. Z., Yusoff, A., & Ahmad, N. (2018). Food Hydrocolloids Effect of octenylsuccinylation on physicochemical , thermal , morphological and stability of octenyl succinic anhydride ( OSA ) modified sago starch. *Food Hydrocolloids*, 75, 138–146. <https://doi.org/10.1016/j.foodhyd.2017.09.003>
- Adebawale, K. O., Olu-Owolabi, B. I., Olawumi, E. K., & Lawal, O. S. (2005). Functional properties of native, physically and chemically modified breadfruit (*Artocarpus altilis*) starch. *Industrial Crops and Products*, 21(3), 343–351. <https://doi.org/10.1016/j.indcrop.2004.05.002>
- Adiyanti, T., & Subroto, E. (2020). Modifications of banana starch and its characteristics: A review. *International Journal of Scientific and Technology Research*, 9(3), 3524–3527.
- Adma Adinugraha, H., & Khomsah Kartikawati, N. (2012). Variasi Morfologi Dan Kandungan Gizi Buah Sukun. *Balai Besar Penelitian Bioteknologi Dan Pemuliaan Tanaman Hutan By*, 13, 99–106. <http://www.biotifor.or.id/2013/lb.file/gambar/File/Wana Benih 2012/WANA BENIH Vol.13 No.2 September, 2012-5 Hamdan dkk.pdf>
- Agama-Acevedo, E., & Bello-Perez, L. A. (2017). Starch as an emulsions stability: the case of octenyl succinic anhydride (OSA) starch. *Current Opinion in Food Science*, 13, 78–83. <https://doi.org/10.1016/j.cofs.2017.02.014>
- Ahmad, M., Baba, W. N., A. Wani, T., Gani, A., Gani, A., Shah, U., Wani, S. M., & Masoodi, F. A. (2015). Effect of green tea powder on thermal, rheological & functional properties of wheat flour and physical, nutraceutical & sensory analysis of cookies. *Journal of Food Science and Technology*, 52(9), 5799–5807. <https://doi.org/10.1007/s13197-014-1701-3>
- Aini, N., Hariyadi, P., Muchtadi, T.-R., & Andarwulan, N. (2010). Hubungan antara waktu fermentasi grits jagung dengan sifat gelatinisasi tepung jagung putih yang dipengaruhi ukuran partikel. *Jurnal Teknologi Dan Industri Pangan*, XXI(1), 18–24.
- Aini, N., Wijonarko, G., & Sustriawan, B. (2016). SIFAT FISIK, KIMIA, DAN FUNGSIONAL TEPUNG JAGUNG YANG DIPROSES MELALUI FERMENTASI (Physical, Chemical, and Functional Properties of Corn Flour Processed by Fermentation). *Jurnal Agritech*, 36(02), 160. <https://doi.org/10.22146/agritech.12860>
- Ali, T. M., Waqar, S., Ali, S., Mehboob, S., & Hasnain, A. (2014). Comparison of textural and sensory characteristics of low-fat mayonnaise prepared from octenyl succinic anhydride modified corn and white sorghum starches. 20–45.

- Anggriawan, R., & Maksum, A. (2020). *Production and application of octenyl succinic-modified starch as fat replacer: a review of established and recent research*. May, 1–23. <https://doi.org/10.20944/preprints202005.0283.v1>
- Anwar, S. H., Antasari, M., Hasni, D., Safriani, N., Rohaya, S., & Winarti, C. (2018). Kombinasi Pati Sukun Termodifikasi Osa (Octenyl Succinic Anhydride) Dan Lesitin Sebagai Penstabil Emulsi Minyak Dalam Air. *Jurnal Penelitian Pascapanen Pertanian*, 14(3), 124. <https://doi.org/10.21082/jpasca.v14n3.2017.124-133>
- Anwar, S. H., Hasni, D., Rohaya, S., Antasari, M., & Winarti, C. (2020). The role of breadfruit OSA starch and surfactant in stabilizing high-oil-load emulsions using high-pressure homogenization and low-frequency ultrasonication. *Heliyon*, 6(7), e04341. <https://doi.org/10.1016/j.heliyon.2020.e04341>
- Anwar, S. H., Rahmah, M., Safriani, N., Hasni, D., Rohaya, S., & Winarti, C. (2016). Exploration of breadfruit, jicama, and rice starches as stabilizer in food emulsion. *International Journal on Advanced Science, Engineering and Information Technology*, 6(2), 141–145. <https://doi.org/10.18517/ijaseit.6.2.613>
- Arns, B., Paraginski, R. T., Bartz, J., de Almeida Schiavon, R., Elias, M. C., da Rosa Zavareze, E., & Dias, A. R. G. (2014). The effects of heat-moisture treatment of rice grains before parboiling on viscosity profile and physicochemical properties. *International Journal of Food Science and Technology*, 49(8), 1939–1945. <https://doi.org/10.1111/ijfs.12580>
- B.S., R. (2013). *GENERAL METHODS OF ISOLATION AND SEPERATION OF PLANT CONSTITUENTS*.
- Baah, F. D., Maziya-Dixon, B., Asiedu, R., Oduro, I., & Ellis, W. O. (2009). Physicochemical and pasting characterisation of water yam (*Dioscorea* spp.) and relationship with eating quality of pounded yam. *Journal of Food, Agriculture and Environment*, 7(2), 107–112.
- Badan Standardisasi Nasional. (2011). SNI 3451:2011 Tapioka. *Standar Nasional Indonesia*.
- Bajaj, R., Singh, N., & Kaur, A. (2019). Properties of octenyl succinic anhydride (OSA) modified starches and their application in low fat mayonnaise. *International Journal of Biological Macromolecules*, 131, 147–157. <https://doi.org/10.1016/j.ijbiomac.2019.03.054>
- Bello-Flores, C. A., Nuñez-Santiago, M. C., Martín-Gonzalez, M. F. S., BeMiller, J. N., & Bello-Pérez, L. A. (2014). Preparation and characterization of octenylsuccinylated plantain starch. *International Journal of Biological Macromolecules*, 70, 334–339. <https://doi.org/10.1016/j.ijbiomac.2014.06.061>

- BeMiller, J., & Whistler, R. (2009). *Starch Chemistry and Technology Third Edition.*
- Bertoft, E. (2007). Composition of clusters and their arrangement in potato amylopectin. *Carbohydrate Polymers*, 68(3), 433–446. <https://doi.org/10.1016/j.carbpol.2006.11.012>
- Bhosale, R., & Singhal, R. (2007). Effect of octenylsuccinylation on physicochemical and functional properties of waxy maize and amaranth starches. *Carbohydrate Polymers*, 68(3), 447–456. <https://doi.org/10.1016/j.carbpol.2006.11.011>
- Bishnoi, A., Kumar, S., & Joshi, N. (2017). Wide-Angle X-ray Diffraction (WXRD). In *Microscopy Methods in Nanomaterials Characterization*. Elsevier Inc. <https://doi.org/10.1016/b978-0-323-46141-2.00009-2>
- Briffaz, A., Mestres, C., Escoute, J., Lartaud, M., & Dornier, M. (2012). Starch gelatinization distribution and peripheral cell disruption in cooking rice grains monitored by microscopy. *Journal of Cereal Science*, 56(3), 699–705. <https://doi.org/10.1016/j.jcs.2012.09.001>
- Budiyati, C. S., Kumoro, A. C., Ratnawati, R., & Retnowati, D. S. (2016). *Modifikasi Pati Sukun (Artocarpus Altilis) dengan Teknik Oksidasi Menggunakan Hidrogen Peroksida Tanpa Katalis*. 37(1), 32–40.
- Cabrera-Canales, Z. E., Velazquez, G., Rodríguez-Marín, M. L., Méndez-Montealvo, G., Hernández-Ávila, J., Morales-Sánchez, E., & Gómez-Aldapa, C. A. (2021). Dual modification of achira (*Canna indica* L) starch and the effect on its physicochemical properties for possible food applications. *Journal of Food Science and Technology*, 58(3), 952–961. <https://doi.org/10.1007/s13197-020-04609-w>
- Cahyana, Y., Titipanillah, R., Mardawati, E., Sukarminah, E., Rialita, T., Andoyo, R., Djali, M., Hanidah, I. I., Setiasih, I. S., & Handarini, K. (2018). Non-starch contents affect the susceptibility of banana starch and flour to ozonation. *Journal of Food Science and Technology*, 55(5), 1726–1733. <https://doi.org/10.1007/s13197-018-3085-2>
- Cahyana, Y., Wijaya, E., Halimah, T. S., Marta, H., Suryadi, E., & Kurniati, D. (2019). The effect of different thermal modifications on slowly digestible starch and physicochemical properties of green banana flour (*Musa acuminata colla*). *Food Chemistry*, 274(September 2018), 274–280. <https://doi.org/10.1016/j.foodchem.2018.09.004>
- Chandra, M. V., & Shamasundar, B. A. (2015). Texture profile analysis and functional properties of gelatin from the skin of three species of fresh water fish. *International Journal of Food Properties*, 18(3), 572–584. <https://doi.org/10.1080/10942912.2013.845787>

- Che, L. M., Li, D., Wang, L. J., Chen, X. D., & Mao, Z. H. (2007). Micronization and Hydrophobic Modification of Cassava Starch. *International Journal of Food Properties*, 10(3), 527–536. <https://doi.org/10.1080/10942910600932982>
- Chen, X., He, X., & Huang, Q. (2014). Effects of hydrothermal pretreatment on subsequent octenylsuccinic anhydride (OSA) modification of cornstarch. *Carbohydrate Polymers*, 101(1), 493–498. <https://doi.org/10.1016/j.carbpol.2013.09.079>
- Choi, S. G., & Kerr, W. L. (2003). Water mobility and textural properties of native and hydroxypropylated wheat starch gels. *Carbohydrate Polymers*, 51(1), 1–8. [https://doi.org/10.1016/S0144-8617\(02\)00083-8](https://doi.org/10.1016/S0144-8617(02)00083-8)
- Chung, H. J., Liu, Q., & Hoover, R. (2009). Impact of annealing and heat-moisture treatment on rapidly digestible, slowly digestible and resistant starch levels in native and gelatinized corn, pea and lentil starches. *Carbohydrate Polymers*, 75(3), 436–447. <https://doi.org/10.1016/j.carbpol.2008.08.006>
- Colussi, R., Kringle, D., Kaur, L., & Zavareze, R. (2020). Dual modification of potato starch : Effects of heat-moisture and high pressure treatments on starch structure and functionalities. *FOOD CHEMISTRY*, 318(February). <https://doi.org/10.1016/j.foodchem.2020.126475>
- Dai, L. L., Tarimala, S., Wu, C. Y., Guttula, S., & Wu, J. (2008). The structure and dynamics of microparticles at pickering emulsion interfaces. *Scanning*, 30(2), 87–95. <https://doi.org/10.1002/sca.20087>
- Damodaran, S., & Parkin, K. L. (2017). Fennema's food chemistry, fifth edition. In *Fennema's Food Chemistry, Fifth Edition*. <https://doi.org/10.1201/9781315372914>
- David, J. M. (2016). *Food Emulsions Principles, Practices, and Techniques Third Edition*.
- Debet, M. R., & Gidley, M. J. (2006). *Three classes of starch granule swelling : Influence of surface proteins and lipids.* 64, 452–465. <https://doi.org/10.1016/j.carbpol.2005.12.011>
- Deka, D., & Sit, N. (2016). International Journal of Biological Macromolecules Dual modification of taro starch by microwave and other heat moisture treatments. *International Journal of Biological Macromolecules*, 92, 416–422. <https://doi.org/10.1016/j.ijbiomac.2016.07.040>
- Deng, C., Yu Melnyk, O., & Luo, Y. (2022). *EFFECT OF DIFFERENT HEAT MOISTURE TREATMENT CONDITIONS ON POTATO STARCH PHYSICOCHEMICAL PROPERTIES.* 30(1), 139–150. <https://doi.org/10.15421/jchemtech.v30i1.243249>

- Dewi, A. M. P., Santoso, U., Pranoto, Y., & Marseno, D. W. (2022). Dual Modification of Sago Starch via Heat Moisture Treatment and Octenyl Succinylation to Improve Starch Hydrophobicity. *Polymers*, 14(6), 1–17. <https://doi.org/10.3390/polym14061086>
- Ega, L., & Christina, G. (2015). *MODIFIKASI PATI SAGU DENGAN METODE HEAT MOISTURE TREATMENT Modified Sago Starch by Heat Moisture Treatment Method*. 4(2), 33–40.
- Eke-Ejiofor, J., & Friday, U. B. (2019). Physicochemical, functional and pasting properties of starch from breadfruit (*Artocarpus altilis*) in gurudi snack production. ... *Journal of Biotechnology and ...*, 7(July), 38–48. <https://doi.org/10.33495/ijbfs>
- Eliasson, A. C., Bergenståhl, B., Nilsson, L., & Sjöö, M. (2013). From molecules to products: Some aspects of structure-function relationships in cereal starches. *Cereal Chemistry*, 90(4), 326–334. <https://doi.org/10.1094/CCHEM-08-12-0107-FI>
- Falade, K. O., Ibanga, B., & Oluwatoyin, B. (2019). Comparing properties of starch and flour of yellow - flesh cassava cultivars and effects of modifications on properties of their starch. *Journal of Food Measurement and Characterization*, 0123456789. <https://doi.org/10.1007/s11694-019-00178-5>
- Fonseca-Florido, H. A., Vázquez-García, H. G., Méndez-Montalvo, G., Basilio-Cortés, U. A., Navarro-Cortés, R., Rodríguez-Marín, M. L., Castro-Rosas, J., & Gómez-Aldapa, C. A. (2018). Effect of acid hydrolysis and OSA esterification of waxy cassava starch on emulsifying properties in Pickering-type emulsions. *LWT - Food Science and Technology*, 91(July 2017), 258–264. <https://doi.org/10.1016/j.lwt.2018.01.057>
- Handa, S. S., Khanuja, S. P. S., Longo, G., & Rakesh, D. D. (2008). *Extraction Technologies for Medicinal and Aromatic Plants Scientifi*.
- Hong, Y., Li, Z., Gu, Z., Wang, Y., & Pang, Y. (2016). *Structure and emulsification properties of octenyl succinic anhydride starch using acid-hydrolyzed method*. 1–9. <https://doi.org/10.1002/star.201600039>
- Hoover, R. (2010). The impact of heat-moisture treatment on molecular structures and properties of starches isolated from different botanical sources. *Critical Reviews in Food Science and Nutrition*, 50(9), 835–847. <https://doi.org/10.1080/10408390903001735>
- Hu, H., Liu, W., Shi, J., Huang, Z., Zhang, Y., Huang, A., Yang, M., Qin, X., & Shen, F. (2016). Structure and functional properties of octenyl succinic anhydride modified starch prepared by a non-conventional technology. *Starch/Staerke*, 68(1–2), 151–159. <https://doi.org/10.1002/star.201500195>

- Huang, Z. Q., Lu, J. P., Li, X. H., & Tong, Z. F. (2007). Effect of mechanical activation on physico-chemical properties and structure of cassava starch. *Carbohydrate Polymers*, 68(1), 128–135. <https://doi.org/10.1016/j.carbpol.2006.07.017>
- Imbachí-Narváez, P. C., Sepúlveda-Valencia, J. U., & Rodríguez-Sandoval, E. (2019). Effect of modified cassava starch on the rheological and quality properties of a dairy beverage prepared with sweet whey. *Food Science and Technology*, 39(1), 134–142. <https://doi.org/10.1590/1678-457x.28017>
- Indonesia, S. N., & Nasional, B. S. (2008). *SNI 6128:2008*.
- Jin, Z. (2018). *Functional Starch and Applications in Food*.
- Jiranuntakul, W., Puncha-arnon, S., & Uttapap, D. (2014). Enhancement of octenyl succinylation of cassava starch by prior modification with heat-moisture treatment. *Starch/Staerke*, 66(11–12), 1071–1078. <https://doi.org/10.1002/star.201400115>
- Jobling, S. (2004). Improving starch for food and industrial applications. *Current Opinion in Plant Biology*, 7(2), 210–218. <https://doi.org/10.1016/j.pbi.2003.12.001>
- Jones, A. M. P., Murch, S. J., & Ragone, D. (2010). Diversity of Breadfruit (*Artocarpus altilis*, Moraceae) Seasonality: A Resource for Year-Round Nutrition. *Economic Botany*, 64(4), 340–351. <https://doi.org/10.1007/s12231-010-9134-z>
- Jyothi, A. N., Sajeev, M. S., & Sreekumar, J. N. (2010). Hydrothermal modifications of tropical tuber starches. 1. Effect of heat-moisture treatment on the physicochemical, rheological and gelatinization characteristics. *Starch/Staerke*, 62(1), 28–40. <https://doi.org/10.1002/star.200900191>
- Kadam, S. U., Tiwari, B. K., & Donnell, C. P. O. (2015). Improved thermal processing for food texture modification. In *Modifying Food Texture* (Vol. 1). Elsevier Ltd. <https://doi.org/10.1016/B978-1-78242-333-1.00006-1>
- Kale, S. N., & Deore, S. L. (2017). *Emulsion Micro Emulsion and Nano Emulsion : A Review*. 8(1), 39–47.
- Kasim, R., & Kasim, M. U. (2015). Biochemical changes and color properties of fresh-cut green bean (*Phaseolus vulgaris* L. cv.gina) treated with calcium chloride during storage. *Philippine Agricultural Scientist*, 98(3), 286–292.
- Katekhong, W., & Charoenrein, S. (2012). The effect of rice aging on the freeze – thaw stability of rice flour gels. *Carbohydrate Polymers*, 89(3), 777–782. <https://doi.org/10.1016/j.carbpol.2012.04.007>
- Kaur, B., Ariffin, F., Bhat, R., & Karim, A. A. (2012). Progress in starch modification in the last decade. *Food Hydrocolloids*, 26(2), 398–404. <https://doi.org/10.1016/j.foodhyd.2011.02.016>

- Kralova, I., & Sjöblom, J. (2009). *Surfactants Used in Food Industry: A Review*. *Surfactants Used in Food Industry: A Review*. 2691(April). <https://doi.org/10.1080/01932690902735561>
- Kurdziel, M., Królikowska, K., & Maria, Ł. (2020). *The effect of thermal and irradiation treatments on structural and physicochemical properties of octenyl succinate maize starches.* 330(June 2019). <https://doi.org/10.1016/j.foodchem.2020.127242>
- Li, D., Zhang, X., & Tian, Y. (2016). Ionic liquids as novel solvents for biosynthesis of octenyl succinic anhydride-modified waxy maize starch. *International Journal of Biological Macromolecules*, 86(3), 119–125. <https://doi.org/10.1016/j.ijbiomac.2016.01.050>
- Li, H., Wang, R., Liu, J., Zhang, Q., Li, G., Shan, Y., & Ding, S. (2020). Effects of heat-moisture and acid treatments on the structural, physicochemical, and in vitro digestibility properties of lily starch. *International Journal of Biological Macromolecules*, 148, 956–968. <https://doi.org/10.1016/j.ijbiomac.2020.01.181>
- Li, S., Ward, R., & Gao, Q. (2011). Effect of heat-moisture treatment on the formation and physicochemical properties of resistant starch from mung bean (*Phaseolus radiatus*) starch. *Food Hydrocolloids*, 25(7), 1702–1709. <https://doi.org/10.1016/j.foodhyd.2011.03.009>
- Liu, H., Lv, M., Peng, Q., Shan, F., & Wang, M. (2015). Physicochemical and textural properties of tartary buckwheat starch after heat-moisture treatment at different moisture levels. *Starch/Stärke*, 67(3–4), 276–284. <https://doi.org/10.1002/star.201400143>
- Liu, K., Zhang, B., Chen, L., Li, X., & Zheng, B. (2019). Hierarchical structure and physicochemical properties of highland barley starch following heat moisture treatment. *Food Chemistry*, 271(April 2018), 102–108. <https://doi.org/10.1016/j.foodchem.2018.07.193>
- Magallanes-Cruz, P. A., Flores-Silva, P. C., & Bello-Perez, L. A. (2017). Starch Structure Influences Its Digestibility: A Review. *Journal of Food Science*, 82(9), 2016–2023. <https://doi.org/10.1111/1750-3841.13809>
- Majzoobi, M., Ostovan, R., & Farahnaky, A. (2011). EFFECTS OF HYDROXYPROPYL CELLULOSE ON THE QUALITY OF. 42, 20–30. <https://doi.org/10.1111/j.1745-4603.2010.00264.x>
- Manley, D., Pareyt, B., Delcour, J. A., & Leuven, K. U. (2011). Wheat flour and vital wheat gluten as biscuit ingredients. In *Manley's technology of biscuits, crackers and cookies* (Fourth Edi). Woodhead Publishing Limited. <https://doi.org/10.1533/9780857093646.2.109>

- Marta, H., Cahyana, Y., Arifin, H. R., & Khairani, L. (2019). Comparing the effect of four different thermal modifications on physicochemical and pasting properties of breadfruit (*Artocarpus altilis*) starch. *International Food Research Journal*, 26(1), 269–276.
- Marta, H., Cahyana, Y., Bintang, S., Soeherman, G. P., & Djali, M. (2022). Physicochemical and pasting properties of corn starch as affected by hydrothermal modification by various methods. *International Journal of Food Properties*, 25(1), 792–812. <https://doi.org/10.1080/10942912.2022.2064490>
- Marta, H., Cahyana, Y., & Djali, M. (2020). Densely packed-matrices of heat moisture treated-starch determine the digestion rate constant as revealed by logarithm of slope plots. *Journal of Food Science and Technology*, 58(6), 2237–2245. <https://doi.org/10.1007/s13197-020-04734-6>
- Marta, H., Cahyana, Y., Djali, M., Arcot, J., & Tensiska, T. (2019). A comparative study on the physicochemical and pasting properties of starch and flour from different banana (*Musa spp.*) cultivars grown in Indonesia. *International Journal of Food Properties*, 22(1), 1562–1575. <https://doi.org/10.1080/10942912.2019.1657447>
- Marta, H., Cahyana, Y., Senia, E., Djali, M., Halim, I. R., Urrohmah, S., Khairunnissa, D. S., & Sutardi, A. A. (2019). Physicochemical and pasting properties of cross linked-banana flour. *IOP Conference Series: Earth and Environmental Science*, 292(1). <https://doi.org/10.1088/1755-1315/292/1/012006>
- Marta, H., Marsetio, Cahyana, Y., & Galih Pertiwi, A. (2016). Sifat Fungsional dan Amilografi Pati Millet Putih (*Pennisetum glaucum*) Termodifikasi secara Heat Moisture Treatment dan Annealing. *Jurnal Aplikasi Teknologi Pangan*, 5(3), 76–84. <https://doi.org/10.17728/jatp.175>
- Marta, H., & Tensiska, T. (2017a). Functional and Amylographic Properties of Physically-Modified Sweet Potato Starch. *KnE Life Sciences*, 2(6), 689. <https://doi.org/10.18502/kls.v2i6.1091>
- Marta, H., & Tensiska, T. (2017b). *Functional and Amylographic Properties of Physically-Modified Sweet Potato Starch* (Vol. 2017). <https://doi.org/10.18502/kls.v2i6.1091>
- McClements, D. J. (2011). *Edible nanoemulsions : fabrication , properties , and functional performance.* Table 1, 2297–2316. <https://doi.org/10.1039/c0sm00549e>
- McClements, D. J., & Jafari, S. M. (2018). Improving emulsion formation, stability and performance using mixed emulsifiers: A review. *Advances in Colloid and Interface Science*, 251, 55–79. <https://doi.org/10.1016/j.cis.2017.12.001>

- Mehboob, S., Ali, T. M., Alam, F., & Hasnain, A. (2015). Dual modification of native white sorghum (*Sorghum bicolor*) starch via acid hydrolysis and succinylation. *Lwt*, 64(1), 459–467. <https://doi.org/10.1016/j.lwt.2015.05.012>
- Miao, M., Li, R., Jiang, B., Cui, S. W., Zhang, T., & Jin, Z. (2014). Structure and physicochemical properties of octenyl succinic esters of sugary maize soluble starch and waxy maize starch. *FOOD CHEMISTRY*, 151, 154–160. <https://doi.org/10.1016/j.foodchem.2013.11.043>
- Miguel, A. S. M., Martins-Meyer, T. S., Figueiredo, E. V. da C., Lobo, B. W. P., & Dellamora-Ortiz, G. M. (2013). Enzymes in Bakery: Current and Future Trends. *Food Industry*, 287–322.
- Minden, L., & Henser, N. (2003). *Morphological, thermal and rheological properties of starches from different botanical sources*. 81, 1–31.
- Molavi, H., Mohammad, S., Razavi, A., & Farhoosh, R. (2018). Impact of hydrothermal modifications on the physicochemical , morphology , crystallinity , pasting and thermal properties of acorn starch. *Food Chemistry*, 245(October 2017), 385–393. <https://doi.org/10.1016/j.foodchem.2017.10.117>
- Molavi, H., & Razavi, S. M. A. (2018). *Dynamic Rheological and Textural Properties of Acorn ( Quercus brantii Lindle .) Starch : Effect of Single and Dual Hydrothermal Modifications*. 1800086, 1–8. <https://doi.org/10.1002/star.201800086>
- Mutungi, C., Rost, F., Onyango, C., Jaros, D., & Rohm, H. (2009). Crystallinity, thermal and morphological characteristics of resistant starch type iii produced by hydrothermal treatment of debranched Cassava starch. *Starch/Staerke*, 61(11), 634–645. <https://doi.org/10.1002/star.200900167>
- Myeongkyu, L. (2017). X-Ray Diffraction for Materials Research: From Fundamentals to Applications Myeongkyu Lee. In *MRS Bulletin* (Vol. 42, Issue 02). <https://doi.org/10.1557/mrs.2017.22>
- Nakajima, S., Horiuchi, S., Ikehata, A., & Ogawa, Y. (2021). Determination of starch crystallinity with the Fourier-transform terahertz spectrometer. *Carbohydrate Polymers*, 262(February), 117928. <https://doi.org/10.1016/j.carbpol.2021.117928>
- No, J., Mun, S., & Shin, M. (2019). Properties and digestibility of octenyl succinic anhydride-modified Japonica-type waxy and non-waxy rice starches. *Molecules*, 24(4), 6–9. <https://doi.org/10.3390/molecules24040765>
- Nwokocha, L. M., & Williams, P. A. (2011). Comparative study of physicochemical properties of breadfruit (*Artocarpus altilis*) and white yam starches. *Carbohydrate Polymers*, 85(2), 294–302. <https://doi.org/10.1016/j.carbpol.2011.01.050>

- Oderinde, A. A., Ibikunle, A. A., Bakre, L. G., & Babarinde, N. A. A. (2020). Modification of African breadfruit (*Treculia africana*, Decne) kernel starch: Physicochemical, morphological, pasting, and thermal properties. *International Journal of Biological Macromolecules*, 153, 79–87. <https://doi.org/10.1016/j.ijbiomac.2020.02.293>
- Panja, S., Dietrich, B., & Adams, D. J. (2022). *Controlling Syneresis of Hydrogels Using Organic Salts*. *Angewandte*. 202115021, 1–6. <https://doi.org/10.1002/anie.202115021>
- Pareyt, B., Talhaoui, F., Kerckhof, G., Brijs, K., Goesaert, H., Wevers, M., & Delcour, J. A. (2009). *The role of sugar and fat in sugar-snap cookies: Structural and textural properties*. 90, 400–408. <https://doi.org/10.1016/j.jfoodeng.2008.07.010>
- Park, J. J., Olawuyi, I. F., & Lee, W. Y. (2020). Characteristics of oil-fat mayonnaise using different modified arrowroot starches. *International Journal of Biological Macromolecules*, 153, 215–223. <https://doi.org/10.1016/j.ijbiomac.2020.02.331>
- Park, S. H., Na, Y., Kim, J., Kang, S. D., & Park, K. H. (2017). Properties and applications of starch modifying enzymes for use in the baking industry. *Food Science and Biotechnology*, 27(2), 299–312. <https://doi.org/10.1007/s10068-017-0261-5>
- Pauly, A., Pareyt, B., Fierens, E., & Delcour, J. A. (2013). *Wheat (*Triticum aestivum* L. and *T. turgidum* L. ssp. *durum*) Kernel Hardness: II. Implications for End-Product Quality and Role of Puroindolines Therein*. 12, 427–438. <https://doi.org/10.1111/1541-4337.12018>
- Pepe, L. S., Moraes, J., Albano, K. M., Telis, V. R. N., & Franco, C. M. L. (2016). Effect of heat-moisture treatment on the structural, physicochemical, and rheological characteristics of arrowroot starch. *Food Science and Technology International*, 22(3), 256–265. <https://doi.org/10.1177/1082013215595147>
- Pratiwi, M., Faridah, D. N., & Lioe, H. N. (2018). Structural changes to starch after acid hydrolysis, debranching, autoclaving-cooling cycles, and heat moisture treatment (HMT): A review. *Starch/Staerke*, 70(1–2). <https://doi.org/10.1002/star.201700028>
- Pukkahuta, C., Suwannawat, B., Shobsngob, S., & Varavinit, S. (2008). *Comparative study of pasting and thermal transition characteristics of osmotic pressure and heat – moisture treated corn starch*. 72, 527–536. <https://doi.org/10.1016/j.carbpol.2007.09.024>
- Punia, S., Kumar, A., Singh, K., & Kaur, M. (2019). Rheological and pasting behavior of OSA modified mungbean starches and its utilization in cake formulation as fat replacer. *International Journal of Biological Macromolecules*, 128, 230–236. <https://doi.org/10.1016/j.ijbiomac.2019.01.107>

- Qin, W., Wen, C., Zhang, J., Dzah, C. S., Zhang, H., He, Y., & Duan, Y. (2020). Structural characterization and physicochemical properties of arrowhead resistant starch prepared by different methods. *International Journal of Biological Macromolecules*, 157, 96–105. <https://doi.org/10.1016/j.ijbiomac.2020.04.096>
- Quintero-Castaño, V. D., Castellanos-Galeano, F. J., Álvarez-Barreto, C. I., Lucas-Aguirre, J. C., Bello-Pérez, L. A., & Rodríguez-García, M. E. (2020). Starch from two unripe plantains and esterified with octenyl succinic anhydride (OSA): Partial characterization. *Food Chemistry*, 315(December 2019), 126241. <https://doi.org/10.1016/j.foodchem.2020.126241>
- Ragone, D. (2018). Breadfruit — Artocarpus altilis. In *National Tropical Botanical Garden, Kalaheo, HI, United States*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-803138-4.00009-5>
- Rayner, M., & Sj, M. (2012). *Quinoa starch granules as stabilizing particles for production of Pickering emulsions Quinoa starch granules as stabilizing particles for production of Pickering emulsions*. July. <https://doi.org/10.1039/C2FD20038D>
- Remya, R., Jyothi, A. N., & Sreekumar, J. (2017). Comparative study of RS4 type resistant starches derived from cassava and potato starches via octenyl succinylation. *Starch/Stärke*, 69(7–8). <https://doi.org/10.1002/star.201600264>
- Rosenthal, A. J., & Thompson, P. (2021). What is cohesiveness?—A linguistic exploration of the food texture testing literature. *Journal of Texture Studies*, 52(3), 294–302. <https://doi.org/10.1111/jtxs.12586>
- Sharma, M., Singh, A. K., Yadav, D. N., Arora, S., & Vishwakarma, R. K. (2016). Impact of octenyl succinylation on rheological, pasting, thermal and physicochemical properties of pearl millet (*Pennisetum typhoides*) starch. *LWT - Food Science and Technology*, 73(November 2017), 52–59. <https://doi.org/10.1016/j.lwt.2016.05.034>
- Sharma, M., Yadav, D. N., Singh, A. K., & Tomar, S. K. (2015). Effect of Heat-Moisture Treatment on Resistant Starch Content as well as Heat and Shear Stability of Pearl Millet Starch. *Agricultural Research*, 4(4), 411–419. <https://doi.org/10.1007/s40003-015-0177-3>
- Sharma, M., Yadav, D. N., Singh, A. K., Vishwakarma, R. K., & Sabikhi, L. (2018). Impact of octenyl succinylated pearl millet (*Pennisetum typhoides*) starch addition as fat replacer on the rheological, textural and sensory characteristics of reduced-fat yoghurt. *International Journal of Dairy Technology*, 71(3), 723–733. <https://doi.org/10.1111/1471-0307.12461>

- Siegwein, A. M., Vodovotz, Y., & Fisher, E. L. (2011). *Concentration of Soy Protein Isolate Affects Starch-Based Confections' Texture, Sensory, and Storage Properties.* 76(6), 422–428. <https://doi.org/10.1111/j.1750-3841.2011.02241.x>
- Sikarwar, M. S., Hui, B. J., Subramaniam, K., Valeisamy, B. D., Yean, L. K., & Balaji, K. (2014). A review on Artocarpus altilis (Parkinson) Fosberg (breadfruit). *Journal of Applied Pharmaceutical Science*, 4(8), 91–97. <https://doi.org/10.7324/JAPS.2014.40818>
- Singh, J., Kaur, L., & McCarthy, O. J. (2007). Factors influencing the physicochemical, morphological, thermal and rheological properties of some chemically modified starches for food applications-A review. *Food Hydrocolloids*, 21(1), 1–22. <https://doi.org/10.1016/j.foodhyd.2006.02.006>
- Singh, K., Sharma, L., & Kaur, M. (2015). Effect of granule size on physicochemical, morphological, thermal and pasting properties of native and 2-octenyl-1-ylsuccinylated potato starch prepared by dry heating under different pH conditions. *LWT - Food Science and Technology*, 61(1), 224–230. <https://doi.org/10.1016/j.lwt.2014.11.004>
- Somashekhar, M., Nayeem, N., & Sonnad, B. (2018). *a Review on Family Moraceae(Mulberry) With a Focus on Artocarpus Species.* January 2013. [www.wjpps.com](http://www.wjpps.com)
- Subroto, E., Padjadjaran, U., Indiarto, R., Padjadjaran, U., Marta, H., & Padjadjaran, U. (2019). *Effect of heat-moisture treatment on functional and pasting properties of potato (Solanum tuberosum L. var. Granola) starch.* 3(October 2020). [https://doi.org/10.26656/fr.2017.3\(5\).110](https://doi.org/10.26656/fr.2017.3(5).110)
- Sweedman, M. C., Tizzotti, M. J., Schäfer, C., & Gilbert, R. G. (2013). Structure and physicochemical properties of octenyl succinic anhydride modified starches: A review. *Carbohydrate Polymers*, 92(1), 905–920. <https://doi.org/10.1016/j.carbpol.2012.09.040>
- Tam, L. M., Corke, H., Tan, W. T., Li, J., & Collado, L. S. (2004). Production of bihon-type noodles from maize starch differing in amylose content. *Cereal Chemistry*, 81(4), 475–480. <https://doi.org/10.1094/CCHEM.2004.81.4.475>
- Tan, X., Li, X., Chen, L., Xie, F., Li, L., & Huang, J. (2017). Effect of heat-moisture treatment on multi-scale structures and physicochemical properties of breadfruit starch. *Carbohydrate Polymers*, 161, 286–294. <https://doi.org/10.1016/j.carbpol.2017.01.029>
- Tarique, J., Sapuan, S. M., Khalina, A., Sherwani, S. F. K., Yusuf, J., & Ilyas, R. A. (2021). Recent developments in sustainable arrowroot (Maranta arundinacea Linn) starch biopolymers, fibres, biopolymer composites and their potential industrial applications: A review. *Journal of Materials Research and Technology*, 13, 1191–1219. <https://doi.org/10.1016/j.jmrt.2021.05.047>

- Tesch, S., Gerhards, C., & Schubert, H. (2002). Stabilization of emulsions by OSA starches. *Journal of Food Engineering*, 54(2), 167–174. [https://doi.org/10.1016/S0260-8774\(01\)00206-0](https://doi.org/10.1016/S0260-8774(01)00206-0)
- Timgren, A., Rayner, M., Dejmek, P., & Marku, D. (2013). *Emulsion stabilizing capacity of intact starch granules modified by heat treatment or octenyl succinic anhydride*. <https://doi.org/10.1002/fsn3.17>
- Uzomah, A., & Ibe, C. (2011). The functional properties, pasting and baking behaviour of chemically modified sour cassava starches. *African Journal of Food Science*, 5(12), 686–694. <http://www.academicjournals.org/AJFS>
- Varatharajan, V., Hoover, R., Liu, Q., & Seetharaman, K. (2010). The impact of heat-moisture treatment on the molecular structure and physicochemical properties of normal and waxy potato starches. *Carbohydrate Polymers*, 81(2), 466–475. <https://doi.org/10.1016/j.carbpol.2010.03.002>
- Velásquez-Barreto, F. F., A. Bello-Pérez, L., Yee-Madeira, H., Alvarez-Ramirez, J., & Velezmoro-Sánchez, C. E. (2020). Effect of the OSA esterification of Oxalis tuberosa starch on the physicochemical, molecular, and emulsification properties. *Wiley Online Library*, 13(1), 104–116. <https://doi.org/10.1002/star.201900305>.This
- Vithu, P., Dash, S. K., Rayaguru, K., Panda, M. K., & Nedunchezhiyan, M. (2020). Optimization of starch isolation process for sweet potato and characterization of the prepared starch. *Journal of Food Measurement and Characterization*, 14(3), 1520–1532. <https://doi.org/10.1007/s11694-020-00401-8>
- Wang, C., He, X., Fu, X., Luo, F., & Huang, Q. (2015). High-speed shear effect on properties and octenylsuccinic anhydride modification of corn starch. *Food Hydrocolloids*, 44, 32–39. <https://doi.org/10.1016/j.foodhyd.2014.09.007>
- Wang, C., He, X., Huang, Q., Fu, X., Luo, F., & Li, L. (2013). Distribution of octenylsuccinic substituents in modified A and B polymorph starch granules. *Journal of Agricultural and Food Chemistry*, 61(51), 12492–12498. <https://doi.org/10.1021/jf404162c>
- Wang, H., Liu, Y., Chen, L., Li, X., Wang, J., & Xie, F. (2018). Insights into the multi-scale structure and digestibility of heat-moisture treated rice starch. *Food Chemistry*, 242, 323–329. <https://doi.org/10.1016/j.foodchem.2017.09.014>
- Wang, P. P., Luo, Z. G., Chun-Chen, Xiong-Fu, & Tamer, T. M. (2020). Effects of octenyl succinic anhydride groups distribution on the storage and shear stability of Pickering emulsions formulated by modified rice starch. *Carbohydrate Polymers*, 228(August 2019), 115389. <https://doi.org/10.1016/j.carbpol.2019.115389>

- Wang, X., Chen, L., Li, X., Xie, F., Liu, H., & Yu, L. (2011). *Thermal and Rheological Properties of Breadfruit Starch*. <https://doi.org/10.1111/j.1750-3841.2010.01888.x>
- Warren, F. J., Gidley, M. J., & Flanagan, B. M. (2016). Infrared spectroscopy as a tool to characterise starch ordered structure - A joint FTIR-ATR, NMR, XRD and DSC study. *Carbohydrate Polymers*, 139, 35–42. <https://doi.org/10.1016/j.carbpol.2015.11.066>
- Wee, M. S. M., Goh, A. T., Stieger, M., & Forde, C. G. (2018). Correlation of instrumental texture properties from textural profile analysis (TPA) with eating behaviours and macronutrient composition for a wide range of solid foods. *Food and Function*, 9(10), 5301–5312. <https://doi.org/10.1039/c8fo00791h>
- Wen, Y., Yao, T., Xu, Y., Corke, H., & Sui, Z. (2020). Pasting, thermal and rheological properties of octenylsuccinylate modified starches from diverse small granule starches differing in amylose content. *Journal of Cereal Science*, 95, 103030. <https://doi.org/10.1016/j.jcs.2020.103030>
- Won, C., Jin, Y. I., Chang, D. C., Kim, M., Lee, Y., Ganesan, P., Lee, Y. K., & Chang, Y. H. (2017). Rheological, pasting, thermal and retrogradation properties of octenyl succinic anhydride modified potato starch. *Food Science and Technology (Brazil)*, 37(2), 321–327. <https://doi.org/10.1590/1678-457X.23616>
- Won, C., Jin, Y. ik, Kim, M., Lee, Y., & Chang, Y. H. (2016). Structural and rheological properties of potato starch affected by degree of substitution by octenyl succinic anhydride. *International Journal of Food Properties*, 20(12), 3076–3089. <https://doi.org/10.1080/10942912.2016.1272610>
- Xie, H., Gao, J., Xiong, X., & Gao, Q. (2018). Effect of heat-moisture treatment on the physicochemical properties and in vitro digestibility of the starch-guar complex of maize starch with varying amylose content. *Food Hydrocolloids*, 83, 213–221. <https://doi.org/10.1016/j.foodhyd.2018.04.038>
- Xie, Y., Li, M. N., Chen, H. Q., & Zhang, B. (2019). Effects of the combination of repeated heat-moisture treatment and compound enzymes hydrolysis on the structural and physicochemical properties of porous wheat starch. *Food Chemistry*, 274, 351–359. <https://doi.org/10.1016/j.foodchem.2018.09.034>
- Yadav, B. S., Guleria, P., & Yadav, R. B. (2013). Hydrothermal modification of Indian water chestnut starch: Influence of heat-moisture treatment and annealing on the physicochemical, gelatinization and pasting characteristics. *LWT - Food Science and Technology*, 53(1), 211–217. <https://doi.org/10.1016/j.lwt.2013.02.007>

- Yang, Z., Hao, H., Wu, Y., Liu, Y., & Ouyang, J. (2021). Influence of moisture and amylose on the physicochemical properties of rice starch during heat treatment. *International Journal of Biological Macromolecules*, 168, 656–662. <https://doi.org/10.1016/j.ijbiomac.2020.11.122>
- Yang, Z., Wang, W., Wang, H., & Ye, Q. (2014). Effects of a highly resistant rice starch and pre-incubation temperatures on the physicochemical properties of surimi gel from grass carp (*Ctenopharynodon idellus*). *Food Chemistry*, 145, 212–219. <https://doi.org/10.1016/j.foodchem.2013.08.040>
- Young, E., Ma, J., Kim, J., Hun, D., Young, S., Kwon, D., & Kim, J. (2018). Effect of dual modification of HMT and crosslinking on physicochemical properties and digestibility of waxy maize starch. *Food Hydrocolloids*, 75, 33–40. <https://doi.org/10.1016/j.foodhyd.2017.09.017>
- Yusoff, A., & Murray, B. S. (2011). Modified starch granules as particle-stabilizers of oil-in-water emulsions. *Food Hydrocolloids*, 25(1), 42–55. <https://doi.org/10.1016/j.foodhyd.2010.05.004>
- Zavareze, E. D. R., & Dias, A. R. G. (2011). Impact of heat-moisture treatment and annealing in starches: A review. *Carbohydrate Polymers*, 83(2), 317–328. <https://doi.org/10.1016/j.carbpol.2010.08.064>
- Zhang, W., Cheng, B., Li, J., Shu, Z., Wang, P., & Zeng, X. (2021). Structure and properties of octenyl succinic anhydride-modified high-amylose japonica rice starches. *Polymers*, 13(8). <https://doi.org/10.3390/polym13081325>
- Zhang, Y., Li, B., Zhang, Y., Xu, F., Zhu, K., Li, S., Tan, L., & Wu, G. (2019). *Effect of degree of polymerization of amylopectin on the gelatinization properties of jackfruit seed starch*. 289(September 2018), 152–159. <https://doi.org/10.1016/j.foodchem.2019.03.033>
- Zia-ud-Din, Xiong, H., & Fei, P. (2017). Physical and chemical modification of starches: A review. *Critical Reviews in Food Science and Nutrition*, 57(12), 2691–2705. <https://doi.org/10.1080/10408398.2015.1087379>