

DAFTAR PUSTAKA

- Ackah, E., & Dompey, E. (2021). Effects of fermentation and drying durations on the quality of cocoa (*Theobroma cacao L.*) beans during the rainy season in the Juaboso District of the Western-North Region, Ghana. *Bulletin of the National Research Centre*, 45(1), 175. <https://doi.org/10.1186/s42269-021-00634-7>
- Adrianto, K. 2012. Efek Antibakteri Polifenol Biji Kakao pada *Streptococcus mutans*. Skripsi. Fakultas Kedokteran. Universitas Jember, Jember.
- Aikpokpodion, P. E., & Dongo, L. N. (2010). Effects Of Fermentation Intensity On Polyphenols And Antioxidant Capacity Of Cocoa. 5.
- Alam, N., & Saleh, M. S. (n.d.). Karakteristik Buah Kakao Yang Dipanen Pada Berbagai Ketinggian Tempat Tumbuh Dan Kelas Kematangan. 8.
- Alara, O. R., Abdurahman, N. H., & Ukaegbu, C. I. (2021). Extraction of phenolic compounds: A review. *Current Research in Food Science*, 4, 200–214. <https://doi.org/10.1016/j.crfs.2021.03.011>
- AOAC. (2005). *Official Methods of Analysis*.
- Aunillah, A., Purwanto, E. H., Wardiana, E., & Iflah, T. (2021). The Effect of Fermentation Process, Extraction Methods and Solvents on Yield, Total Polyphenol, and Antioxidant Levels of Cocoa Beans. *IOP Conference Series: Earth and Environmental Science*, 828(1), 012038. <https://doi.org/10.1088/1755-1315/828/1/012038>
- Badan Pusat Statistik. 2019. Statistik Kakao Indonesia. Badan Pusat Statistik, Jakarta.
- Badan Standarisasi Nasional. 2008. SNI Mutu dan Cara Uji Biji Kakao. SNI 01-2323-2002. Standarisasi Nasional Indonesia, Jakarta.
- Baharudin, B., Suhartanto, M. R., Ilyas, S., & Purwantara, A. (2011). Perubahan Biologis Dan Fisiologis Sebagai Indikator Masak Benih Kakao Hibrida. *Jurnal Penelitian Tanaman Industri*, 17(2), 41. <https://doi.org/10.21082/jlitri.v17n2.2011.41-50>
- Beckett, S. T. (Ed.). (2009). *Industrial chocolate manufacture and use* (4th ed). Wiley-Blackwell.
- Belessiotis, V & Delyannis, E (2011). *Solar drying* , 85(8), 1665–1691. doi:10.1016/j.solener.2009.10.001
- Chin, E., Miller, K.B., Payne, M.J., Hurst, W.J., & Stuart, D.A. (2013). Comparison of antioxidant activity and flavanol content of cocoa beans processed by

- modern and traditional Mesoamerican methods. *Heritage Science*, 1, 1-7.
- Crozier, S.J., Preston, A.G., Hurst, J.W., Payne, M.J., Mann, J., Hainly, L., & Miller, D.L. (2011). Cocoa seeds are a “Super Fruit”: A comparative analysis of various fruit powders and products. *Chemistry Central Journal*, 5, 1- 6.
- Dang, Y. K. T., & Nguyen, H. V. H. (2019). Effects of Maturity at Harvest and Fermentation Conditions on Bioactive Compounds of Cocoa Beans. *Plant Foods for Human Nutrition*, 74(1), 54–60. <https://doi.org/10.1007/s11130-018-0700-3>
- Desy Rachmatullah, Putri, D. N., Fiki Herianto, & Harini, N. (2021). Karakteristik Biji Kakao (*Theobroma Cacao L.*) Hasil Fermentasi Dengan Ukuran Wadah Berbeda. *Viabel: Jurnal Ilmiah Ilmu-Ilmu Pertanian*, 15(1), 32–44. <https://doi.org/10.35457/viabel.v15i1.1409>
- Deus, V. L., Cerqueira E Silva, M. B. de, Maciel, L. F., Miranda, L. C. R., Hirooka, E. Y., Soares, S. E., Ferreira, E. de S., & Bispo, E. da S. (2018). Influence of drying methods on cocoa (*Theobroma cacao L.*): Antioxidant activity and presence of ochratoxin A. *Food Science and Technology*, 38(suppl 1), 278–285. <https://doi.org/10.1590/fst.09917>
- Direktorat Jenderal Perkebunan. (2021). Statistik perkebunan unggulan nasional 2020-2022. In *Sekretariat Dirjend Perkebunan Kementerian Pertanian*.
- do Carmo Brito, B. de N., Campos Chisté, R., da Silva Pena, R., Abreu Gloria, M. B., & Santos Lopes, A. (2017). Bioactive amines and phenolic compounds in cocoa beans are affected by fermentation. *Food Chemistry*, 228, 484–490. <https://doi.org/10.1016/j.foodchem.2017.02.004>
- Fawole, O. A., & Opara, U. L. (2013). Effects of maturity status on biochemical content, polyphenol composition and antioxidant capacity of pomegranate fruit arils (cv. „Bhagwa“). *South African Journal of Botany*, 85, 23–31. <https://doi.org/10.1016/j.sajb.2012.11.010>
- Gu, L., House, S.E., Wu, X., Ou, B., & Prior, R.L. (2006). Procyanidin and catechin contents and antioxidant capacity of cocoa and chocolate products. *Journal of Agricultural and Food Chemistry*, 54(11), 4057-4061.
- Harborne, J. B. 1987. Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan. Penerbit ITB, Bandung.
- Hatmi, R. U., S. Rustijarno. 2012. Teknologi Pengolahan Biji Kakao Menuju Sni Biji Kakao 01-2323-2008. Badan Penelitian dan Pengembangan Pertanian, Yogyakarta.
- Hii, C.L., C.L. Law, S. Suzannah, Misnawi & M. Cloke. 2009. Polyphenols in

- cocoa (*Theobroma cacao* L.). *Asian Journal of Food and Agro-Industry* 2 (4) : 702-722.
- ICCO Secretariat. (2021). August 2021 Quarterly Bulletin of Cocoa Statistics. In *ICCO Quarterly Bulletin of Cocoa Statistics* (Vol. 47, Issue 3).
- Iflahah, M. A. (2016). Aktivitas Antioksidan Biji Kakao (*Theobroma cacao* L.) dalam Menurunkan Kadar 8-Hidroksi-2'-Deoksiguanosin. *Journal of Applied Chemistry*, 4, 7.
- Kowalska, J., & Sidorczuk, A. (2007). Analysis of the effect of technological processing on changes antioxidant properties of cocoa processed Products. *Polish Journal of Food and Nutrition Sciences*, 57(2A), 95-99.
- Maesaroh, K., Kurnia, D., & Al Anshori, J. 2018. Perbandingan metode uji aktivitas antioksidan DPPH, FRAP dan FIC terhadap asam askorbat, asam galat dan kuersetin. *Chimica et Natura Acta*, 6(2), 93-100.
- Mahmud , Z., E. Karmawati, M. Syakir, J. Munarso, I K. Ardana, dan Rubiyo. 2010. Budidaya dan Pascapanen Kakao. Pusat Penelitian dan Pengembangan Perkebunan. Bogor
- Managanta A. A., Sumardjo S., Sadono D. & Tjitropranoto P. (2019) "Factors Affecting the Competence of Cocoa Farmers in Central Sulawesi Province", *Jurnal Penyuluhan*, 15(1). doi: 10.25015/penyuluhan.v15i1.20966.
- Meng, C.C., Jalil, A.M.M., & Ismail, A. (2009). Phenolic and theobromine contents of commercial dark, milk and white chocolates on the Malaysian market. *Molecules*, 14, 200-209.
- Miller, K.B., Stuart, D.A., Smith, N.L., Lee, C.Y., McHale, N.L., Flanagan, J.A., Ou, B., & Hurst, W.J. (2006). Antioxidant activity and polyphenols and procyanidin contents of selected commercially available cocoacontaining and chocolate product in the United States. *Journal of Agricultural and Food Chemistry*, 54(11), 4062-4068.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicryl- hydrazyl (DPPH) for estimating antioxidant activity. 26(2), 10.
- Nestle Research Centers. (2010). Focus on: Polyphenols in chocolate. Nestle Research Centers.
- Oracz, J., Zyzelewicz, D., & Nebesny, E. (2015). The Content of Polyphenolic Compounds in Cocoa Beans (*Theobroma cacao* L.), Depending on Variety, Growing Region, and Processing Operations: A Review. *Critical Reviews in Food Science and Nutrition*, 55(9), 1176–1192. <https://doi.org/10.1080/10408398.2012.686934>

Othman, A., Ismail, A., Ghani, N.A., & Adenan I, Antioxidant capacity and phenolic content of cocoa beans. (2007). Food Chemistry. Volume 100. Issue 4. Pages 1523-1530

Pereira-Caro, G., Borges, G., Nagai, C., Jackson, M. C., Yokota, T., Crozier, A., & Ashihara, H. (2013). Profiles of Phenolic Compounds and Purine Alkaloids during the Development of Seeds of Theobroma cacao cv. Trinitario. Journal of Agricultural and Food Chemistry, 61(2), 427–434. <https://doi.org/10.1021/jf304397m>

Putri, A. L. A. (n.d.). Universitas Padjadjaran Fakultas Teknologi Industri Pertanian Departemen Teknologi Industri Pangan Sumedang 2019. 157.

Redovnikovic, I.R., Delonga, K., Mazor, S., DragovicUzelac, V., Caric, M., & Vorkapic-Furac, J. (2009). Polyphenolic content and composition and antioxidative activity of different cocoa liquors. Czech Journal of Food Sciences, 27(5), 330-337.

Rinaldo, R., M. A. Chozinl. 2016. Manajemen Sortasi dan Pemecahan Buah Kakao (*Theobroma cacao L.*) di Jawa Tengah. Jurnal Departemen Agronomi dan Hortikultura, Fakultas Pertanian, Institut Pertanian Bogor, Bogor.

Rusconi, M., & Conti, A. (2010). *Theobroma cacao L.*, the Food of the Gods: A scientific approach beyond myths and claims. *Pharmacological Research*, 61(1), 5–13. <https://doi.org/10.1016/j.phrs.2009.08.008>

Sabahannur, S., Alimuddin, S., & Rahmawati, -. (2018). Changes in Phenol Level and Antioxidant Activity of Cocoa Beans During Fermentation and Roasting. *Journal of Food Research*, 7(4), 23. <https://doi.org/10.5539/jfr.v7n4p23>

Samaniego, I., Brito, B., Viera, W., Cabrera, A., Llerena, W., Kannangara, T., Vilcacundo, R., Angós, I., & Carrillo, W. (2020). Influence of the Maturity Stage on the Phytochemical Composition and the Antioxidant Activity of Four Andean Blackberry Cultivars (*Rubus glaucus* Benth)

Siregar, T.H.S, S. Riyaddi dan L. Nuraeni, 2003. Budidaya, Pengolahan dan Pemasaran Coklat. Penebar Swadaya, Jakarta.

Towaha, J. (2014). Kandungan Senyawa Polifenol pada Biji Kakao dan Kontribusinya Terhadap Kesehatan. 2(1), 16.

Urbańska, B., Derewiaka, D., Lenart, A., & Kowalska, J. (2019). Changes in the composition and content of polyphenols in chocolate resulting from pre-treatment method of cocoa beans and technological process. European Food Research and Technology, 245(10), 2101–2112. <https://doi.org/10.1007/s00217-019-03333-w>

Utami, R. R. (2018). Antioksidan Biji Kakao: Pengaruh Fermentasi dan Penyangraian Terhadap Perubahannya (Ulasan). Jurnal Industri Hasil Perkebunan, 13(2), 75–85. <https://doi.org/10.33104/jihp.v13i2.4062>

Wahyuni, M. F., Yunita, D., Aisyah, Y., Lahmer, R. A., & Mugampoza, D. (2018). Chemical and Microbiological Characteristics of Cocoa Beans From Pidie District, Aceh Province, Indonesia. 9.

Wollgast, J. 2004. The contents and effects of polyphenols in chocolate. Dissertation for obtaining the degree of doctor of The Faculty of Agricultural and Nutritional Sciences, Home Economics and Environmental Management at The University of Gieben, Germany.

Zeb, A. (2020). Concept, mechanism, and applications of phenolic antioxidants in foods. Journal of Food Biochemistry, 44(9). <https://doi.org/10.1111/jfbc.13394>

Changes in lipid components of seeds during growth and ripening of cacao fruit

D. W. Lehrian, P. G. Keeney

First published: 01 February 1980

<https://doi.org/10.1007/BF02674361>