

DAFTAR PUSTAKA

- Abdul Hadi, N., Wiege, B., Stabenau, S., Marefati, A., & Rayner, M. (2020). Comparison of Three Methods to Determine the Degree of Substitution of Quinoa and Rice Starch Acetates, Propionates, and Butyrates: Direct Stoichiometry, FTIR, and $^1\text{H-NMR}$. *Foods*, 9(1), 83. <https://doi.org/10.3390/foods9010083>
- Ahmad, S., Manzoor, K., Ahmad, M., Purwar, R., & Ikram, S. (2020). Starch-based bionanocomposites. In *Bionanocomposites* (pp. 157–171). Elsevier. <https://doi.org/10.1016/B978-0-12-816751-9.00007-6>
- Akintayo, O. A., Zhou, S. J., Karim, O. R., Grassby, T., & Oyeyinka, S. A. (2022). Faba Bean Starch: Structure, Physicochemical Properties, Modification, and Potential Industrial Applications. In *Faba Bean: Chemistry, Properties and Functionality* (pp. 211–243). Springer International Publishing. https://doi.org/10.1007/978-3-031-14587-2_9
- Al Mahrouqi, D., Vinogradov, J., & Jackson, M. D. (2016). Temperature dependence of the zeta potential in intact natural carbonates. *Geophysical Research Letters*, 43(22). <https://doi.org/10.1002/2016GL071151>
- Amaglianì, L., O'Regan, J., Kelly, A. L., & O'Mahony, J. A. (2016). Chemistry, structure, functionality and applications of rice starch. *Journal of Cereal Science*, 70, 291–300. <https://doi.org/10.1016/j.jcs.2016.06.014>
- Ariyantoro, A. R., Fitriyani, A., Affandi, D. R., Muhammad, D. R. A., Yulviatun, A., & Nishizu, T. (2022). The effect of dual modification with annealing and Heat Moisture Treatment (HMT) on physicochemical properties of jack bean starch (*Canavalia ensiformis*). *Food Research*, 6(4), 189–198. [https://doi.org/10.26656/fr.2017.6\(4\).497](https://doi.org/10.26656/fr.2017.6(4).497)
- Arns, B., Bartz, J., Radunz, M., Evangelho, J. A. do, Pinto, V. Z., Zavareze, E. da R., & Dias, A. R. G. (2015). Impact of heat-moisture treatment on rice starch, applied directly in grain paddy rice or in isolated starch. *LWT - Food Science and Technology*, 60(2), 708–713. <https://doi.org/10.1016/j.lwt.2014.10.059>
- Ashogbon, A. O., & Akintayo, E. T. (2012). Morphological, Functional, and Pasting Properties of Starches Separated From Rice Cultivars Grown in Nigeria. *International Food Research Journal*, 19(2), 665–671.
- Ashogbon, A. O., & Akintayo, E. T. (2014). Recent trend in the physical and chemical modification of starches from different botanical sources: A review. *Starch - Stärke*, 66(1–2), 41–57. <https://doi.org/10.1002/star.201300106>

- Asokapandian, S., Periasamy, S., & Swamy, G. J. (2018). Ozone for Fruit Juice Preservation. In *Fruit Juices* (pp. 511–527). Elsevier. <https://doi.org/10.1016/B978-0-12-802230-6.00025-4>
- Bao, J., & Bergman, C. J. (2018). Rice Flour and Starch Functionality. In M. Sjöö & L. Nilsson (Eds.), *Starch in Food* (2nd ed., pp. 373–419). Elsevier. <https://doi.org/10.1016/B978-0-08-100868-3.00010-X>
- Barhoum, A., García-Betancourt, M. L., Rahier, H., & Van Assche, G. (2018). Physicochemical characterization of nanomaterials: polymorph, composition, wettability, and thermal stability. In *Emerging Applications of Nanoparticles and Architecture Nanostructures* (pp. 255–278). Elsevier. <https://doi.org/10.1016/B978-0-323-51254-1.00009-9>
- Bashir, K., & Aggarwal, M. (2019). Physicochemical, structural and functional properties of native and irradiated starch: a review. *Journal of Food Science and Technology*, 56(2), 513–523. <https://doi.org/10.1007/s13197-018-3530-2>
- Benmoussa, M., Moldenhauer, K. A. K., & Hamaker, B. R. (2007). Rice amylopectin fine structure variability affects starch digestion properties. *Journal of Agricultural and Food Chemistry*, 55(4), 1475–1479. <https://doi.org/10.1021/jf062349x>
- Bertoft, E. (2017). Understanding starch structure: Recent progress. In *Agronomy* (Vol. 7, Issue 3). MDPI AG. <https://doi.org/10.3390/agronomy7030056>
- Bertoft, E., Annor, G. A., Shen, X., Rumpagaporn, P., Seetharaman, K., & Hamaker, B. R. (2016). Small differences in amylopectin fine structure may explain large functional differences of starch. *Carbohydrate Polymers*, 140, 113–121. <https://doi.org/10.1016/j.carbpol.2015.12.025>
- Bet, C. D., de Oliveira, C. S., Colman, T. A. D., Marinho, M. T., Lacerda, L. G., Ramos, A. P., & Schnitzler, E. (2018). Organic amaranth starch: A study of its technological properties after heat-moisture treatment. *Food Chemistry*, 264, 435–442. <https://doi.org/10.1016/j.foodchem.2018.05.021>
- Biduski, B., Silva, F. T. da, Silva, W. M. da, Halal, S. L. de M. El, Pinto, V. Z., Dias, A. R. G., & Zavareze, E. da R. (2017). Impact of acid and oxidative modifications, single or dual, of sorghum starch on biodegradable films. *Food Chemistry*, 214, 53–60. <https://doi.org/10.1016/j.foodchem.2016.07.039>
- Brian, C. S. (2017, September 1). *The Carbonyl Group, Part I: Introduction. Spectroscopy*.
- Brodowska, A. J., Nowak, A., & Śmigielski, K. (2018). Ozone in the food industry: Principles of ozone treatment, mechanisms of action, and applications: An overview. *Critical Reviews in Food Science and Nutrition*, 58(13), 2176–2201. <https://doi.org/10.1080/10408398.2017.1308313>

- Cahyana, Y., Titipanillah, R., Mardawati, E., Sukarminah, E., Rialita, T., Andoyo, R., Djali, M., Hanidah, I. I., Setiasih, I. S., & Handarini, K. (2018). Non-starch contents affect the susceptibility of banana starch and flour to ozonation. *Journal of Food Science and Technology*, 55(5), 1726–1733. <https://doi.org/10.1007/s13197-018-3085-2>
- Cahyana, Y., Wijaya, E., Halimah, T. S., Marta, H., Suryadi, E., & Kurniati, D. (2019). The effect of different thermal modifications on slowly digestible starch and physicochemical properties of green banana flour (*Musa acuminata colla*). *Food Chemistry*, 274, 274–280. <https://doi.org/10.1016/j.foodchem.2018.09.004>
- Cao, C., Shen, M., Hu, J., Qi, J., Xie, P., & Zhou, Y. (2020). Comparative study on the structure-properties relationships of native and debranched rice starch. *CYTA - Journal of Food*, 18(1), 84–93. <https://doi.org/10.1080/19476337.2019.1710261>
- Castanha, N., Matta Junior, M. D. da, & Augusto, P. E. D. (2017). Potato starch modification using the ozone technology. *Food Hydrocolloids*, 66, 343–356. <https://doi.org/10.1016/j.foodhyd.2016.12.001>
- Çatal, H., & İbanoğlu, Ş. (2014). Effect of aqueous ozonation on the pasting, flow and gelatinization properties of wheat starch. *LWT*, 59(1), 577–582. <https://doi.org/10.1016/j.lwt.2014.04.025>
- Chen, B., Hu, Z., Li, H., Li, Z., Li, Q., & Chen, Y. (2019). Intact starch granules for pickering emulsion: Exploring mechanism of cleaning with washing rice water and floury soup. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 561, 155–164. <https://doi.org/10.1016/j.colsurfa.2018.10.045>
- Chen, X., Ma, M., Liu, X., Zhang, C., Xu, Z., Li, H., Sui, Z., & Corke, H. (2022). Multi-scale structure of A- and B-type granules of normal and waxy hull-less barley starch. *International Journal of Biological Macromolecules*, 200, 42–49. <https://doi.org/10.1016/j.ijbiomac.2021.12.092>
- Chen, Y.-F., Kaur, L., & Singh, J. (2018). Chemical Modification of Starch. In *Starch in Food* (pp. 283–321). Elsevier. <https://doi.org/10.1016/B978-0-08-100868-3.00007-X>
- Chuwech, M., Rakariyatham, N., Tinoi, J., Suwitchayanon, P., & Chandet, N. (2023). Effect of Heat–Moisture Treatment on Crystallinity, Digestibility Properties, Bioactive Compounds, and Antioxidant Activity of Purple Rice (*Oryza sativa L. indica*) Flour. *Processes*, 11(3), 969. <https://doi.org/10.3390/pr11030969>
- Collar, C., & Armero, E. (2018). Impact of heat moisture treatment and hydration level on physico-chemical and viscoelastic properties of doughs from wheat-

- barley composite flours. *European Food Research and Technology*, 244(2), 355–366. <https://doi.org/10.1007/s00217-017-2961-8>
- Copeland, L., Blazek, J., Salman, H., & Tang, M. C. (2009). Form and functionality of starch. *Food Hydrocolloids*, 23(6), 1527–1534. <https://doi.org/10.1016/j.foodhyd.2008.09.016>
- Cornejo-Ramírez, Y. I., Martínez-Cruz, O., Del Toro-Sánchez, C. L., Wong-Corral, F. J., Borboa-Flores, J., & Cinco-Moroyoqui, F. J. (2018). The structural characteristics of starches and their functional properties. *CyTA - Journal of Food*, 16(1), 1003–1017. <https://doi.org/10.1080/19476337.2018.1518343>
- Craig, S., Maningat, C., Seib, P., & Hoseney, R. (1989). Starch Paste Clarity. *Cereal Chem*, 66, 173–182.
- Das, P., & Das, M. K. (2022). Production and physicochemical characterization of nanocosmeceuticals. In *Nanocosmeceuticals* (pp. 95–138). Elsevier. <https://doi.org/10.1016/B978-0-323-91077-4.00006-5>
- Deka, D., & Sit, N. (2016). Dual modification of taro starch by microwave and other heat moisture treatments. *International Journal of Biological Macromolecules*, 92, 416–422. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2016>.
- Deng, C., Melnyk, O., & Luo, Y. (2021). The effect of heat-moisture treatment conditions on the structure properties and functionalities of potato starch. *Potravinarstvo Slovak Journal of Food Sciences*, 15, 824–834. <https://doi.org/10.5219/1647>
- Dewi, A. M. P., Santoso, U., Pranoto, Y., & Marseno, D. W. (2022a). Dual Modification of Sago Starch via Heat Moisture Treatment and Octenyl Succinylation to Improve Starch Hydrophobicity. *Polymers*, 14(6), 1086. <https://doi.org/10.3390/polym14061086>
- Dewi, A. M. P., Santoso, U., Pranoto, Y., & Marseno, D. W. (2022b). Dual Modification of Sago Starch via Heat Moisture Treatment and Octenyl Succinylation to Improve Starch Hydrophobicity. *Polymers*, 14(6), 1086. <https://doi.org/10.3390/polym14061086>
- Dutta, A. (2017). Fourier Transform Infrared Spectroscopy. In *Spectroscopic Methods for Nanomaterials Characterization* (pp. 73–93). Elsevier. <https://doi.org/10.1016/B978-0-323-46140-5.00004-2>
- Egharevba, H. O. (2020). Chemical Properties of Starch and Its Application in the Food Industry. In *Chemical Properties of Starch*. IntechOpen. <https://doi.org/10.5772/intechopen.87777>
- Esfahani, M. P., & De Visscher, A. (2018, August). *Kinetics of Ozone Decomposition in Gas and Aqueous Phases Using Quantum Chemical Reaction Calculations*. <https://doi.org/10.11159/icepr18.105>

- Farhan, N. M., Aziz, H., & Tafreshi, H. V. (2019). Simple method for measuring intrinsic contact angle of a fiber with liquids. *Experiments in Fluids*, 60(5), 87. <https://doi.org/10.1007/s00348-019-2733-2>
- Farooq, Z., & Boye, J. I. (2011). Novel food and industrial applications of pulse flours and fractions. In *Pulse Foods* (pp. 283–323). Elsevier. <https://doi.org/10.1016/B978-0-12-382018-1.00011-3>
- Fitria, E., Hariyadi, P., Andarwulan, N., & Triana, R. N. (2018). Physicochemical Properties of Oxidized Sago Starch Using Sodium Hypochlorite. *Jurnal Mutu Pangan*, 5(2), 100–108.
- Fonseca, L. M., Halal, S. L. M. El, Dias, A. R. G., & Zavareze, E. da R. (2021). Physical modification of starch by heat-moisture treatment and annealing and their applications: A review. *Carbohydrate Polymers*, 274, 118665. <https://doi.org/10.1016/j.carbpol.2021.118665>
- Foujdar, R., Bera, M. B., & Chopra, H. K. (2020). Phenolic nanoconjugates and its application in food. In *Biopolymer-Based Formulations* (pp. 751–780). Elsevier. <https://doi.org/10.1016/B978-0-12-816897-4.00030-8>
- Franco, P., & De Marco, I. (2020). The Use of Poly(N-vinyl pyrrolidone) in the Delivery of Drugs: A Review. *Polymers*, 12(5), 1114. <https://doi.org/10.3390/polym12051114>
- Ganzoury, M. A., Allam, N. K., Nicolet, T., & All, C. (2015). Introduction to Fourier Transform Infrared Spectrometry. *Renewable and Sustainable Energy Reviews*, 50, 1392–1404. <https://doi.org/10.1016/j.rser.2015.05.073>
- Garg, S., & Jana, A. K. (2011). Characterization and evaluation of acylated starch with different acyl groups and degrees of substitution. *Carbohydrate Polymers*, 83, 1623–1630. <https://doi.org/https://doi.org/10.1016/j.carbpol.2010.10.015>
- Gonçalves, A. A. (2009). Ozone—an Emerging Technology for the Seafood Industry. *Arch. Biol. Technol.* v, 52(6), 1527–1539.
- Goswami, B., & Mahanta, D. (2021). Starch and its Derivatives: Properties and Applications. In *Polysaccharides* (pp. 253–281). Wiley. <https://doi.org/10.1002/9781119711414.ch12>
- Gottschalk, C., Libra, J. A., & Saupe, A. (2010). *Ozonation of Water and Waste Water: A Practical Guide to Understanding Ozone and its Applications* (2nd ed.). WILEY-VCH Verlag GmbH & Co. KGaA.,
- Gunaratne, A. (2018). Heat-Moisture Treatment of Starch. In *Physical Modifications of Starch* (pp. 15–36). Springer Singapore. https://doi.org/10.1007/978-981-13-0725-6_2

- Gunaratne, A., & Corke, H. (2016). Starch: Analysis of Quality. In *Encyclopedia of Food Grains* (pp. 198–207). Elsevier. <https://doi.org/10.1016/B978-0-12-394437-5.00092-9>
- Gunaratne, A., & Hoover, R. (2002). Effect of heat-moisture treatment on the structure and physicochemical properties of tuber and root starches. *Carbohydrate Polymers*, 49(4), 425–437. [https://doi.org/10.1016/S0144-8617\(01\)00354-X](https://doi.org/10.1016/S0144-8617(01)00354-X)
- Halal, S. L. M. El., Colussi, R., Pinto, V. Z., Bartz, J., Radunz, M., Carreño, N. L. V., Dias, A. R. G., & Zavareze, E. D. R. (2015). Structure, morphology and functionality of acetylated and oxidised barley starches. *Food Chemistry*, 168, 247–256. <https://doi.org/https://doi.org/10.1016/j.foodchem.2014.07.046>
- Handarini, K., Hamdani, J. S., Cahyana, Y., & Setiasih, I. S. (2020). Gaseous Ozonation at Low Concentration Modifies Functional, Pasting, and Thermal Properties of Arrowroot Starch (Maranta arundinaceae). *Starch/Staerke*, 72(5–6). <https://doi.org/10.1002/star.201900106>
- He, X., Luo, S., Chen, M., Xia, W., Chen, J., & Liu, C. (2020). Effect of industry-scale microfluidization on structural and physicochemical properties of potato starch. *Innovative Food Science & Emerging Technologies*, 60, 102278. <https://doi.org/10.1016/j.ifset.2019.102278>
- He, Y., Ye, F., Tao, J., Zhang, Z., & Zhao, G. (2023). Ozone exposure tunes the physicochemical properties of sweet potato starch by modifying its molecular structure. *International Journal of Biological Macromolecules*, 236, 124002. <https://doi.org/10.1016/j.ijbiomac.2023.124002>
- Heim, C., & Glas, K. (2011). *Ozone I: Characteristics / Generation / Possible Applications*. BrewingScience. <https://www.researchgate.net/publication/259843260>
- Herawati, H. (2009). Potensi Pengembangan Produk Pati Tahan Cerna Sebagai Pangan Fungsional. *Jurnal Litbang Pertanian*, 30(1), 2011.
- Holmes, J. D., O'Connell, J., Duffy, R., & Long, B. (2018). Surface Functionalization Strategies for Monolayer Doping. In *Encyclopedia of Interfacial Chemistry* (pp. 829–834). Elsevier. <https://doi.org/10.1016/B978-0-12-409547-2.14125-3>
- If'all, I., Hasanuddin, A., Rahim, A., & Kadir, S. (2019). Modifikasi Pati Secara Asetilasi Terhadap Gugus Fungsi Asetil dan Kristanilitas Pati Ubi Banggai Asetat. *Rekayasa*, 12(2), 135–140. <https://doi.org/10.21107/rekayasa.v12i2.5857>
- IRRI. (2007). *Rice Races : Distinguish Japonica, Javanica, and Indica*. http://www.knowledgebank.irri.org/ericeproduction/0.5_Rice_races.htm

- Iswarin, S. J., Nuriyah, L., & Sriwilujeng, A. I. (2013). Biodegradable Plastics Functional Groups Methyl Acrylate and Pati Garut Relationship Against Mechanical Properties. *Natural B*, 2(2), 178–183. <https://doi.org/10.21776/ub.natural-b.2013.002.02.13>
- Joye, I. J. (2019). Starch. In L. Melton, F. Shahidi, & P. Varelis (Eds.), *Encyclopedia of Food Chemistry* (Vol. 1, pp. 256–264). Elsevier. <https://doi.org/10.1016/B978-0-08-100596-5.21586-2>
- Karwijia, Atmaka, W., & Lestariana, S. (2017). Study of Characteristics Whole Cassava Starch Based Edible Film With Citric Acid Cross-Linking Modification. *Jurnal Teknologi Pertanian*, 18(2), 143–152.
- Kaur, B., Ariffin, F., Bhat, R., & Karim, A. A. (2012). Progress in starch modification in the last decade. *Food Hydrocolloids*, 26(2), 398–404. <https://doi.org/10.1016/j.foodhyd.2011.02.016>
- Khan, S. A., Khan, S. B., Khan, L. U., Farooq, A., Akhtar, K., & Asiri, A. M. (2018). Fourier Transform Infrared Spectroscopy: Fundamentals and Application in Functional Groups and Nanomaterials Characterization. In *Handbook of Materials Characterization* (pp. 317–344). Springer International Publishing. https://doi.org/10.1007/978-3-319-92955-2_9
- Kowsik, P. V., & Mazumder, N. (2018). Structural and chemical characterization of rice and potato starch granules using microscopy and spectroscopy. *Microscopy Research and Technique*, 81(12), 1533–1540. <https://doi.org/10.1002/jemt.23160>
- Kristianingrum, S. (2016). Handout Spektroskopi Infra Merah. In *Handout Spektroskopi Infra Merah* (Vol. 1).
- Kucera, J. (2022). Reverse osmosis: Fundamental causes of membrane deposition and approaches to mitigation. In *Water-Formed Deposits* (pp. 215–237). Elsevier. <https://doi.org/10.1016/B978-0-12-822896-8.00010-8>
- Kurahashi, Y., & Yoshino, Z. (2000). Heat-Moisture-Treated Starch; Its Production, Properties, and Uses. *Journal of Applied Glycoscience*, 47(1), 125–132. <https://doi.org/10.5458/jag.47.125>
- La Fuente, C. I. A., Castanha, N., Maniglia, B. C., Tadini, C. C., & Augusto, P. E. D. (2020). Biodegradable Films Produced from Ozone-Modified Potato Starch. *Journal of Packaging Technology and Research*, 4(1), 3–11. <https://doi.org/10.1007/s41783-020-00082-0>
- La Fuente, C. I. A., do Val Siqueira, L., Augusto, P. E. D., & Tadini, C. C. (2022). Bio-Based Plastic Based on Ozonated Cassava Starch Produced by Extrusion. *Journal of Polymers and the Environment*, 30(9), 3974–3984. <https://doi.org/10.1007/s10924-022-02488-0>

- Laftah, W. A. (2017). Starch Based Biodegradable Blends : A Review. *IJERT*, 6(6). <https://doi.org/DOI : 10.17577/IJERTV6IS060406>
- Lee, S. J., Hong, J. Y., Lee, E. J., Chung, H. J., & Lim, S. T. (2015). Impact of single and dual modifications on physicochemical properties of japonica and indica rice starches. *Carbohydrate Polymers*, 122, 77–83. <https://doi.org/10.1016/j.carbpol.2015.01.009>
- Leewatcharongjaroen, J., & Anuntagool, J. (2016). Effects of Dry-Milling and Wet-Milling on Chemical, Physical and Gelatinization Properties of Rice Flour. *Rice Science*, 23(5), 274–281. <https://doi.org/10.1016/j.rsci.2016.08.005>
- Lewicka, K., Siemion, P., & Kurcok, P. (2015). Chemical Modifications of Starch: Microwave Effect. *International Journal of Polymer Science*, 2015, 1–10. <https://doi.org/10.1155/2015/867697>
- Li, C., Li, H., & Gilbert, R. G. (2019). Characterizing Starch Molecular Structure of Rice. In *Rice Grain Quality: Methods and Protocols* (Vol. 1892, pp. 169–185). Springer. https://doi.org/10.1007/978-1-4939-8914-0_10
- Li, C., Li, Y., Sun, P., & Yang, C. (2013). Pickering emulsions stabilized by native starch granules. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 431, 142–149. <https://doi.org/10.1016/j.colsurfa.2013.04.025>
- Lima, D. C., Villar, J., Castanha, N., Maniglia, B. C., Matta Junior, M. D., & Duarte Augusto, P. E. (2020). Ozone modification of arracacha starch: Effect on structure and functional properties. *Food Hydrocolloids*, 108, 106066. <https://doi.org/10.1016/j.foodhyd.2020.106066>
- Liu, C., Yan, H., Liu, S., & Chang, X. (2022). Influence of Phosphorylation and Acetylation on Structural, Physicochemical and Functional Properties of Chestnut Starch. *Polymers*, 14(1), 172. <https://doi.org/10.3390/polym14010172>
- Liu, Q., Li, M., Xiong, L., Qiu, L., Bian, X., Sun, C., & Sun, Q. (2018). Oxidation modification of debranched starch for the preparation of starch nanoparticles with calcium ions. *Food Hydrocolloids*, 85, 86–92. <https://doi.org/10.1016/j.foodhyd.2018.07.004>
- López, O. V., Zaritzky, N. E., & García, M. A. (2010). Physicochemical characterization of chemically modified corn starches related to rheological behavior, retrogradation and film forming capacity. *Journal of Food Engineering*, 100(1), 160–168. <https://doi.org/10.1016/j.jfoodeng.2010.03.041>
- Lu, G. W., & Gao, P. (2010). Emulsions and Microemulsions for Topical and Transdermal Drug Delivery. In *Handbook of Non-Invasive Drug Delivery*

- Systems* (pp. 59–94). Elsevier. <https://doi.org/10.1016/B978-0-8155-2025-2.10003-4>
- Lu, H., Ma, R., Chang, R., & Tian, Y. (2021). Evaluation of starch retrogradation by infrared spectroscopy. *Food Hydrocolloids*, 120, 106975. <https://doi.org/10.1016/j.foodhyd.2021.106975>
- Luberti, M. (2023). Oxygen recovery from ozone generators by adsorption processes. *Adsorption*. <https://doi.org/10.1007/s10450-023-00377-z>
- Magara, Y., Itoh, M., & Morioka, T. (1995). Application of ozone to water treatment and power consumption of ozone generating systems. *Progress in Nuclear Energy*, 29, 175–182. [https://doi.org/10.1016/0149-1970\(95\)00041-H](https://doi.org/10.1016/0149-1970(95)00041-H)
- Mahbubul, I. M. (2019). Stability and Dispersion Characterization of Nanofluid. In *Preparation, Characterization, Properties and Application of Nanofluid* (pp. 47–112). Elsevier. <https://doi.org/10.1016/B978-0-12-813245-6.00003-4>
- Mahmoudi Najafi, S. H., Baghaie, M., & Ashori, A. (2016). Preparation and characterization of acetylated starch nanoparticles as drug carrier: Ciprofloxacin as a model. *International Journal of Biological Macromolecules*, 87, 48–54. <https://doi.org/10.1016/j.ijbiomac.2016.02.030>
- Makowska, A., Dwiecki, K., Kubiak, P., Baranowska, H. M., & Lewandowicz, G. (2022). Polymer-Solvent Interactions in Modified Starches Pastes—Electrokinetic, Dynamic Light Scattering, Rheological and Low Field Nuclear Magnetic Resonance Approach. *Polymers*, 14(15), 2977. <https://doi.org/10.3390/polym14152977>
- Mali, S., Karam, L. B., Ramos, L. P., & Grossmann, M. V. E. (2004). Relationships among the Composition and Physicochemical Properties of Starches with the Characteristics of Their Films. *J. Agric. Food Chem.*, 52(25), 7720–7725.
- Malik, M. K., Kumar, V., Singh, J., Bhatt, P., Dixit, R., & Kumar, S. (2023). Phosphorylation of Alkali Extracted Mandua Starch by STPP/STMP for Improving Digestion Resistibility. *ACS Omega*. <https://doi.org/10.1021/acsomega.2c05783>
- Marta, H., Cahyana, Y., Bintang, S., Soeherman, G. P., & Djali, M. (2022). Physicochemical and pasting properties of corn starch as affected by hydrothermal modification by various methods. *International Journal of Food Properties*, 25(1), 792–812. <https://doi.org/10.1080/10942912.2022.2064490>
- Marta, H., Marsetio, Cahyana, Y., & Pertiwi, A. G. (2016). Sifat Fungsional dan Amilografi Pati Millet Putih (*Pennisetum glaucum*) Termodifikasi secara Heat Moisture Treatment dan Annealing. *Jurnal Aplikasi Teknologi Pangan*, 5(3). <https://doi.org/10.17728/jatp.175>

- Martínez, P., Peña, F., Bello-Pérez, L. A., Núñez-Santiago, C., Yee-Madeira, H., & Velezmoro, C. (2019). Physicochemical, functional and morphological characterization of starches isolated from three native potatoes of the Andean region. *Food Chemistry*: X, 2, 100030. <https://doi.org/10.1016/j.fochx.2019.100030>
- Mathobo, V. M., Silungwe, H., Ramashia, S. E., & Anyasi, T. A. (2021). Effects of heat-moisture treatment on the thermal, functional properties and composition of cereal, legume and tuber starches—a review. *Journal of Food Science and Technology*, 58(2), 412–426. <https://doi.org/10.1007/s13197-020-04520-4>
- Matta Junior, M. D., Castanha, N., dos Anjos, C. B. P., Augusto, P. E. D., & Sarmento, S. B. S. (2019). Ozone technology as an alternative to fermentative processes to improve the oven-expansion properties of cassava starch. *Food Research International*, 123, 56–63. <https://doi.org/10.1016/j.foodres.2019.04.050>
- Mekkioui, D., & Medjahdi, I. S. (2020). Ozone production and chemical kinetic corona discharge of pure gas O₂ species. *SN Applied Sciences*, 2(4), 695. <https://doi.org/10.1007/s42452-020-2433-9>
- Moldoveanu, S. C., & David, V. (2017). RP-HPLC Analytical Columns. In *Selection of the HPLC Method in Chemical Analysis* (pp. 279–328). Elsevier. <https://doi.org/10.1016/B978-0-12-803684-6.00007-X>
- Nawaz, H., Waheed, R., Nawaz, M., & Shahwar, D. (2020). Physical and Chemical Modifications in Starch Structure and Reactivity. In M. O. Emeje & M. Blumenberg (Eds.), *Chemical Properties of Starch* (pp. 1–164). IntechOpen. <https://doi.org/10.5772/intechopen.88870>
- Nghi, N. H., Cuong, L. C., Dieu, T. V., & Oanh, D. T. Y. (2018). Study of water disinfection by analyzing the ozone decomposition process. *Vietnam Journal of Chemistry*, 56(5), 591–595. <https://doi.org/10.1002/vjch.201800053>
- O. Kunle, O. (2020). Starch Source and Its Impact on Pharmaceutical Applications. In *Chemical Properties of Starch*. IntechOpen. <https://doi.org/10.5772/intechopen.89811>
- O'Donnell, C., Tiwari, B. K., Cullen, P. J., & Rice, R. G. (2012). *Ozone in food processing*. John Wiley & Sons.
- O'Donnell, Colm. P., Tiwari, B. K., Cullen, P. J., & Rice, R. G. (2012). *Ozone in food processing*. Blackwell Pub.
- Pandiselvam, R., Prithviraj, V., Kothakota, A., & Prabha, K. (2022). Ozone Processing of Foods: Methods and Procedures Related to Process Parameters. In *Emerging Food Processing Technologies* (pp. 59–75). Humana. https://doi.org/10.1007/978-1-0716-2136-3_4

- Pate, K., & Safier, P. (2016). Chemical metrology methods for CMP quality. In *Advances in Chemical Mechanical Planarization (CMP)* (pp. 299–325). Elsevier. <https://doi.org/10.1016/B978-0-08-100165-3.00012-7>
- Pate, K., & Safier, P. (2022). Chemical metrology methods for CMP quality. In *Advances in Chemical Mechanical Planarization (CMP)* (pp. 355–383). Elsevier. <https://doi.org/10.1016/B978-0-12-821791-7.00017-4>
- Patel, S. G., & Siddaiah, M. (2018). Formulation and evaluation of effervescent tablets: a review. *Journal of Drug Delivery and Therapeutics*, 8(6), 296–303. <https://doi.org/10.22270/jddt.v8i6.2021>
- Pérez, S., Baldwin, P. M., & Gallant, D. J. (2009). Structural Features of Starch Granules I. In *Starch* (pp. 149–192). Elsevier. <https://doi.org/10.1016/B978-0-12-746275-2.00005-7>
- Pérez, S., & Bertoft, E. (2010). The molecular structures of starch components and their contribution to the architecture of starch granules: A comprehensive review. *Starch - Stärke*, 62(8), 389–420. <https://doi.org/10.1002/star.201000013>
- Picauly, P., Damamain, E., & Polnaya, F. J. (2017). Karakteristik Fisikokimia Dan Fungsional Pati Sagu Ihur Termodifikasi Dengan Heat Moisture Treatment. *Jurnal Teknologi Dan Industri Pangan*, 28(1), 70–77. <https://doi.org/10.6066/jtip.2017.28.1.70>
- Pietrzyk, S., Fortuna, T., Łabanowska, M., Juszczak, L., Gałkowska, D., Bączkowicz, M., & Kurdziel, M. (2018). The effect of amylose content and level of oxidation on the structural changes of acetylated corn starch and generation of free radicals. *Food Chemistry*, 240, 259–267. <https://doi.org/10.1016/j.foodchem.2017.07.125>
- Rachmaselly, A., Setiasih, I. S., Sukarminah, E., & Rialita, T. (2019). Kajian proses ozonasi tepung hanjeli. *Jurnal Teknologi Pangan Dan Hasil Pertanian*, 14(1), 5–10. <https://doi.org/10.26623/jtphp.v13i1.1845>
- Ramírez-García, G., Trapiella-Alfonso, L., d'Orlyé, F., & Varenne, A. (2018). Electrophoretic Methods for Characterizing Nanoparticles and Evaluating Their Bio-interactions for Their Further Use as Diagnostic, Imaging, or Therapeutic Tools. In *Capillary Electromigration Separation Methods* (pp. 397–421). Elsevier. <https://doi.org/10.1016/B978-0-12-809375-7.00019-8>
- Ratnavathi, C. V., & Komala, V. V. (2016). Sorghum Grain Quality. In *Sorghum Biochemistry* (pp. 1–61). Elsevier. <https://doi.org/10.1016/B978-0-12-803157-5.00001-0>
- Raval, N., Maheshwari, R., Kalyane, D., Youngren-Ortiz, S. R., Chougule, M. B., & Tekade, R. K. (2019). Importance of Physicochemical Characterization of Nanoparticles in Pharmaceutical Product Development. In *Basic*

- Fundamentals of Drug Delivery* (pp. 369–400). Elsevier.
<https://doi.org/10.1016/B978-0-12-817909-3.00010-8>
- Rayner, M., Timgren, A., Sjöö, M., & Dejmek, P. (2012). Quinoa starch granules: A candidate for stabilising food-grade Pickering emulsions. *Journal of the Science of Food and Agriculture*, 92(9), 1841–1847. <https://doi.org/10.1002/jsfa.5610>
- Rosiana, N. M., Harmayani, E., & Pranoto, Y. (2021). Perubahan Karakteristik Fisikokimia, Hidrofobisitas Dan Kristalinitas Pada Pati Jagung Varietas Bisi-18 Terasetilasi. *Jurnal Teknologi Pertanian*, 22(2), 101–108.
- Satmalawati, E. M., Pranoto, Y., Marseno, D. W., & Marsono, Y. (2020). Physicochemical properties of ozone-oxidized cassava starch under different slurry concentration. *IOP Conference Series: Earth and Environmental Science*, 443(1), 012007. <https://doi.org/10.1088/1755-1315/443/1/012007>
- Satmalawati, E. M., Pranoto, Y., & Marsono, D. W. (2020). *Oxidation of cassava starch at different dissolved ozone concentration : effect on functional and structural properties*. [https://doi.org/https://doi.org/10.26656/fr.2017.4\(6\).209](https://doi.org/https://doi.org/10.26656/fr.2017.4(6).209)
- Schirmer, M., Höchstötter, A., Jekle, M., Arendt, E., & Becker, T. (2013). Physicochemical and morphological characterization of different starches with variable amylose/amyllopectin ratio. *Food Hydrocolloids*, 32(1), 52–63. <https://doi.org/10.1016/j.foodhyd.2012.11.032>
- Sganzerla, W. G., Rosa, G. B., Ferreira, A. L. A., da Rosa, C. G., Beling, P. C., Xavier, L. O., Hansen, C. M., Ferrareze, J. P., Nunes, M. R., Barreto, P. L. M., & de Lima Veeck, A. P. (2020). Bioactive food packaging based on starch, citric pectin and functionalized with Acca sellowiana waste by-product: Characterization and application in the postharvest conservation of apple. *International Journal of Biological Macromolecules*, 147, 295–303. <https://doi.org/10.1016/j.ijbiomac.2020.01.074>
- Singh, S., Singh, N., Isono, N., & Noda, T. (2010). Relationship of Granule Size Distribution and Amylopectin Structure with Pasting, Thermal, and Retrogradation Properties in Wheat Starch. *Journal of Agricultural and Food Chemistry*, 58(2), 1180–1188. <https://doi.org/10.1021/jf902753f>
- Smith, R. J. (1967). Production and Use of Hypochlorite Oxidized Starches. In R. L. Whistler, E. F. Paschall, & Eds. (Eds.), *In Starch Chemistry and Technology* (pp. 620–625). Academic Press .
- Sondari, D., & Iltizam, I. (2018). Karakteristik Edible Coating Dari Modifikasi Pati Sagu Dengan Metoda Cross Link. *Jurnal Teknologi Industri Pertanian*, 28(3), 286–294. <https://doi.org/10.24961/j.tek.ind.pert.2018.28.3.286>

- Sondari, D., Kusumaningrum, W. B., Akbar, F., Putri, R., Fahmiati, S., Sampora, Y., & Muawanah, A. (2020). Penambahan Fraksi Amilosa Terhadap Sifat Fisik dan Mekanik Edible Film Pati Tapioka. *Jurnal Kimia Dan Kemasan*, 42(2), 74. <https://doi.org/10.24817/jkk.v42i2.6095>
- Soto, D., Urdaneta, J., & Pernia, K. (2014). Characterization of Native and Modified Starches by Potentiometric Titration. *Journal of Applied Chemistry*, 2014, 1–9. <https://doi.org/10.1155/2014/162480>
- Subroto, E., Filianty, F., Indiarto, R., & Andita Shafira, A. (2022). Physicochemical and functional properties of modified adlay starch (*Coix lacryma-jobi*) by microwave and ozonation. *International Journal of Food Properties*, 25(1), 1622–1634. <https://doi.org/10.1080/10942912.2022.2096061>
- Subroto, E., Indiarto, R., Wulandari, E., & Astari, A. P. (2021). Modifikasi Pati Hanjeli (*Coix lacryma-jobi L.*) Berpori Melalui Ultrasonikasi Dan Ozonasi. *Jurnal Teknologi Hasil Pertanian*, 14(2), 117. <https://doi.org/10.20961/jthp.v14i2.54338>
- Subroto, E., Sitha, N., Filianty, F., Indiarto, R., & Sukri, N. (2022). Freeze Moisture Treatment and Ozonation of Adlay Starch (*Coix lacryma-jobi*): Effect on Functional, Pasting, and Physicochemical Properties. *Polymers*, 14(18), 3854. <https://doi.org/10.3390/polym14183854>
- Sudheesh, C., Aaliya, B., & Sunooj, K. V. (2021). Role of Starch in Gluten-Free Breads. In *Gluten-free Bread Technology* (pp. 155–181). Springer International Publishing. https://doi.org/10.1007/978-3-030-73898-3_10
- Sukhija, S., Singh, S., & Riar, C. S. (2016). Effect of oxidation, cross-linking and dual modification on physicochemical, crystallinity, morphological, pasting and thermal characteristics of elephant foot yam (*Amorphophallus paeoniifolius*) starch. *Food Hydrocolloids*, 55, 56–64. <https://doi.org/10.1016/j.foodhyd.2015.11.003>
- Sumardiono, S., Jos, B., Pudjihastuti, I., Yafiz, A. M., Rachmasari, M., & Cahyono, H. (2021). Physicochemical Properties of Sago Ozone Oxidation: The Effect of Reaction Time, Acidity, and Concentration of Starch. *Foods*, 10(6), 1309. <https://doi.org/10.3390/foods10061309>
- Suprihatno, B., Daradjat, A. A., Satoto, Baehaki, S. E., Widiarta, I. N., Setyono, A., Indrasari, S. D., Lesmana, O. S., & Sembiring, hasil. (2009). *Deskripsi Varietas Padi*. Balai Besar Penelitian Tanaman Padi.
- Tanetrungroj, Y., & Prachayawarakorn, J. (2018). Effect of dual modification on properties of biodegradable crosslinked-oxidized starch and oxidized-crosslinked starch films. *International Journal of Biological Macromolecules*, 120, 1240–1246. <https://doi.org/10.1016/j.ijbiomac.2018.08.137>

- Tessema, A., & Admassu, H. (2021). Extraction and characterization of starch from anchote (*Coccinia abyssinica*): physico-chemical, functional, morphological and crystalline properties. *Journal of Food Measurement and Characterization*, 15(4), 3096–3110. <https://doi.org/10.1007/s11694-021-00885-y>
- Timgren, A., Rayner, M., Dejmek, P., Marku, D., & Sjöö, M. (2013). Emulsion stabilizing capacity of intact starch granules modified by heat treatment or octenyl succinic anhydride. *Food Science & Nutrition*, 1(2), 157–171. <https://doi.org/10.1002/fsn3.17>
- USDA. (2014). Classification of Oryza L. In *USDA NRCS National Plant Data*. <https://plants.usda.gov/home/plantProfile?symbol=ORYZA>
- Van Hung, P., Binh, V. T., Nhi, P. H. Y., & Phi, N. T. L. (2020). Effect of heat-moisture treatment of unpolished red rice on its starch properties and in vitro and in vivo digestibility. *International Journal of Biological Macromolecules*, 154, 1–8. <https://doi.org/10.1016/j.ijbiomac.2020.03.071>
- Vanier, N. L., El Halal, S. L. M., Dias, A. R. G., & da Rosa Zavareze, E. (2017a). Molecular structure, functionality and applications of oxidized starches: A review. In *Food Chemistry* (Vol. 221, pp. 1546–1559). Elsevier Ltd. <https://doi.org/10.1016/j.foodchem.2016.10.138>
- Vanier, N. L., El Halal, S. L. M., Dias, A. R. G., & da Rosa Zavareze, E. (2017b). Molecular structure, functionality and applications of oxidized starches: A review. In *Food Chemistry* (Vol. 221, pp. 1546–1559). Elsevier Ltd. <https://doi.org/10.1016/j.foodchem.2016.10.138>
- Verma, D. K., & Srivastav, P. P. (2017). Proximate Composition, Mineral Content and Fatty Acids Analyses of Aromatic and Non-Aromatic Indian Rice. *Rice Science*, 24(1), 21–31. <https://doi.org/10.1016/j.rsci.2016.05.005>
- Veronica, N., Liew, C. V., & Heng, P. W. S. (2022). Impact of Amylose-Amylopectin Ratio of Starches on the Mechanical Strength and Stability of Acetylsalicylic Acid Tablets. *AAPS PharmSciTech*, 23(5), 118. <https://doi.org/10.1208/s12249-022-02266-0>
- Vithu, P., Dash, S. K., Rayaguru, K., Panda, M. K., & Nedunchezhiyan, M. (2020). Optimization of starch isolation process for sweet potato and characterization of the prepared starch. *Journal of Food Measurement and Characterization*, 14(3), 1520–1532. <https://doi.org/10.1007/s11694-020-00401-8>
- Vroman, I., & Tighzert, L. (2009). Biodegradable Polymers. *Materials*, 2(2), 307–344. <https://doi.org/10.3390/ma2020307>
- Wang, M., Fu, Y., Chen, G., Shi, Y., Li, X., Zhang, H., & Shen, Y. (2018). Fabrication and characterization of carboxymethyl chitosan and tea polyphenols coating on zein nanoparticles to encapsulate β-carotene by anti-

- solvent precipitation method. *Food Hydrocolloids*, 77, 577–587. <https://doi.org/10.1016/j.foodhyd.2017.10.036>
- Wang, S., Wang, J., Liu, Y., & Liu, X. (2020). Starch Modification and Application. In *Starch Structure, Functionality and Application in Foods* (pp. 131–149). Springer Singapore. https://doi.org/10.1007/978-981-15-0622-2_8
- Wang, X., Huang, L., Zhang, C., Deng, Y., Xie, P., Liu, L., & Cheng, J. (2020). Research advances in chemical modifications of starch for hydrophobicity and its applications: A review. *Carbohydrate Polymers*, 240, 116292. <https://doi.org/10.1016/j.carbpol.2020.116292>
- Wang, Y.-J., & Wang, L. (2003). Physicochemical properties of common and waxy corn starches oxidized by different levels of sodium hypochlorite. *Carbohydrate Polymers*, 52(3), 207–217. [https://doi.org/https://doi.org/10.1016/S0144-8617\(02\)003041](https://doi.org/https://doi.org/10.1016/S0144-8617(02)003041)
- Wani, A. A., Singh, P., Shah, M. A., Wani, I. A., Götz, A., Schott, M., & Zacherl, C. (2013). Physico-chemical, thermal and rheological properties of starches isolated from newly released rice cultivars grown in Indian temperate climates. *LWT*, 53(1), 176–183. <https://doi.org/10.1016/j.lwt.2013.02.020>
- Wei, X., & Huang, X. (2018). Origin, taxonomy, and phylogenetics of rice. In *Rice: Chemistry and Technology* (pp. 1–29). Elsevier. <https://doi.org/10.1016/B978-0-12-811508-4.00001-0>
- Wing, R. E., & Willett, J. L. (1997). Water soluble oxidized starches by peroxide reactive extrusion. *Industrial Crops and Products*, 7(1), 45–52. [https://doi.org/10.1016/S0926-6690\(97\)00069-1](https://doi.org/10.1016/S0926-6690(97)00069-1)
- Wongsagonsup, R., Shobsngob, S., Oonkhanond, B., & Varavinit, S. (2005). Zeta potential (ζ) and pasting properties of phosphorylated or crosslinked rice starches. *Starch/Stärke*, 57(1), 32–37. <https://doi.org/10.1002/star.200400311>
- Xiao, H. X., Lin, Q. L., Liu, G. Q., & Yu, F. X. (2012). A comparative study of the characteristics of cross-linked, oxidized and dual-modified rice starches. *Molecules*, 17(9), 10946–10957. <https://doi.org/10.3390/molecules170910946>
- Yin, X., Hu, Z., Zheng, Y., Chai, Z., Kong, X., Chen, S., Ye, X., & Tian, J. (2023). Multi-scale structure characterization and in vivo digestion of parboiled rice. *Food Chemistry*, 402, 134502. <https://doi.org/10.1016/j.foodchem.2022.134502>
- Yoo, S., & Jane, J. (2002). Structural and physical characteristics of waxy and other wheat starches. *Carbohydrate Polymers*, 49(3), 297–305. [https://doi.org/10.1016/S0144-8617\(01\)00338-1](https://doi.org/10.1016/S0144-8617(01)00338-1)

- Zamudio-Flores, P. B., Bautista-Baños, S., Salgado-Delgado, R., & Bello-Pérez, L. A. (2009). Effect of oxidation level on the dual modification of banana starch: The mechanical and barrier properties of its films. *Journal of Applied Polymer Science*, 112(2), 822–829. <https://doi.org/10.1002/app.29433>
- Zavareze, E. D. Rosa., Halal, M. E. S. L., De Los Santos, D. G., Helbig, Elizabeth., Pereira, J. Mascarenhas., & Guerra Dias, A. R. (2012). Resistant starch and thermal, morphological and textural properties of heat-moisture treated rice starches with high-, medium- and low-amyllose content. *Starch/Staerke*, 64(1), 45–54. <https://doi.org/10.1002/star.201100080>
- Zhu, F. (2018). Relationships between amylopectin internal molecular structure and physicochemical properties of starch. *Trends in Food Science & Technology*, 78, 234–242. <https://doi.org/10.1016/j.tifs.2018.05.024>
- Zhu, F., & Xie, Q. (2018). Structure and Physicochemical Properties of Starch. In *Physical Modifications of Starch* (pp. 1–14). Springer Singapore. https://doi.org/10.1007/978-981-13-0725-6_1
- Zhu, P., Du, X., Liu, C., Zhao, G., & Wang, M. (2023). Effects of pH during dry-heat preparation on the physicochemical and emulsifying properties of rice starch and whey protein isolate mixtures. *Food Hydrocolloids*, 140, 108614. <https://doi.org/10.1016/j.foodhyd.2023.108614>
- Żołek-Tryznowska, Z., & Kałuża, A. (2021). The Influence of Starch Origin on the Properties of Starch Films: Packaging Performance. *Materials*, 14(5), 1146. <https://doi.org/10.3390/ma14051146>