

## DAFTAR PUSTAKA

- Abd Jalil, M. A., Kasmuri, A. R., & Hadi, H. (2017). Stingless bee honey, the natural wound healer: A review. *Skin Pharmacology and Physiology*, 30(2), 66–75. <https://doi.org/10.1159/000458416>
- Adawiah, A., Sukandar, D., & Muawanah, A. (2015). Aktivitas Antioksidan dan Kandungan Komponen Bioaktif Sari Buah Namnam. *Jurnal Kimia VALENSI*, 1(2), 130–136. <https://doi.org/10.15408/jkv.v0i0.3155>
- Afifah, N. (2010). *Analisis kondisi dan potensi lama fermentasi medium kombucha (teh, kopi, rosella) dalam menghambat pertumbuhan bakteri patogen (Vibrio cholera dan Bacillus cereus)* [Skripsi]. Universitas Islam Negeri.
- Afraz, M. T., Khan, M. R., Roobab, U., Noranizan, M. A., Tiwari, B. K., Rashid, M. T., Inam-ur-Raheem, M., Hashemi, S. M. B., & Aadil, R. M. (2020). Impact of novel processing techniques on the functional properties of egg products and derivatives: A review. *Journal of Food Process Engineering*, 43(12), 1–18. <https://doi.org/10.1111/jfpe.13568>
- Ahmad, M. F. (2019). Ganoderma lucidum: A Macro Fungus with Phytochemicals and Their Pharmacological Properties. In *Plant and Human Health, Volume 2* (pp. 491–515). Springer International Publishing. [https://doi.org/10.1007/978-3-030-03344-6\\_21](https://doi.org/10.1007/978-3-030-03344-6_21)
- Ahmed, R. F., Hikal, M. S., & Abou-Taleb, K. A. (2020). Biological, chemical and antioxidant activities of different types Kombucha. *Annals of Agricultural Sciences*, 65, 35–41. <https://doi.org/10.1016/j.aos.2020.04.001>
- Alderson, H., Liu, C., Mehta, A., Gala, H. S., Mazive, N. R., Chen, Y., Zhang, Y., Wang, S., & Serventi, L. (2021). Sensory profile of kombucha brewed with new zealand ingredients by focus group and word clouds. *Fermentation*, 7, 100. <https://doi.org/10.3390/fermentation7030100>
- Alfaridz, F., & Amalia, R. (2018). Review Jurnal: Klasifikasi dan Aktivitas Farmakologi dari Senyawa Aktif Flavonoid. *Farmaka*, 16(3), 1–9.
- Alqarni, A. S., Owayss, A. A., Mahmoud, A. A., & Hannan, M. A. (2012). Mineral content and physical properties of local and imported honeys in Saudi Arabia. *Journal of Saudi Chemical Society*, 18(5), 618–625.
- Alvarez-Suarez, J. M., Gasparrini, M., Forbes-Hernández, T. Y., Mazzoni, L., & Giampieri, F. (2014). The composition and biological activity of honey: A focus on manuka honey. *Foods*, 3(3), 420–432. <https://doi.org/10.3390/foods3030420>
- Amjadi, S., Armanpour, V., Ghorbani, M., Tabibiazar, M., Soofi, M., & Roufegarinejad, L. (2023). Determination of phenolic composition,

antioxidant activity, and cytotoxicity characteristics of kombucha beverage containing *Echium amoenum*. *Journal of Food Measurement and Characterization*. <https://doi.org/10.1007/s11694-023-01856-1>

- Annisa, A. N., Nuryadi, H., Widayat, & Sofiati, D. A. (2019). Analisis Kadar Etanol dalam Obat Batuk dengan Metode Kromatografi Cair. *Indonesian Journal of Halal*, 2(1), 23–25.
- Antarti, A. N., & Lisnasari, R. (2018). Uji Aktivitas Antioksidan Ekstrak Ethanol Daun Family Solanum Menggunakan Metode Reduksi Radikal Bebas DPPH. *Journal of Pharmaceutical Science and Clinical Research*, 02, 62–69. <https://doi.org/10.20961/jpscr.v3i2.15378>
- AOAC. (1995). Official Methods of Analysis of AOAC International. *Journal of AOAC International*, 78(3).
- Aryal, S., Baniya, M. K., Danekhu, K., Kunwar, P., Gurung, R., & Koirala, N. (2019). Total phenolic content, flavonoid content and antioxidant potential of wild vegetables from western Nepal. *Plants*, 8(4), 1–12. <https://doi.org/10.3390/plants8040096>
- Arza, P. A., & Asmira, S. (2017). Pengaruh Penambahan Labu Kuning (*Cucurbita moschata*) dan Ikan Gabus (*Ophiocephalus striatus*) Terhadap Mutu Organoleptik, Kadar Protein dan Vitamin A Biskuit. *Nutrisains*, 1(1), 1–9.
- Aung, T., & Eun, J. B. (2021). Production and characterization of a novel beverage from laver (*Porphyra dentata*) through fermentation with kombucha consortium. *Food Chemistry*, 350. <https://doi.org/10.1016/j.foodchem.2021.129274>
- Ávila, S., Beux, M. R., Ribani, R. H., & Zambiasi, R. C. (2018). Stingless bee honey: Quality parameters, bioactive compounds, health-promotion properties and modification detection strategies. *Trends in Food Science and Technology*, 81, 37–50. <https://doi.org/10.1016/j.tifs.2018.09.002>
- Ávila, S., Hornung, P. S., Teixeira, G. L., Malunga, L. N., Apea-Bah, F. B., Beux, M. R., Beta, T., & Ribani, R. H. (2019). Bioactive compounds and biological properties of Brazilian stingless bee honey have a strong relationship with the pollen floral origin. *Food Research International*, 123, 1–10. <https://doi.org/10.1016/j.foodres.2019.01.068>
- Ayed, L., Ben Abid, S., & Hamdi, M. (2017). Development of a beverage from red grape juice fermented with the Kombucha consortium. *Annals of Microbiology*, 67, 111–121. <https://doi.org/10.1007/s13213-016-1242-2>
- Ayuratri, M. L., & Kusnadi, J. (2017). AKTIVITAS ANTIBAKTERI KOMBUCHA JAHE (ZINGIBER OFFICINALE) (KAJIAN VARIETAS JAHE DAN KONSENTRASI MADU). *Jurnal Pangan Dan Agroindustri*, 5(3), 95–107.

- Bachmanov, A. A., Bosak, N. P., Floriano, W. B., Inoue, M., Li, X., Lin, C., Murovets, V. O., Reed, D. R., Zolotarev, V. A., & Beauchamp, G. K. (2011). Genetics of sweet taste preferences. *Flavour and Fragrance Journal*, *26*, 286–294. <https://doi.org/10.1002/ffj.2074>
- Batra, P., Sharma, A. K., & Khajuria, R. (2013). Probing Lingzhi or Reishi Medicinal Mushroom *Ganoderma lucidum* (Higher Basidiomycetes): A Bitter Mushroom with Amazing Health Benefits. *Int. J. Med. Mushrooms*, *15*, 127–143.
- Bhargava, H. R., Elakkiya, S., Mathumitha, K., Keerthika, E., Rani, U., & Eswaran, V. U. (2014). Antioxidative Analysis and Antagonistic Activity of Apis and Trigona Propolis Collected from Different Geo Locations. *Iranica Journal of Energy & Environment*, *5*(4), 461–468. <https://doi.org/10.5829/idosi.ijee.2014.05.04.14>
- Bhat, R., Ameran, S. B., Voon, H. C., Karim, A. A., & Tze, L. M. (2011). Quality attributes of starfruit (*Averrhoa carambola* L.) juice treated with ultraviolet radiation. *Food Chemistry*, *127*(2), 641–644. <https://doi.org/10.1016/j.foodchem.2011.01.042>
- Bishop, K. S., Kao, C. H. J., Xu, Y., Glucina, M. P., Paterson, R. R. M., & Ferguson, L. R. (2015). From 2000 years of *Ganoderma lucidum* to recent developments in nutraceuticals. *Phytochemistry*, *114*, 56–65. <https://doi.org/10.1016/j.phytochem.2015.02.015>
- Bishop, P., Pitts, E. R., Budner, D., & Thompson-Witrick, K. A. (2022). Kombucha: Biochemical and microbiological impacts on the chemical and flavor profile. *Food Chemistry Advances*, *1*, 100025. <https://doi.org/10.1016/j.focha.2022.100025>
- Bogdanov, S., Ruoff, K., Livia, P., & Odobb. (2004). Physico-chemical methods for the characterisation of unifloral honeys: a review. *Apidologie*, *35*, S4–S17.
- Boonsong, S., Klaypradit, W., & Wilaipun, P. (2016). Antioxidant activities of extracts from five edible mushrooms using different extractants. *Agriculture and Natural Resources*, *50*(2), 89–97. <https://doi.org/10.1016/j.anres.2015.07.002>
- Braghini, F., Biluca, F. C., Schulz, M., Gonzaga, L. v., Costa, A. C. O., & Fett, R. (2021). Stingless bee honey: a precious but unregulated product - reality and expectations. *Food Reviews International*, 1–31. <https://doi.org/10.1080/87559129.2021.1884875>
- Bulam, S., Üstün, N. Ş., & Pekşen, A. (2019). Health Benefits of *Ganoderma lucidum* as a Medicinal Mushroom. *Turkish Journal of Agriculture - Food Science and Technology*, *7*(sp1), 84–93. <https://doi.org/10.24925/turjaf.v7isp1.84-93.2728>

- Caminiti, I. M., Palgan, I., Muñoz, A., Noci, F., Whyte, P., Morgan, D. J., Cronin, D. A., & Lyng, J. G. (2012). The Effect of Ultraviolet Light on Microbial Inactivation and Quality Attributes of Apple Juice. *Food and Bioprocess Technology*, 5(2), 680–686. <https://doi.org/10.1007/s11947-010-0365-x>
- Candra, A., Prasetyo, B. E., Tarigan, J. B., Zaidar, E., & Hasibuan, A. (2022). PHYTOCHEMICAL AND ANTIOXIDANT ACTIVITY OF SOURSOP (*Annona muricata* L.) LEAVES KOMBUCHA ENRICHED WITH GALACTOMANNAN FROM ENDOSPERM OF *Arenga pinnata*. *Rasayan Journal of Chemistry*, 15(2), 1220–1224. <https://doi.org/10.31788/RJC.2022.1526774>
- Candra, L. M. M., Andayani, Y., & Wirasisya, D. G. (2021). Pengaruh Metode Ekstraksi Terhadap Kandungan Fenolik Total dan Flavonoid Total Pada Ekstrak Etanol Buncis (*Phaseolus vulgaris* L.). *Jurnal Pijar Mipa*, 16(3), 397–405. <https://doi.org/10.29303/jpm.v16i3.2308>
- Chakravorty, S., Bhattacharya, S., Chatzinotas, A., Chakraborty, W., Bhattacharya, D., & Gachhui, R. (2016). Kombucha tea fermentation: Microbial and biochemical dynamics. *International Journal of Food Microbiology*, 220, 63–72. <https://doi.org/10.1016/j.ijfoodmicro.2015.12.015>
- Chen, W. Q., Luo, S. H., Li, H. Z., & Yang, H. (2005). Effects of *Ganoderma lucidum* polysaccharides on serum lipids and lipoperoxidation in experimental hyperlipidemic rats. *J. Chin. Mater. Medica*, 30, 1358–1360.
- Chen, Z. J., Yang, Z. D., & Gu, Z. X. (2010). Determination of volatile flavor compounds in *Ganoderma lucidum* by HS-SPME-GC-MS. *Food Res. Dev.*, 31, 132–135.
- Ciulu, M., Solinas, S., Floris, I., Panzanelli, A., Pilo, M. I., Piu, P. C., Spano, N., & Sanna, G. (2011). RP-HPLC determination of water-soluble vitamins in honey. *Talanta*, 83, 924–929. <https://doi.org/10.1016/j.talanta.2010.10.059>
- Coelho, R. M. D., Almeida, A. L. de, Amaral, R. Q. G. do, Mota, R. N. da, & Sousa, P. H. M. de. (2020). Kombucha: Review. *International Journal of Gastronomy and Food Science*, 22, 1–12. <https://doi.org/10.1016/j.ijgfs.2020.100272>
- Cör, D., Knez, Ž., & Hrnčič, M. K. (2018). Antitumour, antimicrobial, antioxidant and antiacetylcholinesterase effect of *Ganoderma Lucidum* terpenoids and polysaccharides: A review. *Molecules*, 23(3), 1–21. <https://doi.org/10.3390/molecules23030649>
- Costa dos Santos, A., Carina Biluca, F., Brugnerotto, P., Valdemiro Gonzaga, L., Carolina Oliveira Costa, A., & Fett, R. (2022). Brazilian stingless bee honey: Physicochemical properties and aliphatic organic acids content. *Food Research International*, 158, 111561. <https://doi.org/10.1016/j.foodres.2022.111516>

- da Silva, I. A. A., da Silva, T. M. S., Camara, C. A., Queiroz, N., Magnani, M., de Novais, J. S., Soledade, L. E. B., Lima, E. de O., de Souza, A. L., & de Souza, A. G. (2013). Phenolic profile, antioxidant activity and palynological analysis of stingless bee honey from Amazonas, Northern Brazil. *Food Chemistry*, *141*(4), 3552–3558. <https://doi.org/10.1016/j.foodchem.2013.06.072>
- da Silva, P. M., Gauche, C., Gonzaga, L. V., Costa, A. C. O., & Fett, R. (2016). Honey: Chemical composition, stability and authenticity. *Food Chemistry*, *196*, 309–323. <https://doi.org/10.1016/j.foodchem.2015.09.051>
- Dardon, J. M., Maldonado-Aguilera, C., & Enriquez, E. (2013). The-Pot Honey of Guatemala Bees. In V. Patricia, R. M. P. Silvia, & R. David (Eds.), *Pot-Honey: A Legacy of Stingless Bee* (1st ed., pp. 3–17). Springer.
- de Almeida-Muradian, L. B., Stramm, K. M., & Estevinho, L. M. (2014). Efficiency of the FT-IR ATR spectrometry for the prediction of the physicochemical characteristics of *Melipona subnitida* honey and study of the temperature's effect on those properties. *International Journal of Food Science and Technology*, *49*, 188–195. <https://doi.org/10.1111/ijfs.12297>
- de Garmo, E. P., Sullivan, W. G., & Canada, J. R. (1984). *Engineering Economy*. MacMillan Publishing Company.
- de Luna, S. L. R., Ramírez-Garza, R. E., & Saldívar, S. O. S. (2020). Environmentally Friendly Methods for Flavonoid Extraction from Plant Material: Impact of Their Operating Conditions on Yield and Antioxidant Properties. *Hindawi: Scientific World Journal*, *2020*, 1–38. <https://doi.org/10.1155/2020/6792069>
- De Souza, P. M., Briviba, K., Müller, A., Fernández, A., & Stahl, M. (2013). Cytogenotoxic and oxidative effects of a continuous UV-C treatment of liquid egg products. *Food Chemistry*, *138*(2), 1682–1688. <https://doi.org/10.1016/j.foodchem.2012.11.105>
- Dewi, D. P. (2018). Substitusi tepung daun kelor (*Moringa oleifera* L.) pada cookies terhadap sifat fisik, sifat organoleptik, kadar proksimat, dan kadar Fe. *Ilmu Gizi Indonesia*, *01*(02), 104–112.
- Djaeni, M., Ariani, N., Hidayat, R., & Utari, F. D. U. (2017). Ekstraksi Antosianin dari Kelopak Bunga Rosella (*Hibiscus sabdariffa* L.) Berbantu Ultrasonik: Tinjauan Aktivitas Antioksidan. *Jurnal Aplikasi Teknologi Pangan*, *6*(3), 148–151. <https://doi.org/10.17728/jatp.236>
- Duhan, J. S., Kumar, A., & Tanwar, S. K. (2013). Bioethanol production from starchy part of tuberous plant (potato) using *Saccharomyces cerevisiae* MTCC-170. *African Journal of Microbiology Research*, *7*(46), 5253–5260. <https://doi.org/10.5897/ajmr2013.6122>

- Dwiputri, M. C., & Feroniasanti, Y. M. L. (2019). Effect of fermentation to total titrable acids, flavonoid and antioxidant activity of butterfly pea kombucha. *Journal of Physics: Conference Series*, 1241(1), 012014. <https://doi.org/10.1088/1742-6596/1241/1/012014>
- Emmasitah, Raya, I., Usman, A. N., Mauludiyah, I., & Prihartini, A. R. (2020). Uji FTIR dan Uji Fitokimia Dari Madu Trigona Spp. Untuk Persiapan Suplemen Wanita Prakonsepsi. *Jurnal Keperawatan Muhammadiyah*, 5(2), 1–6. <http://journal.um-surabaya.ac.id/index.php/JKM>
- Ettayebi, K., Errachidi, F., Jamai, L., Tahri-Jouti, M. A., Sendide, K., & Ettayebi, M. (2003). Biodegradation of polyphenols with immobilized *Candida tropicalis* under metabolic induction. *FEMS Microbiol. Lett.*, 223, 215–219.
- Fatma, I. I., Haryanti, S., & Suedy, S. W. A. (2017). Uji Kualitas Madu Pada Beberapa Wilayah Budidaya Lebah Madu di Kabupaten Pati. *Jurnal Biologi*, 6(2), 58–65.
- Fibrianto, K., Zubaidah, E., Muliandari, N. A., Wahibah, L. Y., Putri, S. D., Legowo, A. M., & Al-Baarri, A. N. (2020). Antioxidant activity optimisation of young Robusta coffee leaf kombucha by modifying fermentation time and withering pre-treatment. *IOP Conference Series: Earth and Environmental Science*, 475(1), 475. <https://doi.org/10.1088/1755-1315/475/1/012029>
- Fredericks, I. N., du Toit, M., & Krügel, M. (2011). Efficacy of ultraviolet radiation as an alternative technology to inactivate microorganisms in grape juices and wines. *Food Microbiology*, 28, 510–517. <https://doi.org/10.1016/j.fm.2010.10.018>
- Ghobadi, R., Mohammadi, R., Chabavizade, J., & Sami, M. (2018). Effect of *Ganoderma lucidum* Powder on Oxidative Stability, Microbial and Sensory Properties of Emulsion Type Sausage. *Advanced Biomedical Research*, 7(1), 24. <https://doi.org/10.4103/2277-9175.225595>
- Goh, W. N., Rosma, A., Kaur, B., Fazilah, A., Karim, A. A., & Bhat, R. (2012). Fermentation of black tea broth (Kombucha): I. Effects of sucrose concentration and fermentation time on the yield of microbial cellulose. *International Food Research Journal*, 19(1), 109–117.
- Gómez-Caravaca, A. M., Gómez-Romero, M., Arráez-Román, D., Segura-Carretero, A., & Fernández-Gutiérrez, A. (2006). Advances in the analysis of phenolic compounds in products derived from bees. *Journal of Pharmaceutical and Biomedical Analysis*, 41(4), 1220–1234. <https://doi.org/10.1016/j.jpba.2006.03.002>
- Gouma, M., Gayán, E., Raso, J., Condón, S., & Álvarez, I. (2015). Inactivation of spoilage yeasts in apple juice by UV-C light and in combination with mild heat. *Innovative Food Science and Emerging Technologies*, 32, 146–155. <https://doi.org/10.1016/j.ifset.2015.09.008>

- Guerrero-Beltrán, J. A., & Barbosa-Cánovas, G. V. (2006). Inactivation of *Saccharomyces cerevisiae* and Polyphenoloxidase in Mango Nectar Treated with UV Light. *Journal of Food Protection*, *69*(2), 362–368.
- Guinda, Á., Castellano, J. M., Santos-Lozano, J. M., Delgado-Hervás, T., Gutiérrez-Adán, P., & Rada, M. (2015). Determination of major bioactive compounds from olive leaf. *LWT*, *64*(1), 431–438. <https://doi.org/10.1016/j.lwt.2015.05.001>
- Haerudin, A., & Farida, F. F. (2017). Limbah serutan kayu matoa (*Pometia pinnata*) sebagai zat warna alam pada kain batik serat selulosa. *Dinamika Kerajinan Dan Batik*, *34*(1), 43–52.
- Hakim, S. S., Wahyuningtyas, R. S., Rahmanto, B., Halwany, W., & Lestari, F. (2021). Sifat Fisikokimia dan Kandungan Mikronutrien Pada Madu Kelulut (*Heterotrigona itama*) Dengan Warna Berbeda. *Jurnal Penelitian Hasil Hutan*, *39*(1), 1–12. <https://doi.org/10.20886/jphh.2021.39.3.1-12>
- Halim, Y., & Halim, M. (2023). Pemanfaatan Teh Daun Salam Dalam Pembuatan Kombucha. *FaST - Jurnal Sains Dan Teknologi*, *7*(1), 26–39.
- Handayani, R., Tjoa, S. I. P., & Rosa, D. (2021). Karakteristik Fisikokimia Kombucha Daun Pegagan (*Centella asiatica* (L.) Urban) Dengan Penambahan Madu. *FaST - Jurnal Sains Dan Teknologi*, *5*(2), 134–145.
- Hanin, N. N. F., & Pratiwi, R. (2017). Kandungan Fenolik, Flavonoid dan Aktivitas Antioksidan Ekstrak Daun Paku Laut (*Acrostichum aureum* L.) Fertil dan Steril di Kawasan Mangrove Kulon Progo, Yogyakarta. *Journal of Tropical Biodiversity and Biotechnology*, *2*(2), 51–56. <https://doi.org/10.22146/jtbb.29819>
- Hapuarachchi, K. K., Wen, T. C., Jeewon, R., Wu, X. L., Kang, J. C., & Hyde, K. D. (2016). Mycosphere Essays 7. *Ganoderma lucidum* - are the beneficial anti-cancer properties substantiated? *Mycosphere*, *7*(3), 305–332. <https://doi.org/10.5943/mycosphere/7/3/6>
- Hur, S. J., Lee, S. Y., Kim, Y.-C., Choi, I., & Kim, G.-B. (2014). Effect of fermentation on the antioxidant activity in plant-based foods. *Food Chemistry*, *160*, 346–356. <https://doi.org/10.1016/j.foodchem.2014.03.112>
- Ismail, W. I. W., Hussin, N. N., Mazlan, S. N. F., Hussin, N. H., & Radzi, M. N. F. M. (2018). Physicochemical Analysis, Antioxidant and Anti Proliferation Activities of Honey, Propolis and Beebread Harvested from Stingless Bee. *IOP Conference Series: Materials Science and Engineering*, *440*, 440(1), 012048. <https://doi.org/10.1088/1757-899X/440/1/012048>
- Jayabalan, R., Malbaša, R. V., Lončar, E. S., Vitas, J. S., & Sathishkumar, M. (2014). A review on kombucha tea-microbiology, composition, fermentation, beneficial effects, toxicity, and tea fungus. *Comprehensive Reviews in Food*

*Science and Food Safety*, 13, 538–550. <https://doi.org/10.1111/1541-4337.12073>

- Jayabalan, R., Malini, K., Sathishkumar, M., Swaminathan, K., & Yun, S.-E. (2010). Biochemical Characteristics of Tea Fungus Produced During Kombucha Fermentation. *Food Sci. Biotechnol.*, 19(3), 843–847.
- Jayabalan, R., Marimuthu, S., & Swaminathan, K. (2007). Changes in content of organic acids and tea polyphenols during kombucha tea fermentation. *Food Chemistry*, 102(1), 392–398. <https://doi.org/10.1016/j.foodchem.2006.05.032>
- Jayabalan, R., Marimuthu, S., Thangaraj, P., Sathishkumar, M., Binupriya, A. R., Swaminathan, K., & Sei, E. Y. (2008). Preservation of kombucha tea - Effect of temperature on tea components and free radical scavenging properties. *Journal of Agricultural and Food Chemistry*, 56(19), 9064–9071. <https://doi.org/10.1021/jf8020893>
- Jong, S. C., & Birmingham, J. M. (1992). Medicinal Benefits of the Mushroom Ganoderma. In *Advance in Applied Microbiology* (Vol. 37, pp. 101–134). [https://doi.org/10.1016/S0065-2164\(08\)70253-3](https://doi.org/10.1016/S0065-2164(08)70253-3)
- Julika, W. N., Ajit, A., Ismail, N., Aqilah, N., Naila, A., & Sulaiman, A. Z. (2020). Sugar profile and enzymatic analysis of stingless bee honey collected from local market in Malaysia. *IOP Conference Series: Materials Science and Engineering*, 736(6), 736. <https://doi.org/10.1088/1757-899X/736/6/062001>
- Kamra, A., & Bhatt, A. B. (2012). Evaluation of Antimicrobial and Antioxidant Activity of Ganoderma lucidum Extract Against Human Pathogenic Bacteria. *International Journal of Pharmacy and Pharmaceutical Sciences*, 4(2), 359–362.
- Karnia, I., Hamidah, S., & Thamrin, G. A. R. (2019). Pengaruh Masa Simpan Madu Kelulut (Trigona SP) Terhadap Kadar Gula Pereduksi dan Keasaman. *Jurnal Sylva Scientiae*, 02(6), 1094–1099.
- Kek, S. P., Chin, N. L., Yusof, Y. A., Tan, S. W., & Chua, L. S. (2018). Classification of entomological origin of honey based on its physicochemical and antioxidant properties. *International Journal of Food Properties*, 20, S2723–S2738. <https://doi.org/10.1080/10942912.2017.1359185>
- Keklik, N. M., Krishnamurthy, K., & Demirci, A. (2012). Microbial decontamination of food by ultraviolet (UV) and pulsed UV light. In *Microbial Decontamination in the Food Industry: Novel Methods and Applications* (pp. 344–369). Woodhead Publishing Limited. <https://doi.org/10.1533/9780857095756.2.344>
- Khabibi, J., Albayudi, & Ginting, D. J. (2022). Kualitas Madu Dari 3 Spesies Lebah Penghasil Madu. *Jurnal Silva Tropika*, 6(1), 43–50.



- Khamidah, A., & Antarlina, S. S. (2020). Peluang Minuman Kombucha Sebagai Pangan Fungsional. *Jurnal Ilmu-Ilmu Pertanian*, *14*(2), 184–200.
- Khoirunnisa, I., & Sumiwi, S. A. (2019). Review Artikel: Peran Flavonoid Pada Berbagai Aktivitas Farmakologi. *Farmaka*, *17*(2), 131–142.
- Kim, J., & Adhikari, K. (2020). Current trends in kombucha: Marketing perspectives and the need for improved sensory research. *Beverages*, *6*(15), 1–19. <https://doi.org/10.3390/beverages6010015>
- Kim, J. H., Lee, D. H., Lee, S. H., Choi, S. Y., & Lee, J. S. (2004). Effect of *Ganoderma lucidum* on the Quality and Functionality of Korean Traditional Rice Wine, Yakju. *Journal of Bioscience and Bioengineering*, *97*(1), 24–28.
- Kobue-Lekalake, R. I., Taylor, J. R. N., & De Kock, H. L. (2007). Effects of phenolics in sorghum grain on its bitterness, astringency and other sensory properties. *Journal of the Science of Food and Agriculture*, *87*(10), 1940–1948. <https://doi.org/10.1002/jsfa.2940>
- Kumazawa, S., Hamasaka, T., & Nakayama, T. (2004). Antioxidant activity of propolis of various geographic origins. *Food Chemistry*, *84*(3), 329–339. [https://doi.org/10.1016/S0308-8146\(03\)00216-4](https://doi.org/10.1016/S0308-8146(03)00216-4)
- Kuşçu, G., & Öztürk, B. (2020). PHYSICAL, CHEMICAL AND SENSORY PROPERTIES OF FRESH ORANGE JUICE FORTIFIED WITH REISHI (*Ganoderma lucidum*) EXTRACT. *GIDA The Journal Of Food*, *45*(1), 81–91. <https://doi.org/10.15237/gida.gd19125>
- Kustiawan, P. M., Aziz, A., & Yuliawan, V. N. (2022). Antioxidant and Antibacterial Activity of Various Fractions of *Heterotriona itama* Propolis Found in Kutai Kartanegara. *Open Access Macedonian Journal of Medical Sciences*, *10*(A), 531–534. <https://doi.org/10.3889/oamjms.2022.7766>
- Kustiawan, P. M., Zulfa, A. F., Batistuta, M. A., Nur, D., Hanifa, C., & Setiawan, I. M. (2022). Comparative Analysis of Phytochemical, Total Phenolic Content, Antioxidant and Antibacterial Activity of Two Species Stingless Bee Propolis from East Kalimantan. *Malaysian Journal of Medicine and Health Sciences*, *18*(SUPP10), 50–55.
- Lante, A., Tinello, F., & Nicoletto, M. (2016). UV-A light treatment for controlling enzymatic browning of fresh-cut fruits. *Innovative Food Science & Emerging Technologies*, *34*, 141–147. <https://doi.org/10.1016/j.ifset.2015.12.029>
- Laureys, D., Britton, S. J., & De Clippeleer, J. (2020). Kombucha Tea Fermentation: A Review. In *Journal of the American Society of Brewing Chemists* (Vol. 78, Issue 3, pp. 165–174). Taylor and Francis Inc. <https://doi.org/10.1080/03610470.2020.1734150>
- Leal, J. M., Suárez, L. V., Jayabalan, R., Oros, J. H., & Escalante-Aburto, A. (2018). A review on health benefits of kombucha nutritional compounds and

- metabolites. *CYTA - Journal of Food*, 16(1), 390–399. <https://doi.org/10.1080/19476337.2017.1410499>
- Leskosek-Cukalovic, I., Despotovic, S., Lakic, N., Niksic, M., Nedovic, V., & Tesevic, V. (2010). Ganoderma lucidum - Medical mushroom as a raw material for beer with enhanced functional properties. *Food Research International*, 43(9), 2262–2269. <https://doi.org/10.1016/j.foodres.2010.07.014>
- Liang, C., Tian, D., Liu, Y., Li, H., Zhu, J., Li, M., Xin, M., & Xia, J. (2019). Review of the molecular mechanisms of Ganoderma lucidum triterpenoids: Ganoderic acids A, C2, D, F, DM, X and Y. *European Journal of Medicinal Chemistry*, 174, 130–141. <https://doi.org/10.1016/j.ejmech.2019.04.039>
- Lobo, R. O., Dias, F. O., & Shenoy, C. K. (2017). Kombucha for healthy living: evaluation of antioxidant potential and bioactive compounds. *International Food Research Journal*, 24(2), 541–546.
- Lončar, E., Djurić, M., Malbaša, R., Kolarov, L. J., & Klačnja, M. (2006). Influence of working conditions upon Kombucha conducted fermentation of black tea. *Food and Bioprocess Processing*, 84(C3), 186–192. <https://doi.org/10.1205/fbp.04306>
- Machado, T. A. D. G., de Oliveira, M. E. G., Campos, M. I. F., de Assis, P. O. A., de Souza, E. L., Madruga, M. S., Pacheco, M. T. B., Pintado, M. M. E., & Queiroga, R. de C. R. do E. (2017). Impact of honey on quality characteristics of goat yogurt containing probiotic *Lactobacillus acidophilus*. *LWT*, 80, 221–229. <https://doi.org/10.1016/j.lwt.2017.02.013>
- Maeng, J. H., Shahbaz, H. M., Ameer, K., Jo, Y., & Kwon, J. H. (2017). Optimization of Microwave-Assisted Extraction of Bioactive Compounds from *Coriolus versicolor* Mushroom Using Response Surface Methodology: MAE of Bioactive Compounds from Mushroom. *Journal of Food Process Engineering*, 40(2), 1–9. <https://doi.org/10.1111/jfpe.12421>
- Mahardini, O. T., & Yuanita, L. (2021). Efek Metode Pengolahan dan Penyimpanan Terhadap Kadar Senyawa Fenolik dan Aktivitas Antioksidan. *UNESA Journal of Chemistry*, 10(1), 64–78.
- Maitimu, C. V., Legowo, A. M., & Al-Baarri, A. N. (2012). Parameter Keasaman Susu Pasteurisasi dengan Penambahan Ekstrak Daun Aileru (*Wrightia caligria*). *Jurnal Aplikasi Teknologi Pangan*, 1(1), 7–11.
- Malbaša, R., Lončar, E., & Djurić, M. (2008). Comparison of the products of Kombucha fermentation on sucrose and molasses. *Food Chemistry*, 106(3), 1039–1045. <https://doi.org/10.1016/j.foodchem.2007.07.020>

- Malik, A., Edward, F., & Waris, R. (2014). Skrining Fitokimia dan Penetapan Kandungan Flavonoid Total Ekstrak Metanolik Herba Boroco (*Celosia argentea* L.). *Jurnal Fitofarmaka Indonesia*, 1(1), 1–5.
- Mattes, R. D., & DiMeglio, D. (2001). Ethanol perception and ingestion. *Physiology & Behaviour*, 72(1–2), 217–229.
- Mohd, K. S., & Zin, N. B. M. (2020). Chemical and Biological Investigation of Apiculture Products from Stingless Bees *Heterotrigona itama*. *Journal Of Agrobiotechnology*, 11(1), 7–19. <https://doi.org/10.37231/jab.2020.11.1.183>
- Mousavi, S. M., Hashemi, S. A., Zarei, M., Gholami, A., Lai, C. W., Chiang, W. H., Omidifar, N., Bahrani, S., & Mazraedoost, S. (2020). Recent Progress in Chemical Composition, Production, and Pharmaceutical Effects of Kombucha Beverage: A Complementary and Alternative Medicine. *Evidence-Based Complementary and Alternative Medicine*, 2020, 1–14. <https://doi.org/10.1155/2020/4397543>
- Mustar, S., & Ibrahim, N. (2022). A Sweeter Pill to Swallow: A Review of Honey Bees and Honey as a Source of Probiotic and Prebiotic Products. In *Foods* (Vol. 11, Issue 14, pp. 1–17). MDPI. <https://doi.org/10.3390/foods11142102>
- Neffe-Skocińska, K., Sionek, B., Ścibisz, I., & Kołożyn-Krajewska, D. (2017). Acid contents and the effect of fermentation condition of Kombucha tea beverages on physicochemical, microbiological and sensory properties. *CyTA - Journal of Food*, 15(4), 601–607. <https://doi.org/10.1080/19476337.2017.1321588>
- Ngaini, Z., Hussain, H., Kelabo, E. S., Wahi, R., & Farooq, S. (2023). Chemical profiling, biological properties and environmental contaminants of stingless bee honey and propolis. *Journal of Apicultural Research*, 62(1), 131–147. <https://doi.org/10.1080/00218839.2021.1948745>
- Nguyen, A. N. H., Capone, D. L., Johnson, T. E., Jeffery, D. W., Danner, L., & Bastian, S. E. P. (2019). Volatile Composition and Sensory Profiles of a Shiraz Wine Product Made with Pre- And Post-Fermentation Additions of *Ganoderma lucidum* Extract. *Foods*, 8, 538. <https://doi.org/10.3390/foods8110538>
- Ningrum, P., Nazaruddin, & Amaro, M. (2022). Pengaruh Konsentrasi Madu Trigona Terhadap Mutu Yoghurt Ubi Jalar Orange (*Ipomoea batatas* L.). *Pro Food: Jurnal Ilmu Dan Teknologi Pangan*, 8(2), 93–106. <http://www.profood.unram.ac.id/index.php/profood>
- Nofita, D., Sari, S. N., & Mardiah, H. (2020). Penentuan Fenolik Total dan Flavonoid Ekstrak Etanol Kulit Batang Matoa (*Pometia pinnata* J.R& G.Forst) secara Spektrofotometri. *Chimica et Natura Acta*, 8(1), 36–41. <https://doi.org/10.24198/cna.v8.n1.26600>

- Nordin, A., Sainik, N. Q. A. V., Chowdhury, S. R., Saim, A. Bin, & Idrus, R. B. H. (2018). Physicochemical properties of stingless bee honey from around the globe: A comprehensive review. *Journal of Food Composition and Analysis*, 73, 91–102. <https://doi.org/10.1016/j.jfca.2018.06.002>
- Nummer, B. A. (2013). Kombucha Brewing Under the Food and Drug Administration Model Food Code: Risk Analysis and Processing Guidance. *Journal of Environmental Health*, 76(4), 8–11.
- Oliveira, Í. A. C. L. de, Rolim, V. A. de O., Gaspar, R. P. L., Rossini, D. Q., de Souza, R., & Bogsan, C. S. B. (2022). The Technological Perspectives of Kombucha and Its Implications for Production. *Fermentation*, 8, 185. <https://doi.org/10.3390/fermentation8040185>
- Pebiningrum, A., & Kusnadi, J. (2018). Pengaruh Varietas Jahe (*Zingiber officinale*) dan Penambahan Madu Terhadap Aktivitas Antioksidan Minuman Fermentasi Kombucha Jahe. *Journal of Food and Life Sciences*, 1(2), 33–42.
- Phung, L. T., Kitwetcharoen, H., Chamnipa, N., Boonchot, N., Thanonkeo, S., Tippayawat, P., Klanrit, P., Yamada, M., & Thanonkeo, P. (2023). Changes in the chemical compositions and biological properties of kombucha beverages made from black teas and pineapple peels and cores. *Scientific Reports*, 13, 7857. <https://doi.org/10.1038/s41598-023-34954-7>
- Phuyal, N., Jha, P. K., Raturi, P. P., & Rajbhandary, S. (2020). Total Phenolic, Flavonoid Contents, and Antioxidant Activities of Fruit, Seed, and Bark Extracts of *Zanthoxylum armatum* DC. *Scientific World Journal*, 1–7. <https://doi.org/10.1155/2020/8780704>
- Pontes, M., Marques, J. C., & Câmara, J. S. (2007). Screening of volatile composition from Portuguese multifloral honeys using headspace solid-phase microextraction-gas chromatography-quadrupole mass spectrometry. *Talanta*, 74, 91–103. <https://doi.org/10.1016/j.talanta.2007.05.037>
- Prasetyo, M. S., Akbar, A., & Istiqlaliyah, H. (2020). Analisa Heat Transfer Alat Pasteurisasi Susu. *Jurnal Mesin Nusantara*, 3(1), 1–8. <https://doi.org/10.29407/jmn.v3i1.14217>
- Pratiwi, A., & Aryawati, R. (2012). Pengaruh Waktu Fermentasi Terhadap Sifat Fisik dan Kimia pada Pembuatan Minuman Kombucha dari Rumpun Laut *Sargassum* sp. *Maspari Journal*, 4(1), 131–136. [www.whfoods.com](http://www.whfoods.com)
- Priyono, & Riswanto, D. (2021). Studi Kritis Minuman Teh Kombucha: Manfaat Bagi Kesehatan, Kadar Alkohol dan Sertifikasi Halal. *IJMA: International Journal Mathla'ul Anwar of Halal Issues*, 1(1), 9–18.
- Purnami, K. I., Jambe, A. A. G. N. A., & Wisaniyasa, N. W. (2018). Pengaruh Jenis Teh Terhadap Karakteristik Teh Kombucha. *Jurnal ITEPA*, 7(2), 1–10.

- Puspita, W., Sari, D. Y., & Rahman, I. R. (2020). Uji Aktivitas Antioksidan Ekstrak Etanol Daun Buas-Buas (*Premna serratifolia* L.) Asal Kabupaten Melawi Provinsi Kalimantan Barat Dengan Metode DPPH. *Jurnal Insan Farmasi Indonesia*, 3(2), 405–412. <https://doi.org/10.36387/jifi.v3i2.532>
- Putri, R. M. S., & Mardesci, H. (2018). Uji Hedonik Biskuit Cangkang Kerang Samping (*Placuna placenta*) dari Perairan Indragiri Hilir. *Jurnal Teknologi Pertanian*, 7(2), 19–29.
- Ramachandran, S., Fontanille, P., Pandey, A., & Larroche, C. (2006). Gluconic Acid: Properties, Applications and Microbial Production. *Food Technology and Biotechnology*, 44(2), 185–195. <https://www.researchgate.net/publication/228342155>
- Ramly, N. S., Sujanto, I. S. R., Tang, J. Y. H., Ghani, A. A., Alias, N., Bakar, M. F. A., & Ngah, N. (2021). Correlation Between the Color Lightness and Sweetness of Stingless Bee Honey with Its Minerals Content. *Journal of Agrobiotechnology*, 12(2), 88–96. <https://doi.org/10.37231/jab.2021.12.2.250>
- Rezaeizadeh, A., Zuki, A. B. Z., Abdollahi, M., Goh, Y. M., Noordin, M. M., Hamid, M., & Azmi, T. I. (2011). Determination of antioxidant activity in methanolic and chloroformic extracts of *Momordica charantia*. *African Journal of Biotechnology*, 10(24), 4932–4940. <https://doi.org/10.5897/AJB10.1972>
- Riswanto, D., & Rezaldi, F. (2021). Studi Kritis Tingkat Kehalalan Minuman Kombucha. *Jurnal Lentera: Kajian Keagamaan, Keilmuan Dan Teknologi*, 20(2), 207–216. <https://www.antaranews.com/berita>
- Riyanto, E. (2023). *Potensi Madu Murni Heterotrigona itama Sebagai Substitusi Gula Kristal Putih Pada Pembuatan Teh Lemon Dingin* [Skripsi]. Universitas Lampung.
- Rosend, J., Kuldj arv, R., Rosenvald, S., & Paalme, T. (2019). The effects of apple variety, ripening stage, and yeast strain on the volatile composition of apple cider. *Heliyon*, 5(6), e01953. <https://doi.org/10.1016/j.heliyon.2019.e01953>
- Rosita, Handito, D., & Amaro, M. (2021). Pengaruh Konsentrasi Starter SCOBY (Symbiotic Culture of Bacteria and Yeast) Terhadap Mutu Kimia, Mikrobiologi dan Organoleptik Kombucha Sari Apel. *Pro Food (Jurnal Ilmu Dan Teknologi Pangan)*, 7(2), 12–22. <http://www.profood.unram.ac.id/index.php/profood>
- Rukman, M. S., & Haerussana, A. N. E. M. (2023). The effect of different sweeteners on the free radical scavenging activities, alcohol contents, sugar reductions, and hedonic properties of green tea kombucha. *Pharmaceutical Sciences Asia*, 50(1), 51–58. <https://doi.org/10.29090/psa.2023.01.22.340>

- Sa'diyah, L., & Devianti, V. A. (2022). Pengaruh Pasteurisasi Terhadap Kandungan Vitamin C pada Aneka Kombucha Buah Tinggi Vitamin C. *Jurnal Sains Dan Kesehatan*, 4(3), 280–283. <https://doi.org/10.25026/jsk.v4i3.1044>
- Sanodiya, B. S., Thakur, G. S., Baghel, R. K., Prasad, G. B. K. S., & Bisen, P. S. (2009). Ganoderma lucidum: A Potent Pharmacological Macrofungus. *Current Pharmaceutical Biotechnology*, 10, 717–742.
- Santhirasegaram, V., Razali, Z., George, D. S., & Somasundram, C. (2015). Comparison of UV-C treatment and thermal pasteurization on quality of Chokanan mango (*Mangifera indica* L.) juice. *Food and Bioproducts Processing*, 94, 313–321. <https://doi.org/10.1016/j.fbp.2014.03.011>
- Saputra, S. H., Saragih, B., Kusuma, I. W., & Arung, E. T. (2021). Antioxidant and antibacterial screening of honey of *Heterotrogona itama* collected from different meliponiculture areas in East Kalimantan, Indonesia. *Nusantara Bioscience*, 13(2), 232–237. <https://doi.org/10.13057/nusbiosci/n130213>
- Sari, A. K., & Ayuchecaria, N. (2017). Penetapan Kadar Fenolik Total dan Flavonoid Total Ekstrak Beras Hitam (*Oryza sativa* L.) dari Kalimantan Selatan. *Jurnal Ilmiah Ibnu Sina*, 2(2), 327–335.
- Satriyani, D. P. P. (2021). REVIEW ARTIKEL: AKTIVITAS ANTIOKSIDAN EKSTRAK DAUN KELOR (*Moringa oleifera* Lam.). *Jurnal Farmasi Malahayati*, 4(1), 31–43.
- Se, K. W., Ghoshal, S. K., Wahab, R. A., Ibrahim, R. K. R., & Lani, M. N. (2018). A simple approach for rapid detection and quantification of adulterants in stingless bees (*Heterotrigona itama*) honey. *Food Research International*, 105, 453–460. <https://doi.org/10.1016/j.foodres.2017.11.012>
- Shahbazi, H., Hashemi Gahrue, H., Golmakani, M. T., Eskandari, M. H., & Movahedi, M. (2018). Effect of medicinal plant type and concentration on physicochemical, antioxidant, antimicrobial, and sensorial properties of kombucha. *Food Science and Nutrition*, 6, 2568–2577. <https://doi.org/10.1002/fsn3.873>
- Shamsudin, S., Selamat, J., Abdul Shomad, M., Ab Aziz, M. F., & Haque Akanda, M. J. (2022). Antioxidant Properties and Characterization of *Heterotrigona itama* Honey from Various Botanical Origins according to Their Polyphenol Compounds. *Journal of Food Quality*, 2022. <https://doi.org/10.1155/2022/2893401>
- Shamsudin, S., Selamat, J., Sanny, M., Bahari, A. R. S., Jambari, N. N., & Khatib, A. (2019). A comparative characterization of physicochemical and antioxidants properties of processed *Heterotrigona itama* honey from different origins and classification by chemometrics analysis. *Molecules*, 24, 3898. <https://doi.org/10.3390/molecules24213898>

- Sheikha, A. F. El. (2022). Nutritional Profile and Health Benefits of *Ganoderma lucidum* “Lingzhi, Reishi, or Mannentake” as Functional Foods: Current Scenario and Future Perspectives. *Foods*, 11(7). <https://doi.org/10.3390/foods11071030>
- Siebert, K. J. (1999). Modeling the flavor thresholds of organic acids in beer as a function of their molecular properties. *Food Quality and Preference*, 10(2), 129–137.
- Sievers, M., Lanini, C., Weber, A., Ursula, S., & Teuber, M. (1995). Microbiology and Fermentation Balance in a Kombucha Beverage Obtained from a Tea Fungus Fermentation. *System Appl Microbiol*, 18, 590–594.
- Simanjuntak, D. H., Herpandi, & Lestari, S. D. (2016). Karakteristik Kimia dan Aktivitas Antioksidan Kombucha dari Tumbuhan Apu-apu (*Pistia stratiotes*) Selama Fermentasi. *Fishtech - Jurnal Teknologi Hasil Perikanan*, 5(2), 123–133.
- Siwulski, M., Sobieralski, K., Golak-Siwulska, I., Sokół, S., & Sękara, A. (2015). *Ganoderma lucidum* (Curt.: Fr.) Karst. – health-promoting properties. A review. *Herba Polonica*, 61(3), 105–118. <https://doi.org/10.1515/hepo-2015-0026>
- Soibam, H., Ayam, V. S., & Chakraborty, I. (2017). Preparation and Evaluation of Wine from Sugarcane and Beet Juice. *Advances in BioResearch*, 8(4), 216–219. <https://doi.org/10.15515/abr.0976-4585.8.4.216219>
- Souza, B. A., Roubik, D. W., Barth, O., Heard, T., Enríquez, E., Carvalho, C., Villas-Bôas, J., Marchini, L., Locatelli, J., Persano-oddo, L., Almeida-muradian, L., & Vit, P. (2006). Composition of Stingless Bee Honey: Setting Quality Standard. *Interciência*, 31(12), 867–875. <http://br.groups>.
- Spedding, G. (2015). *So What is Kombucha? An Alcoholic or a Non-Alcoholic Beverage? A Brief Selected Literature Review and Personal Reflection*. [www.alcbevtesting.com](http://www.alcbevtesting.com).
- Suhardini, P. N., & Zubaidah, E. (2016). Studi Aktivitas Antioksidan Kombucha dari Berbagai Jenis Daun Selama Fermentasi. *Jurnal Pangan Dan Agroindustri*, 4(1), 221–229.
- Sulaiman, C. T., Sadashiva, C. T., George, S., Goplakrishnan, V. K., & Balachandran, I. (2013). Chromatographic Studies and in vitro Screening for Acetyl Cholinesterase Inhibition and Antioxidant Activity of three Acacia Species from South India. *Analytical Chemistry Letters*, 3(2), 111–118. <https://doi.org/10.1080/22297928.2013.806405>
- Sun, T. Y., Li, J. S., & Chen, C. (2015). Effects of blending wheatgrass juice on enhancing phenolic compounds and antioxidant activities of traditional

- kombucha beverage. *Journal of Food and Drug Analysis*, 23, 709–718. <https://doi.org/10.1016/j.jfda.2015.01.009>
- Syafrizal, Ramadhan, R., Kusuma, I. W., Egra, S., Shimizu, K., Kanzaki, M., & Arung, E. T. (2020). Diversity and honey properties of stingless bees from meliponiculture in east and north kalimantan, indonesia. *Biodiversitas*, 21(10), 4623–4630. <https://doi.org/10.13057/biodiv/d211021>
- Tanticharakunsiri, W., Mangmool, S., Wongsariya, K., & Ochaikul, D. (2021). Characteristics and upregulation of antioxidant enzymes of kitchen mint and oolong tea kombucha beverages. *Journal of Food Biochemistry*, 45(1). <https://doi.org/10.1111/jfbc.13574>
- Tran, T., Grandvalet, C., Verdier, F., Martin, A., Alexandre, H., & Tourdot-Maréchal, R. (2020). Microbiological and technological parameters impacting the chemical composition and sensory quality of kombucha. *Comprehensive Reviews in Food Science and Food Safety*, 19(4), 2050–2070. <https://doi.org/10.1111/1541-4337.12574>
- Tremarin, A., Brandão, T. R. S., & Silva, C. L. M. (2017). Application of ultraviolet radiation and ultrasound treatments for Alicyclobacillus acidoterrestris spores inactivation in apple juice. *LWT - Food Science and Technology*, 78, 138–142. <https://doi.org/10.1016/j.lwt.2016.12.039>
- Ullah, A., Munir, S., Badshah, S. L., Khan, N., Ghani, L., Poulson, B. G., Emwas, A. H., & Jaremko, M. (2020). Important flavonoids and their role as a therapeutic agent. *Molecules*, 25(22), 1–39. <https://doi.org/10.3390/molecules25225243>
- Veljović, S., Nikićević, N., & Nikšić, M. (2019). Medicinal fungus Ganoderma lucidum as raw material for alcohol beverage production. In A. M. Grumezescu & A. M. Holban (Eds.), *Alcoholic Beverages* (pp. 161–197). Woodhead Publishing. <https://doi.org/10.1016/B978-0-12-815269-0.00006-4>
- Villarreal-Soto, S. A., Beaufort, S., Bouajila, J., Souchard, J. P., & Taillandier, P. (2018). Understanding Kombucha Tea Fermentation: A Review. In *Journal of Food Science* (Vol. 83, Issue 3, pp. 580–588). Blackwell Publishing Inc. <https://doi.org/10.1111/1750-3841.14068>
- Wang, B., Rutherford-Markwick, K., Zhang, X. X., & Mutukumira, A. N. (2022). Kombucha: Production and Microbiological Research. *Foods*, 11, 3456. <https://doi.org/10.3390/foods11213456>
- Watawana, M. I., Jayawardena, N., & Waisundara, V. Y. (2015). Enhancement of the Functional Properties of Coffee Through Fermentation by “Tea Fungus” (Kombucha). *Journal of Food Processing and Preservation*, 39, 2596–2603. <https://doi.org/10.1111/jfpp.12509>



- Wei, J., Wang, S., Zhang, Y., Yuan, Y., & Yue, T. (2019). Characterization and screening of non-Saccharomyces yeasts used to produce fragrant cider. *LWT*, *107*, 191–198. <https://doi.org/10.1016/j.lwt.2019.03.028>
- Wong, P., Ling, H. S., Chung, K. C., Yau, T. M. S., & Gindi, S. R. A. (2019). Chemical Analysis on the Honey of *Heterotrigena itama* and *Tetrigona binghami* from Sarawak, Malaysia. *Sains Malaysiana*, *48*(8), 1635–1642. <https://doi.org/10.17576/jsm-2019-4808-09>
- Yang, Y., Shen, H., Tian, Y., You, Z., & Guo, Y. (2019). Effect of thermal pasteurization and ultraviolet treatment on the quality parameters of not-from-concentrate apple juice from different varieties. *CyTA - Journal of Food*, *17*(1), 189–198. <https://doi.org/10.1080/19476337.2019.1569725>
- Yegenoglu, H., Aslim, B., & Oke, F. (2011). Comparison of Antioxidant Capacities of *Ganoderma lucidum* (Curtis) P. Karst and *Funalia trogii* (Berk.) Bondartsev & Singer by Using Different In Vitro Methods. *Journal of Medicinal Food*, *14*(5), 512–516.
- Zou, C., Li, R. Y., Chen, J. X., Wang, F., Gao, Y., Fu, Y. Q., Xu, Y. Q., & Yin, J. F. (2021). Zijuan tea- based kombucha: Physicochemical, sensorial, and antioxidant profile. *Food Chemistry*, *363*, 130322. <https://doi.org/10.1016/j.foodchem.2021.130322>