

## DAFTAR PUSTAKA

- Abt, E., Fong Sam, J., Gray, P., & Robin, L. P. (2018). Cadmium and lead in cocoa powder and chocolate products in the US Market. *Food Additives & Contaminants: Part B*, 11(2), 92–102. <https://doi.org/10.1080/19393210.2017.1420700>
- Afoakwa, E. O., Quao, J., Takrama, J., Budu, A. S., & Saalia, F. K. (2013). Chemical composition and physical quality characteristics of Ghanaian cocoa beans as affected by pulp pre-conditioning and fermentation. *Journal of Food Science and Technology*, 50(6), 1097–1105. <https://doi.org/10.1007/s13197-011-0446-5>
- Agus, B. A. P., Mohamad, N. N., & Hussain, N. (2018). Composition of unfermented, unroasted, roasted cocoa beans and cocoa shells from Peninsular Malaysia. *Journal of Food Measurement and Characterization*, 12(4), 2581–2589. <https://doi.org/10.1007/s11694-018-9875-4>
- Agustina, T. (2014). Kontaminasi Logam Berat Pada Makanan Dan Dampaknya Pada Kesehatan. *Teknobuga*, 1(1), 53–65. <https://doi.org/10.1529/jtbb.v1i1.6405>
- Al-Khayri, J. M., Asghar, W., Akhtar, A., Ayub, H., Aslam, I., Khalid, N., Al-Mssallem, M. Q., Alessa, F. M., Ghazzawy, H. S., & Attimarad, M. (2022). Anthocyanin Delivery Systems: A Critical Review of Recent Research Findings. *Applied Sciences*, 12(23). <https://doi.org/10.3390/app122312347>
- Aladić, K., Jokić, S., Pavlović, N., & Miškulin, M. (2019). Cocoa Bean Shell – a Promising By-Product Rich in Bioactive Compounds. *Food in Health and Disease*, 8(2), 116–122.
- Amerine, M. A., Roessler, E. B., & Ough, C. S. (1965). Acids and the Acid Taste. I. The Effect of pH and Titratable Acidity. *American Journal of Enology and Viticulture*, 16(1), 29–37. <https://doi.org/10.5344/ajev.1965.16.1.29>
- Andrés-Bello, A., Barreto-Palacios, V., García-Segovia, P., Mir-Bel, J., & Martínez-Monzó, J. (2013). Effect of pH on Color and Texture of Food Products. *Food Engineering Reviews*, 5(3), 158–170. <https://doi.org/10.1007/s12393-013-9067-2>
- Anshori, M. F. (2014). Analisis Keragaman morfologi koleksi tanaman kopi arabika dan robusta Balai Penelitian Tanaman Industri dan Penyegar Sukabumi. *Fakultas Pertanian. Institut Pertanian Bogor*.
- Aprotosoaie, A. C., Luca, S. V., & Miron, A. (2016). Flavor Chemistry of Cocoa and Cocoa Products-An Overview. *Comprehensive Reviews in Food Science*

- and Food Safety*, 15(1), 73–91. <https://doi.org/10.1111/1541-4337.12180>
- Arifin, B., & Ibrahim, S. (2018). Struktur, Bioaktivitas Dan Antioksidan Flavonoid. *Jurnal Zarah*, 6(1), 21–29. <https://doi.org/10.31629/zarah.v6i1.313>
- Ariva, A. N., Widyasanti, A., & Nurjanah, S. (2020). Pengaruh Suhu Pengeringan Terhadap Mutu Teh Cascara dari Kulit Kopi Arabika (*Coffea arabica*). *Jurnal Teknologi Dan Industri Pertanian Indonesia*, 12(1), 21–28. <https://doi.org/10.17969/jtipi.v12i1.15744>
- Ariyanti, M., & Suprapti. (2016). Cemaran Mikrobiologis Biji Kakao Asal Sulawesi Barat Dan. *Jurnal Standardisasi*, 18(1), 53–62.
- Arpi, N., Muzaifa, M., Sulaiman, M. I., Andini, R., & Kesuma, S. I. (2021). Chemical Characteristics of Cascara, Coffee Cherry Tea, Made of Various Coffee Pulp Treatments. *IOP Conference Series: Earth and Environmental Science*, 709(1). <https://doi.org/10.1088/1755-1315/709/1/012030>
- Arya, S. S., Venkatram, R., More, P. R., & Vijayan, P. (2022). The wastes of coffee bean processing for utilization in food: a review. *Journal of Food Science and Technology*, 59(2), 429–444. <https://doi.org/10.1007/s13197-021-05032-5>
- Assa, A., Noor, A., Yunus, M. R., Misnawi, & Djide, M. N. (2018). Heavy metal concentrations in cocoa beans (*Theobroma cacao L.*) originating from East Luwu, South Sulawesi, Indonesia. *Journal of Physics: Conference Series*, 979(1). <https://doi.org/10.1088/1742-6596/979/1/012011>
- Awe, F. B., Fagbemi, T. N., Ifesan, B. O. T., & Badejo, A. A. (2013). Antioxidant properties of cold and hot water extracts of cocoa, Hibiscus flower extract, and ginger beverage blends. *Food Research International*, 52(2), 490–495.
- Azah, N. I., Muchtarichie, R., & Iskandar, Y. (2020). Standardization parameters for cocoa pods (*Theobroma cacao L.*). *Jurnal Ilmiah Farmasi*, 16(2), 182–195. <https://doi.org/10.20885/jif.vol16.iss2.art9>
- Azizah, D. N., Kumolowati, E., & Faramayuda, F. (2014). PENETAPAN KADAR FLAVONOID METODE AlCl<sub>3</sub> PADA EKSTRAK METANOL KULIT BUAH KAKAO (*Theobroma cacao L.*). *Kartika Jurnal Ilmiah Farmasi*, 2(2), 45–49. <https://doi.org/10.26874/kjif.v2i2.14>
- Bakantiche, D. I., & Momade, Z. (2022). Production and Characterisation of Pectin from Cocoa Bean Shells. *International Journal of Advanced Research*, 5(1), 161–173. <https://doi.org/10.37284/ijar.5.1.979>
- Barbosa-pereira, L. (2018). *Pulsed Electric Field Assisted Extraction of Bioactive Compounds from Cocoa Bean Shell and Coffee Silverskin*.
- Barbosa-Pereira, L., Rojo-Poveda, O., Ferrocino, I., Giordano, M., & Zeppa, G.

- (2019a). Analytical dataset on volatile compounds of cocoa bean shells from different cultivars and geographical origins. *Data in Brief*, 25, 104268. <https://doi.org/10.1016/j.dib.2019.104268>
- Barbosa-Pereira, L., Rojo-Poveda, O., Ferrocino, I., Giordano, M., & Zeppa, G. (2019b). Assessment of volatile fingerprint by HS-SPME/GC-qMS and E-nose for the classification of cocoa bean shells using chemometrics. *Food Research International*, 123(February), 684–696. <https://doi.org/10.1016/j.foodres.2019.05.041>
- Bastos, S. (2021). pH's influence on microbial growth. *International Scholars Journals*, 15(2), 1.
- Bayliak, M. M., Burdyliuk, N. I., & Lushchak, V. I. (2016). Effects of pH on antioxidant and prooxidant properties of common medicinal herbs. *Open Life Sciences*, 11(1), 298–307. <https://doi.org/doi:10.1515/biol-2016-0040>
- Beconcini, D., Felice, F., Fabiano, A., Sarmento, B., Zambito, Y., & Di Stefano, R. (2020). Antioxidant and anti-inflammatory properties of cherry extract: nanosystems-based strategies to improve endothelial function and intestinal absorption. *Foods*, 9(2), 207.
- Belwal, T., Cravotto, C., Ramola, S., Thakur, M., Chemat, F., & Cravotto, G. (2022). Bioactive Compounds from Cocoa Husk: Extraction, Analysis and Applications in Food Production Chain. *Foods*, 11(6), 1–13. <https://doi.org/10.3390/foods11060798>
- Bonvehí, J. Serra, & Isal, D. G. (2000). Evaluation of  $\gamma$ -irradiation in cocoa husk. *Journal of Agricultural and Food Chemistry*, 48(6), 2489–2494. <https://doi.org/10.1021/jf9904463>
- Bonvehí, Josep Serra, & Jordà, R. E. (1998). Constituents of Cocoa Husk. *Zeitschrift Für Naturforschung C*, 53(9–10), 785–792. <https://doi.org/doi:10.1515/znc-1998-9-1002>
- Badan Pengawas Obat dan Makanan Republik Indonesia No. 5 Tahun 2018 Tentang Batas Maksimal Cemaran Logam Berat dalam Pangan Olahan, 11 Badan Pengawas Obat dan Makanan Republik Indonesia 1 (2018).
- Peraturan Badan Pengawas Obat Dan Makanan Nomor 34 Tahun 2019 Tentang Kategori Pangan, Badan Pengawas Obat dan Makanan Republik Indonesia 1 (2019).
- Peraturan Badan Pengawas Obat dan Makanan Republik Indonesia No 13 Tahun 2019 tentang Batas Maksimal Cemaran Mikroba dalam Pangan Olahan, (2019).
- Brunerová, A., Haryanto, A., Hasanudin, U., Iryani, D., Telaumbanua, M., &

- Herak, D. (2019). Sustainable management of coffee fruit waste biomass in ecological farming systems at West Lampung, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 345, 12007. <https://doi.org/10.1088/1755-1315/345/1/012007>
- SNI 01-2896-1998 tentang Cara Uji Cemaran Logam dalam Makanan, 1 (1998).
- SNI 7387:2009 tentang Batas Maksimum Cemaran Logam Berat dalam Pangan, 1 (2009). [https://sertifikasibbia.com/upload/logam\\_berat.pdf](https://sertifikasibbia.com/upload/logam_berat.pdf)
- Buck, N., Wohlt, D., Winter, A. R., & Ortner, E. (2021). Aroma-Active Compounds in Robusta Coffee Pulp Puree—Evaluation of Physicochemical and Sensory Properties. *Molecules*, 26(13). <https://doi.org/10.3390/molecules26133925>
- Cantele, C., Rojo-Poveda, O., Bertolino, M., Ghirardello, D., Cardenia, V., Barbosa-Pereira, L., & Zeppa, G. (2020a). In vitro bioaccessibility and functional properties of phenolic compounds from enriched beverages based on cocoa bean shell. *Foods*, 9(6). <https://doi.org/10.3390/FOODS9060715>
- Cantele, C., Rojo-Poveda, O., Bertolino, M., Ghirardello, D., Cardenia, V., Barbosa-Pereira, L., & Zeppa, G. (2020b). In Vitro Bioaccessibility and Functional Properties of Phenolic Compounds from Enriched Beverages Based on Cocoa Bean Shell. In *Foods* (Vol. 9, Issue 6). <https://doi.org/10.3390/foods9060715>
- Cao, H., Saroglu, O., Karadag, A., Diaconeasa, Z., Zoccatelli, G., Conte-Junior, C. A., Gonzalez-Aguilar, G. A., Ou, J., Bai, W., Zamarioli, C. M., de Freitas, L. A. P., Shpigelman, A., Campelo, P. H., Capanoglu, E., Hii, C. L., Jafari, S. M., Qi, Y., Liao, P., Wang, M., ... Xiao, J. (2021). Available technologies on improving the stability of polyphenols in food processing. *Food Frontiers*, 2(2), 109–139. <https://doi.org/10.1002/fft2.65>
- Castiglioni, S., Damiani, E., Astolfi, P., & Carloni, P. (2015). Influence of steeping conditions (time, temperature, and particle size) on antioxidant properties and sensory attributes of some white and green teas. *International Journal of Food Sciences and Nutrition*, 66(5), 491–497. <https://doi.org/10.3109/09637486.2015.1042842>
- Chatterjee, G., De Neve, J., Dutta, A., & Das, S. (2015). Formulation and statistical evaluation of a ready-to-drink whey based orange beverage and its storage stability. *Revista Mexicana de Ingeniera Quimica*, 14(2), 253–264.
- Chetschik, I., Kneubühl, M., Chatelain, K., Schlüter, A., Bernath, K., & Hühn, T. (2018). Investigations on the Aroma of Cocoa Pulp (*Theobroma cacao* L.) and Its Influence on the Odor of Fermented Cocoa Beans. *Journal of Agricultural and Food Chemistry*, 66(10), 2467–2472. <https://doi.org/10.1021/acs.jafc.6b05008>

- Civille, G. V., & Carr, B. T. (2015). *Sensory evaluation techniques*. CRC Press.
- Copetti, M. V., Iamanaka, B. T., Pitt, J. I., & Taniwaki, M. H. (2014). Fungi and mycotoxins in cocoa: From farm to chocolate. *International Journal of Food Microbiology*, 178, 13–20. <https://doi.org/10.1016/j.ijfoodmicro.2014.02.023>
- Copetti, M. V., Iamanaka, B. T., Mororó, R. C., Pereira, J. L., Frisvad, J. C., & Taniwaki, M. H. (2012). The effect of cocoa fermentation and weak organic acids on growth and ochratoxin A production by Aspergillus species. *International Journal of Food Microbiology*, 155(3), 158–164. <https://doi.org/https://doi.org/10.1016/j.ijfoodmicro.2012.01.026>
- Cory, H., Passarelli, S., Szeto, J., Tamez, M., & Mattei, J. (2018). The Role of Polyphenols in Human Health and Food Systems: A Mini-Review. *Frontiers in Nutrition*, 5. <https://doi.org/10.3389/fnut.2018.00087>
- Criado, C., Muñoz-González, C., Mora, M., Fernández-Ruiz, V., Chaya, C., & Pozo-Bayón, M. A. (2022). Understanding If Differences in Salivary Flow Rate and Total Protein Content Triggered by Biological Factors (Sex and Age) Affect Aroma Perception and the Hedonic and Emotional Response of Wine Consumers. *Foods*, 11(19). <https://doi.org/10.3390/foods11193104>
- Cui, Y., Liu, J., Han, S., Li, P., Luo, D., & Guo, J. (2022). Physical Stability of Chestnut Lily Beverages (CLB): Effects of Shear Homogenization on Beverage Rheological Behavior, Particle Size, and Sensory Properties. *Foods*, 11(20). <https://doi.org/10.3390/foods11203188>
- da Silveira, T. F. F., Meinhart, A. D., Ballus, C. A., & Godoy, H. T. (2014). The effect of the duration of infusion, temperature, and water volume on the rutin content in the preparation of mate tea beverages: An optimization study. *Food Research International*, 60, 241–245. <https://doi.org/10.1016/j.foodres.2013.09.024>
- Damat, D., Anggriani, R., Setyobudi, R. H., & Soni, P. (2019). *Dietary fiber and antioxidant activity of gluten-free cookies with coffee cherry flour addition*.
- de Melo Pereira, G. V., de Carvalho Neto, D. P., Magalhães Júnior, A. I., do Prado, F. G., Pagnoncelli, M. G. B., Karp, S. G., & Soccol, C. R. (2020). Chemical composition and health properties of coffee and coffee by-products. In *Advances in Food and Nutrition Research* (1st ed., Vol. 91). Elsevier Inc. <https://doi.org/10.1016/bs.afnr.2019.10.002>
- Delgado, S. R., Arbelaez, A. F. A., & Rojano, B. (2019). ANTIOXIDANT CAPACITY, BIOACTIVE COMPOUNDS IN COFFEE PULP AND IMPLEMENTATION IN THE PRODUCTION OF INFUSIONS. *Food Actapol*.

- Depeursinge, A., Racoceanu, D., Iavindrasana, J., Cohen, G., Platon, A., Poletti, P.-A., & Müller, H. (2010). Fusing visual and clinical information for lung tissue classification in high-resolution computed tomography. *Artificial Intelligence in Medicine*, 50(1), 13–21. <https://doi.org/https://doi.org/10.1016/j.artmed.2010.04.006>
- Dewi, I. G. A. M., Ganda Putra, G. P., & Wrasiati, L. P. (2021). Karakteristik Ekstrak Kulit Biji Kakao (*Theobroma cacao L.*) sebagai Sumber Antioksidan pada Perlakuan Suhu dan Waktu Maserasi. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 9(1), 1. <https://doi.org/10.24843/jrma.2021.v09.i01.p01>
- Dhurhania, C. E., & Novianto, A. (2019). Uji Kandungan Fenolik Total dan Pengaruhnya terhadap Aktivitas Antioksidan dari Berbagai Bentuk Sediaan Sarang Semut (*Myrmecodia pendens*). *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 5(2), 62. <https://doi.org/10.20473/jfiki.v5i22018.62-68>
- Dorsey, B. M., & Jones, M. A. (2017). Chapter 2 - Healthy components of coffee processing by-products. In C. M. Galanakis (Ed.), *Handbook of Coffee Processing By-Products* (pp. 27–62). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-811290-8.00002-5>
- Dos Anjos Lopes, S. M., Martins, M. V., de Souza, V. B., & Tulini, F. L. (2021). Evaluation of the Nutritional Composition of Cocoa Bean Shell Waste (*Theobroma cacao*) and Application in the Production of a Phenolic-rich Iced Tea. *Journal of Culinary Science & Technology*, 1–11. <https://doi.org/10.1080/15428052.2021.2016531>
- Drewnowski, A., & Gomez-Carneros, C. (2000). Bitter taste, phytonutrients, and the consumer: A review. *American Journal of Clinical Nutrition*, 72(6), 1424–1435. <https://doi.org/10.1093/ajcn/72.6.1424>
- Dubey, K. K., Janve, M., Ray, A., & Singhal, R. S. (2020). Chapter 4 - Ready-to-Drink Tea. In C. M. Galanakis (Ed.), *Trends in Non-alcoholic Beverages* (pp. 101–140). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-816938-4.00004-5>
- Eckhardt, S., Franke, H., Schwarz, S., & Lachenmeier, D. W. (2022). Risk Assessment of Coffee Cherry (Cascara) Fruit Products for Flour Replacement and Other Alternative Food Uses. *Molecules*, 27(23). <https://doi.org/10.3390/molecules27238435>
- Elwers, S., Zambrano, A., Rohsius, C., & Lieberei, R. (2009). Differences between the content of phenolic compounds in Criollo, Forastero and Trinitario cocoa seed (*Theobroma cacao L.*). *European Food Research and Technology*, 229(6), 937–948. <https://doi.org/10.1007/s00217-009-1132-y>
- Esquivel, P., & Jiménez, V. M. (2012). Functional properties of coffee and coffee

- by-products. *Food Research International*, 46(2), 488–495. <https://doi.org/10.1016/j.foodres.2011.05.028>
- Esquivel, P., Viñas, M., Steingass, C. B., Gruschwitz, M., Guevara, E., Carle, R., Schweiggert, R. M., & Jiménez, V. M. (2020). Coffee (*Coffea arabica L.*) by-Products as a Source of Carotenoids and Phenolic Compounds—Evaluation of Varieties With Different Peel Color. *Frontiers in Sustainable Food Systems*, 4(October), 1–13. <https://doi.org/10.3389/fsufs.2020.590597>
- Farakte, R. A., Yadav, G., Joshi, B., Patwadhan, A. W., & Singh, G. (2016). *Role of Particle Size in Tea Infusion Process*. 12(1), 1–16. <https://doi.org/doi:10.1515/ijfe-2015-0213>
- Fasya, S., & Mardhatilah, D. (2018). Jurnal Agro Tekno SE. Volume 9 No.1 Tahun 2018. *Jurnal Agro Tekno SE*, 9(1), 30–37.
- Feng, S., Xiang, S., Bian, X., & Li, G. (2020). Quantitative analysis of total acidity in aqueous lactic acid solutions by direct potentiometric titration. *Microchemical Journal*, 157, 105049. <https://doi.org/https://doi.org/10.1016/j.microc.2020.105049>
- Fitrih, D. N. I. (2017). *Applikasi Analisa Sensori Spectrum Descriptive Analysis Untuk Pembentukan Dan Pelatihan Panelis Terlatih Sebagai Pengujian Mutu Produk Monosodium Glutamat (MSG) Di PT. Cheil Jedang Indonesia Jombang Jawa Timur*. Universitas Brawijaya.
- Fontana Jr, A. J., & Carter, B. P. (2020). Measurement of water activity, moisture sorption isotherm, and moisture content of foods. *Water Activity in Foods: Fundamentals and Applications*, 207–226.
- Fu, L., Xu, B.-T., Gan, R.-Y., Zhang, Y., Xu, X.-R., Xia, E.-Q., & Li, H.-B. (2011). Total Phenolic Contents and Antioxidant Capacities of Herbal and Tea Infusions. *International Journal of Molecular Sciences*, 12(4), 2112–2124. <https://doi.org/10.3390/ijms12042112>
- Garis, P., Romalasari, A., & Purwasih, R. (2019). Pemanfaatan limbah kulit kopi cascara menjadi teh celup. *Prosiding Industrial Research Workshop and National Seminar*, 10(1), 279–285.
- Goff, H. D., & Guo, Q. (2019). The Role of Hydrocolloids in the Development of Food Structure. In F. Spyropoulos, A. Lazidis, & I. Norton (Eds.), *Handbook of Food Structure Development* (p. 0). The Royal Society of Chemistry. <https://doi.org/10.1039/9781788016155-00001>
- Gómez-Díaz, D., Navaza, J. M., & Quintáns-Riveiro, L. C. (2009). Effect of Temperature on the Viscosity of Honey. *International Journal of Food Properties*, 12(2), 396–404. <https://doi.org/10.1080/10942910701813925>

- Gong, Y., Deng, G., Han, C., & Ning, X. (2015). Process optimization based on carrot powder color characteristics. *Engineering in Agriculture, Environment and Food*, 8(3), 137–142. <https://doi.org/10.1016/j.eaef.2015.07.005>
- Grillo, G., Boffa, L., Binello, A., Mantegna, S., Cravotto, G., Chemat, F., Dizhbite, T., Lauberte, L., & Telysheva, G. (2019). Cocoa bean shell waste valorisation; extraction from lab to pilot-scale cavitational reactors. *Food Research International*, 115(May 2018), 200–208. <https://doi.org/10.1016/j.foodres.2018.08.057>
- Guehi, T. S., Zahouli, I. B., Ban-Koffi, L., Fae, M. A., & Nemlin, J. G. (2010). Performance of different drying methods and their effects on the chemical quality attributes of raw cocoa material. *International Journal of Food Science & Technology*, 45(8), 1564–1571.
- Gumelar, Firmanto, H., & Nurcholis, M. (2022). Antioxidant Content of Tisane of Cocoa Bean Shells as Affected by Roasting Temperatures. *Pelita Perkebunan (a Coffee and Cocoa Research Journal)*, 38(3), 200–210. <https://doi.org/10.22302/iccri.jur.pelitaperkebunan.v38i3.524>
- Güneş Bayır, A., Aksoy, A., & KOÇYİĞİT, A. (2019). The importance of polyphenols as functional food in health. *Bezmialem Science*, 7(2).
- Hanggaeni, D., Puspaningrum, D., Luh, N., Sumadewi, U., Kesehatan, I., Universitas, T., & Pura, D. (2019). *PENGARUH METODE PENGERINGAN TERHADAP KANDUNGAN TOTAL FENOL CASCARA KOPI ARABIKA (Coffea arabika L.)*. 423–428.
- Heeger, A., Kosińska-Cagnazzo, A., Cantergiani, E., & Andlauer, W. (2017). Bioactives of coffee cherry pulp and its utilisation for production of Cascara beverage. *Food Chemistry*, 221, 969–975. <https://doi.org/10.1016/j.foodchem.2016.11.067>
- Hemalatha, R., Kumar, A., Prakash, O., Supriya, A., Chauhan, A. S., & Kudachikar, V. B. (2018). Development and Quality Evaluation of Ready to Serve (RTS) Beverage from Cape Gooseberry (*Physalis peruviana* L.). *Beverages*, 4(2). <https://doi.org/10.3390/beverages4020042>
- Hernández-Hernández, C., Morales-Sillero, A., Fernández-Bolaños, J., Bermúdez-Oria, A., Morales, A. A., & Rodríguez-Gutiérrez, G. (2019). Cocoa bean husk: industrial source of antioxidant phenolic extract. *Journal of the Science of Food and Agriculture*, 99(1), 325–333. <https://doi.org/10.1002/jsfa.9191>
- Hernández-Hernández, C., Viera-Alcaide, I., Morales-Sillero, A. M., Fernández-Bolaños, J., & Rodríguez-Gutiérrez, G. (2018). Bioactive compounds in Mexican genotypes of cocoa cotyledon and husk. *Food Chemistry*, 240(February 2017), 831–839.

<https://doi.org/10.1016/j.foodchem.2017.08.018>

Hussain, T., Tan, B., Yin, Y., Blachier, F., Tossou, M. C. B., & Rahu, N. (2016). Oxidative stress and inflammation: what polyphenols can do for us? *Oxidative Medicine and Cellular Longevity*, 2016.

Indiarto, R., Rahimah, S., Subroto, E., Alifia, N., & Putri, G. (2022). Antioxidant activity and characteristics of a cocoa drink formulated with encapsulated green coffee extract. *International Journal of Food Properties*, 25(1), 2477–2494. <https://doi.org/10.1080/10942912.2022.2144883>

Indiarto, R., Reni, R., Utama, G. L., Subroto, E., Pangawikan, A. D., & Djali, M. (2022). The physicochemical, antioxidant, and sensory properties of chocolate biscuits incorporated with encapsulated mangosteen (*Garcinia mangostana* L.) peel extract. *International Journal of Food Properties*, 26(1), 122–138. <https://doi.org/10.1080/10942912.2022.2159429>

Indiarto, R., Subroto, E., Sukri, N., & Djali, M. (2021). Cocoa (*Theobroma cacao* L.) beans processing technology: A review of flavonoid changes. *Asian Journal of Plant Sciences*, 20(4), 684–693. <https://doi.org/10.3923/ajps.2021.684.693>

ISO 4833-1:2013/Amd 1:2022 Microbiology of the food chain, 1 (2022). <https://www.iso.org/standard/73329.html>

Jiamjariyatam, R., Samosorn, S., Dolsophon, K., Tantayotai, P., Lorliam, W., & Krajangsang, S. (2022). Development of Cascara Tea from Coffee Cherry Pulp. *Journal of Culinary Science & Technology*, 1–16. <https://doi.org/10.1080/15428052.2022.2106336>

Karim, A. A., Azlan, A., & Hashim, P. (2014). *ANTIOXIDANT PROPERTIES OF COCOA PODS AND SHELLS* Oil palm kernel protein hydrolysate View project. 8(November 2015), 49–56. <https://www.researchgate.net/publication/284167098>

Kayaputri, I. L., Sumanti, D. M., Djali, M., Indiarto, R., & Dewi, D. L. (2014). KAJIAN FITOKIMIA EKSTRAK KULIT BIJI KAKAO (*Theobroma cacao* L.). *Chimica et Natura Acta*, 2(1), 83–90. <https://doi.org/10.24198/cna.v2.n1.9140>

Kieu Tran, T. M., Kirkman, T., Nguyen, M., & Van Vuong, Q. (2020). Effects of drying on physical properties, phenolic compounds and antioxidant capacity of Robusta wet coffee pulp (*Coffea canephora*). *Helijon*, 6(7), e04498. <https://doi.org/https://doi.org/10.1016/j.heliyon.2020.e04498>

Kim, J.-M., Choi, S.-H., Shin, G.-H., Lee, J.-H., Kang, S.-R., Lee, K.-Y., Lim, H.-S., Kang, T. S., & Lee, O.-H. (2016). Method validation and measurement

- uncertainty for the simultaneous determination of synthetic phenolic antioxidants in edible oils commonly consumed in Korea. *Food Chemistry*, 213, 19–25. [https://doi.org/https://doi.org/10.1016/j.foodchem.2016.06.053](https://doi.org/10.1016/j.foodchem.2016.06.053)
- Kim, N. M., Choi, J.-H., & Choi, H. Y. (2021). *Antioxidant activity and quality characteristics of cookies prepared with cacao bean husk (*Theobroma cacao* Linn.) powder.*
- Kurmukov, A. G. (2013). Phytochemistry of medicinal plants. *Medicinal Plants of Central Asia: Uzbekistan and Kyrgyzstan*, 1(6), 13–14. [https://doi.org/10.1007/978-1-4614-3912-7\\_4](https://doi.org/10.1007/978-1-4614-3912-7_4)
- Kurtuluş, C., Yeken, T., & Durdağ, D. (2019). Estimating the Soil Water Content Using Electrical Conductivity, Oven Method and Speedy Moisture Tester. *Eurasian Soil Science*, 52(12), 1577–1582. <https://doi.org/10.1134/S1064229319120081>
- Ky, I., Le Floch, A., Zeng, L., Pechamat, L., Jourdes, M., & Teissedre, P.-L. (2016). Tannins. In B. Caballero, P. M. Finglas, & F. Toldrá (Eds.), *Encyclopedia of Food and Health* (pp. 247–255). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-384947-2.00683-8>
- Le Bourvellec, C., & Renard, C. M. G. C. (2012). Interactions between polyphenols and macromolecules: Quantification methods and mechanisms. *Critical Reviews in Food Science and Nutrition*, 52(3), 213–248. <https://doi.org/10.1080/10408398.2010.499808>
- Lembong, E., Djali, M., & Utama, G. L. (2021). Antioxidant properties of cocoa (*Theobroma cacao* L.) shell powder in fermentation and immersion treatments. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, 69(4), 533–541. <https://doi.org/10.11118/actaun.2021.048>
- Leneveu-Jenvrin, C., Quentin, B., Messaaf, F. E., Hoarau, M., Lebrun, M., & Remize, F. (2022). Selection of Microbial Targets for Treatments to Preserve Fresh Carrot Juice. *Beverages*, 8(1), 1–15. <https://doi.org/10.3390/beverages8010017>
- Lessa, O. A., Reis, N. dos S., Leite, S. G. F., Gutarra, M. L. E., Souza, A. O., Gualberto, S. A., de Oliveira, J. R., Aguiar-Oliveira, E., & Franco, M. (2018). Effect of the solid state fermentation of cocoa shell on the secondary metabolites, antioxidant activity, and fatty acids. *Food Science and Biotechnology*, 27(1), 107–113. <https://doi.org/10.1007/s10068-017-0196-x>
- Lestari, W., Hasballah, K., Listiawan, M. Y., & Sofia, S. (2023). Antioxidant and phytometabolite profiles of ethanolic extract from the cascara pulp of Coffea arabica collected from Gayo Highland: A study for potential photoaging agent. *F1000Research*, 12, 12. <https://doi.org/10.12688/f1000research.126762.1>

- Lewis, C., Lennon, A. M., Eudoxie, G., & Umaharan, P. (2018). Genetic variation in bioaccumulation and partitioning of cadmium in *Theobroma cacao* L. *Science of the Total Environment*, 640–641, 696–703. <https://doi.org/10.1016/j.scitotenv.2018.05.365>
- Limbongan, J. (2012). Karakteristik morfologis dan anatomis klon harapan tahan penggerek buah kakao sebagai sumber bahan tanam. *Jurnal Penelitian Dan Pengembangan Pertanian*, 31(1). <https://doi.org/10.21082/jp3.v31n1.2012.p%p>
- Lumingkewas, S., Rombang, J. A., Kalangi, J. I., & Saroinsong, F. B. (2012). The Role of Land Use in Catchment Area of Sungan River to Eutrophication of Tondano Lake. *E-Journal Universitas Sam Ratulangi*, 1–10.
- Maharani, S., Mustikawati, I., Nailufhar, L., & Istiqomah, S. (2021). The effect of brewing time on pH values, polyphenols content, and antioxidant activities of coffee husk tea (cascara tea). *Journal of Physics: Conference Series*, 1869(1). <https://doi.org/10.1088/1742-6596/1869/1/012050>
- Mamuaja, C. F. (2016). *Pengawasan mutu dan keamanan pangan*. Unsrat Press.
- Manalu, T. B. (2022). *Pengaruh Jenis Kemasan dan Lama Penyimpanan Terhadap Komponen Bioaktif Bunga Telang (Clitoria ternatea L.)*.
- Marcelinda, A., & Ridhay, A. (2016). Aktivitas Antioksidan Ekstrak Limbah Kulit Ari Biji Kopi (*Coffea* sp) Berdasarkan Tingkat Kepolaran Pelarut The Atioxidant Activity Of Husk Coffea (*Coffea* sp) Extract Base On Various Levels Of Polar Solvent. *Online Jurnal of Natural Science*, 5(1), 21–30.
- Martuscelli, M., Esposito, L., Di Mattia, C. D., Ricci, A., & Mastrocola, D. (2021). Characterization of coffee silver skin as potential food-safe ingredient. *Foods*, 10(6). <https://doi.org/10.3390/foods10061367>
- Meilgaard, M., Civille, G., & Carr, B. (2014). Sensory Evaluation Techniques, Fourth Edition. In *Sensory Evaluation Techniques, Fourth Edition*.
- Mellinas, A. C., Jiménez, A., & Garrigós, M. C. (2020). Optimization of microwave-assisted extraction of cocoa bean shell waste and evaluation of its antioxidant, physicochemical and functional properties. *Lwt*, 127(January), 109361. <https://doi.org/10.1016/j.lwt.2020.109361>
- Mishra, L. K., & Sangma, D. (2017). Quality attributes, phytochemical profile and storage stability studies of functional ready to serve (RTS) drink made from blend of Aloe vera, sweet lime, amla and ginger. *Journal of Food Science and Technology*, 54(3), 761–769. <https://doi.org/10.1007/s13197-017-2516-9>
- Mojikon, F. D., Kasimin, M. E., Molujin, A. M., Gansau, J. A., & Jawan, R. (2022). Probiotication of Nutritious Fruit and Vegetable Juices: An Alternative to

- Dairy-Based Probiotic Functional Products. *Nutrients*, 14(17). <https://doi.org/10.3390/nu14173457>
- Mudgil, D., & Barak, S. (2017). *Functional Foods: Sources and Health Benefits*. Scientific Publishers.
- Mukhtarom, K., Sutrisno, S., & Hasbullah, R. (2016). Perlakuan Air Panas Diikuti Pencelupan Dalam Larutan CaCl<sub>2</sub> Untuk Mempertahankan Kualitas Buah Belimbing Manis (*Averrhoa Carambola L.*). *Jurnal Keteknikan Pertanian*, 4(1).
- Munarso, S. J. (2017). Penanganan Pascapanen untuk Peningkatan Mutu dan Daya Saing Komoditas Kakao. *Jurnal Penelitian Dan Pengembangan Pertanian*, 35(3), 111. <https://doi.org/10.21082/jp3.v35n3.2016.p111-120>
- Murlida, E., Noviasari, S., Nilda, C., Rohaya, S., Rahmi, F., & Muzaifa, M. (2021). Chemical characteristics of cascara tea from several varieties of coffee in Aceh Province. *IOP Conference Series: Earth and Environmental Science*, 667(1). <https://doi.org/10.1088/1755-1315/667/1/012078>
- Murthy, P. S., Manjunatha, M., Sulochannama, G., & Madhava Naidu, M. (2012). Extraction, Characterization and Bioactivity of Coffee Anthocyanins. *European Journal of Biological Sciences*, 4(1), 13–19.
- Myo, H., Nantarat, N., & Khat-Udomkiri, N. (2021). Changes in bioactive compounds of coffee pulp through fermentation-based biotransformation using *Lactobacillus plantarum* tistr 543 and its antioxidant activities. *Fermentation*, 7(4). <https://doi.org/10.3390/fermentation7040292>
- Negara, J. K., Sio, A. K., Rifkhan, R., Arifin, M., Oktaviana, A. Y., Wihansah, R. R. S., & Yusuf, M. (2016a). Aspek mikrobiologis, serta Sensori (Rasa, Warna, Tekstur, Aroma) pada dua bentuk penyajian keju yang berbeda. *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, 4(2), 286–290.
- Negara, J. K., Sio, A. K., Rifkhan, R., Arifin, M., Oktaviana, A. Y., Wihansah, R. R. S., & Yusuf, M. (2016b). Aspek mikrobiologis, serta Sensori (Rasa, Warna, Tekstur, Aroma) Pada Dua Bentuk Penyajian Keju yang Berbeda. *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, 4(2), 286–290. <https://doi.org/10.29244/jipthp.4.2.286-290>
- Neta, E. R. D. C., Johanningsmeier, S. D., & McFeeters, R. F. (2007). The chemistry and physiology of sour taste - A review. *Journal of Food Science*, 72(2), 33–38. <https://doi.org/10.1111/j.1750-3841.2007.00282.x>
- Neves, J. V. G. das, Borges, M. V., Silva, D. de M., Leite, C. X. dos S., Santos, M. R. C., Lima, N. G. B. de, Lannes, S. C. da S., & Silva, M. V. da. (2019). Total phenolic content and primary antioxidant capacity of aqueous extracts of

- coffee husk: chemical evaluation and beverage development. *Food Science and Technology*, 39, 348–353.
- Nguyen, Q. V., & Chuyen, H. Van. (2020). Processing of Herbal Tea from Roselle (*Hibiscus sabdariffa L.*): Effects of Drying Temperature and Brewing Conditions on Total Soluble Solid, Phenolic Content, Antioxidant Capacity and Sensory Quality. *Beverages*, 6(1). <https://doi.org/10.3390/beverages6010002>
- Nielsen, S. S. (2017). Food Analysis Fifth Edition. In *Food Analysis*.
- Nisa, F., Muzaifa, M., & Arpi, N. (2021). Kajian Pembuatan Sirup Cascara Dengan Penambahan Ekstrak Lemon. *Jurnal Ilmiah Mahasiswa Pertanian*, 6(4), 474–480. <https://doi.org/10.17969/jimfp.v6i4.18320>
- Novitasari, I. W. (2015). *Uji Aktivitas Antibakteri Infusa Daun Mangga Bacang (*Mangifera foetida L.*) Terhadap Pertumbuhan *Salmonella typhi**. Universitas Tanjungpura.
- Nugroho, S. (2016). Analisis Pengaruh Cita Rasa, Label Halal, dan Diversifikasi Produk terhadap Keputusan Beli Konsumen Pada Produk Olahan Tuna Inggil Pacitan Jawa Timur (Studi Kasus Pada UD Bina Makmur Pacitan, Jawa Timur). *At-Tauzi: Islamic Economic Journal*, 15(2), 131–148.
- Nurhadi, B., Suriati, Tensiska, Saputra, R. A., & Sukri, N. (2020). The role of encapsulant materials on the stability of bioactive compounds of red ginger (*Zingiber officinale Roscoe*. var. *Rubrum*) extract powder during storage. *Food Chemistry*, 333, 127490. <https://doi.org/https://doi.org/10.1016/j.foodchem.2020.127490>
- Okiyama, D. C. G., Navarro, S. L. B., & Rodrigues, C. E. C. (2017). Cocoa shell and its compounds: Applications in the food industry. *Trends in Food Science and Technology*, 63, 103–112. <https://doi.org/10.1016/j.tifs.2017.03.007>
- Oracz, J., Zyzelewicz, D., & Nebesny, E. (2015). The Content of Polyphenolic Compounds in Cocoa Beans (*Theobroma cacao L.*), Depending on Variety, Growing Region, and Processing Operations: A Review. *Critical Reviews in Food Science and Nutrition*, 55(9), 1176–1192. <https://doi.org/10.1080/10408398.2012.686934>
- Oyekunle, J. A. O., Akindolani, O. A., Sosan, M. B., & Adekunle, A. S. (2017). Organochlorine pesticide residues in dried cocoa beans obtained from cocoa stores at Ondo and Ile-Ife, Southwestern Nigeria. *Toxicology Reports*, 4, 151–159. <https://doi.org/10.1016/j.toxrep.2017.03.001>
- Öztürk, E., & Ova, G. (2018). *Turkish Journal of Agriculture - Food Science and Technology Evaluation of Cocoa Bean Hulls as a Fat Replacer On Functional*

- Cake Production*, 6(8), 1043–1050.
- Öztürk, E., & Ova, G. (2020). Cocoa Bean Hulls: Effect on Nutritional Quality, Texture and Sensory Properties of Pound Cake. *Turkish Journal of Agriculture - Food Science and Technology*, 8(3), 560–567. <https://doi.org/10.24925/turjaf.v8i3.560-567.2865>
- Panov, N. (2021). *Coffee Turbidity*. NP's Coffee Science. <https://www.baristahustle.com/research-papers/coffee-turbidity/>
- Pathare, P. B., Opara, U. L., & Al-Said, F. A. J. (2013). Colour Measurement and Analysis in Fresh and Processed Foods: A Review. *Food and Bioprocess Technology*, 6(1), 36–60. <https://doi.org/10.1007/s11947-012-0867-9>
- Undang-Undang Pangan No. 18 tahun 2012 Tentang Pangan, (2012).
- Prata, E. R. B. A., & Oliveira, L. S. (2007). Fresh coffee husks as potential sources of anthocyanins. *LWT - Food Science and Technology*, 40(9), 1555–1560. <https://doi.org/https://doi.org/10.1016/j.lwt.2006.10.003>
- Pratiwi Yuniarti Martoyo, Ratih Dewanti Hariyadi, & Winiati P. Rahayu. (2014). Kajian Standar Cemaran Mikroba dalam Pangan di Indonesia. *Jurnal Standardisasi*, 16(2), 113–124. <https://js.bsn.go.id/index.php/standardisasi/article/viewFile/173/pdf>
- Priyadarshini, A., Rayaguru, K., Biswal, A. K., Panda, P. K., Lenka, C., & Misra, P. K. (2023). Impact of conventional and ohmic blanching on color, phytochemical, structural, and sensory properties of mango (*Mangifera indica* L.) cubes: A comparative analysis. *Food Chemistry Advances*, 2(May), 100308. <https://doi.org/10.1016/j.focha.2023.100308>
- Pujilestari, T. (2015). Sumber dan pemanfaatan zat warna alam untuk keperluan industri. *Dinamika Kerajinan Dan Batik*, 32(2), 93–106.
- Purwanto, H., Ariyanti, M., Assa, A., & Rahman, T. M. (2022). Kriteria Parameter Mutu Green Coffee Powder Untuk Mendukung Pengembangan Standar Produk Kopi (Ulasan). *Jurnal Industri Hasil Perkebunan*, 17(1), 13. <https://doi.org/10.33104/jihp.v17i1.7712>
- Putri, E., Rukayadi, Y., Sunarti, T. C., & Meryandini, A. (2023). Increase in Polyphenolic Substances from Fermented Robusta Coffee Pulp (*Coffea canephora* L.) by Using Indigenous Actinomycetes. *HAYATI Journal of Biosciences*, 30(3), 457–465. <https://doi.org/10.4308/hjb.30.3.457-465>
- Quijano-Aviles, M. F., Franco-Agurto, G. L., Suárez-Quirumbay, K. B., Barragán-Lucas, A. D., & Manzano-Santana, P. I. (2016). Linear programming formulation of a dairy drink made of cocoa, coffee and orange by-products. *Emirates Journal of Food and Agriculture*, 28(8), 554–559.

- <https://doi.org/10.9755/ejfa.2015-09-750>
- Raharjo, S. (2018). *Kerusakan Oksidatif pada Makanan*. UGM PRESS.
- Rakitkul, W. (2017). Determination of tannin in coffee pulp using experimental and theoretical approaches. *Key Engineering Materials*, 751, 683–688.
- Ramtahal, G., Chang Yen, I., Bekele, I., Bekele, F., Wilson, L., Maharaj, K., & Sukha, B. (2015). Implications of distribution of cadmium between the nibs and testae of cocoa beans on its marketability and food safety assessment. *Quality Assurance and Safety of Crops and Foods*, 7(5), 731–736. <https://doi.org/10.3920/QAS2013.0388>
- Rashidinejad, A., Birch, E. J., Sun-Waterhouse, D., & Everett, D. W. (2017). Addition of milk to tea infusions: Helpful or harmful? Evidence from in vitro and in vivo studies on antioxidant properties. *Critical Reviews in Food Science and Nutrition*, 57(15), 3188–3196. <https://doi.org/10.1080/10408398.2015.1099515>
- Rebollo-Hernanz, M., Zhang, Q., Aguilera, Y., Martín-Cabrejas, M. A., & Gonzalez de Mejia, E. (2019). Relationship of the Phytochemicals from Coffee and Cocoa By-Products with their Potential to Modulate Biomarkers of Metabolic Syndrome In Vitro. In *Antioxidants* (Vol. 8, Issue 8). <https://doi.org/10.3390/antiox8080279>
- Rikolto. (2022). *Cocoa in Sulawesi, Indonesia*. Rikolto.Org. <https://www.rikolto.org/en/project/cocoa-sulawesi-indonesia>
- Ristanti, E. Y., Suprapti, S., & Ramlah, S. (2016). Kandungan Logam Berat Pada Biji Kakao Asal Sulawesi Barat Dan Tenggara. *Jurnal Industri Hasil Perkebunan*, 11(2), 67. <https://doi.org/10.33104/jihp.v11i2.3413>
- Rojo-Poveda, O., Barbosa-Pereira, L., Mateus-Reguengo, L., Bertolino, M., Stévigny, C., & Zeppa, G. (2019). Effects of particle size and extraction methods on cocoa bean shell functional beverage. *Nutrients*, 11(4), 1–19. <https://doi.org/10.3390/nu11040867>
- Rojo-Poveda, O., Barbosa-Pereira, L., Orden, D., Stévigny, C., Zeppa, G., & Bertolino, M. (2020). Physical properties and consumer evaluation of cocoa bean shell-functionalized biscuits adapted for diabetic consumers by the replacement of sucrose with tagatose. *Foods*, 9(6). <https://doi.org/10.3390/foods9060814>
- Rojo-Poveda, O., Barbosa-Pereira, L., Zeppa, G., & Stévigny, C. (2020). Cocoa bean shell—a by-product with nutritional properties and biofunctional potential. *Nutrients*, 12(4), 1123.
- Romeo, R., de Bruno, A., Piscopo, A., Medina, E., Ramírez, E., Brenes, M., &

- Poiana, M. (2020). Effects of phenolic enrichment on vitamin C and antioxidant activity of commercial orange juice. *Brazilian Journal of Food Technology*, 23, 1–12. <https://doi.org/10.1590/1981-6723.13019>
- Sabahannur, S., Alimuddin, S., & Rahmawati, -. (2018). Changes in Phenol Level and Antioxidant Activity of Cocoa Beans During Fermentation and Roasting. *Journal of Food Research*, 7(4), 23. <https://doi.org/10.5539/jfr.v7n4p23>
- Safdar, N., Sarfaraz, A., Kazmi, Z., & Yasmin, A. (2016). Ten different brewing methods of green tea: comparative antioxidant study. *Journal of Applied Biology & Biotechnology*, 4(03), 33–40. <https://doi.org/10.7324/jabb.2016.40306>
- Santos-Sánchez, N. F., Salas-Coronado, R., Villanueva-Cañongo, C., & Hernández-Carlos, B. (2019). Antioxidant Compounds and Their Antioxidant Mechanism. In E. Shalaby (Ed.), *Antioxidants*. IntechOpen. <https://doi.org/10.5772/intechopen.85270>
- Sari, K. I., & Yohana, W. (2015). Tekstur makanan: sebuah bagian dari food properties yang terlupakan dalam memelihara fungsi kognisi? *Makassar Dental Journal*, 4(6).
- Schober, P., Boer, C., & Schwarte, L. A. (2018). Correlation Coefficients: Appropriate Use and Interpretation. *Anesthesia and Analgesia*, 126(5), 1763–1768. <https://doi.org/10.1213/ANE.0000000000002864>
- Serna-Jiménez, J. A., Siles, J. A., de los Ángeles Martín, M., & Chica, A. F. (2022). A Review on the Applications of Coffee Waste Derived from Primary Processing: Strategies for Revalorization. *Processes*, 10(11). <https://doi.org/10.3390/pr10112436>
- Setyaningsih, D., Apriyantono, A., & Sari, M. P. (2014). *Analisis Sensori untuk industri pangan dan argo*. PT Penerbit IPB Press.
- Shankar, V., Mahboob, S., Al-Ghanim, K. A., Ahmed, Z., Al-Mulhm, N., & Govindarajan, M. (2021). A review on microbial degradation of drinks and infectious diseases: A perspective of human well-being and capabilities. *Journal of King Saud University - Science*, 33(2), 101293. <https://doi.org/10.1016/j.jksus.2020.101293>
- Sharma, R., Choudhary, R., Thakur, N. S., & Thakur, A. (2019). Development and quality of apple -whey based herbal functional ready-to-serve beverage. *Journal of Applied and Natural Science*, 11(2), 291–298. <https://doi.org/10.31018/jans.v11i2.2047>
- Sholichah, E., Desnilasari, D., Subekti, R. J., Karim, M. A., & Purwono, B. (2021). The influence of coffee cherry fermentation on the properties of Cascara

- arabica from Subang, West Java. *IOP Conference Series: Materials Science and Engineering*, 1011(1). <https://doi.org/10.1088/1757-899X/1011/1/012006>
- Shraim, A. M., Ahmed, T. A., Rahman, M. M., & Hijji, Y. M. (2021). Determination of total flavonoid content by aluminum chloride assay: A critical evaluation. *LWT*, 150, 111932. <https://doi.org/https://doi.org/10.1016/j.lwt.2021.111932>
- Silvia, D., Katharina, K., Hartono, S. A., Anastasia, V., & Susanto, Y. (2016). Pengumpulan Data Base Sumber Antioksidan Alami Alternatif Berbasis Pangan Lokal Di Indonesia. *Surya Octagon Interdisciplinary Journal of Technology*, 1(2), 181–198.
- Simanjuntak, K. (2012). Peran Antioksidan Flavonoid dalam Meningkatkan Kesehatan. *UPN Veteran Bina Widya*, 3(4), 135–140.
- Singh, N., Ram, C. N., Deo, C., & Yadav, G. C. (2015). Studies on correlation and path coefficient analysis in tomato (*Solanum Lycopersicum L.*). *Plant Archives*, 15(2), 869–873.
- Singla, R. K., Dubey, A. K., Garg, A., Sharma, R. K., Fiorino, M., Ameen, S. M., Haddad, M. A., & Al-Hiary, M. (2019). Natural polyphenols: Chemical classification, definition of classes, subcategories, and structures. In *Journal of AOAC International* (Vol. 102, Issue 5, pp. 1397–1400). Oxford University Press.
- Siow, C. S., Chan, E. W. C., Wong, C. W., & Ng, C. W. (2022a). Antioxidant and sensory evaluation of cocoa (*Theobroma cacao L.*) tea formulated with cocoa bean hull of different origins. *Future Foods*, 5, 100108. <https://doi.org/https://doi.org/10.1016/j.fufo.2021.100108>
- Siow, C. S., Chan, E. W. C., Wong, C. W., & Ng, C. W. (2022b). Antioxidant and sensory evaluation of cocoa (*Theobroma cacao L.*) tea formulated with cocoa bean hull of different origins. *Future Foods*, 5(October 2021), 100108. <https://doi.org/10.1016/j.fufo.2021.100108>
- Somporn, C., Kamtuo, A., Theerakulpisut, P., & Siriamornpun, S. (2011). Effects of roasting degree on radical scavenging activity, phenolics and volatile compounds of Arabica coffee beans (*Coffea arabica L.* cv. Catimor). *International Journal of Food Science & Technology*, 46(11), 2287–2296.
- Spence, C. (2015). On the psychological impact of food colour. *Flavour*, 4(1), 1–16. <https://doi.org/10.1186/s13411-015-0031-3>
- Spiegel, M., Andruniów, T., & Sroka, Z. (2020). Flavones' and flavonols' antiradical structure–activity relationship—a quantum chemical study. *Antioxidants*, 9(6). <https://doi.org/10.3390/antiox9060461>

- Sridhar, K., Inbaraj, B. S., & Chen, B.-H. (2021). Recent Advances on Nanoparticle Based Strategies for Improving Carotenoid Stability and Biological Activity. *Antioxidants*, 10(5). <https://doi.org/10.3390/antiox10050713>
- Stinco, C. M., Fernández-Vázquez, R., Escudero-Gilete, M. L., Heredia, F. J., Meléndez-Martínez, A. J., & Vicario, I. M. (2012). Effect of orange juices processing on the color, particle size, and bioaccessibility of carotenoids. *Journal of Agricultural and Food Chemistry*, 60(6), 1447–1455. <https://doi.org/10.1021/jf2043949>
- Sulistyarti, H., & Mulyasuryani, A. (2021). *Kimia Analisis Kuantitatif Dasar*. Universitas Brawijaya Press.
- Sumitha, S., Balakrishnan, S., & N Shoba. (2018). Growth and yield performance of cocoa (*Theobroma cacao L.*) varieties under Tamil Nadu condition. *Journal of Pharmacognosy and Phytochemistry*, 7(3).
- Sun, C., Liu, J., Wang, Y., Sun, L., & Yu, H. (2013). Multivariate and geostatistical analyses of the spatial distribution and sources of heavy metals in agricultural soil in Dehui, Northeast China. *Chemosphere*, 92(5), 517–523. <https://doi.org/10.1016/j.chemosphere.2013.02.063>
- Sunarharum, W. B., Yudawati, A. N., & Asih, N. E. (2021). Effect of different brewing techniques and addition of lemon peel (*Citrus limon*) on physico-chemical characteristics and organoleptic of cascara tea. *IOP Conference Series: Earth and Environmental Science*, 733(1), 12086. <https://doi.org/10.1088/1755-1315/733/1/012086>
- Suratno, D. Y., Palupi, N. S., & Astawan, M. (2014). Pola Konsumsi Pangan Fungsional dan Formulasi Minuman Fungsional Instan Berbasis Antioksidan. *Jurnal Mutu Pangan*, 1(1), 56–64.
- Tarwendah, I. P. (2017). Comparative Study of Sensory Attributes and Brand Awareness in Food Product : A Review. *Jurnal Pangan Dan Agroindustri*, 5(2), 66–73.
- Taş, N. G., & Gökmen, V. (2016). Effect of alkalization on the Maillard reaction products formed in cocoa during roasting. *Food Research International*, 89. <https://doi.org/10.1016/j.foodres.2015.12.021>
- Taufik, M. (2018). *Kadar Antioksidan Dan Sifat Sensoris Minuman Fungsional dari Jahe (Zingiber officinale Rosc.) dan Kayu Manis (Cinnamomum burmanii) Instan*. MUHAMMADIYAH UNIVERSITY SEMARANG.
- Tiwari, A. K., Wing, H., Majumdar, T. K., Wadikar, D. D., Bawa, A. S., Tiwari, A. K., Kumar, D. A., Sweeya, P. S. R., Abhinay, K. M., Hanumantha, A. C., Lavanya, V., Raju, A. S., Sireesha, K., Pavithra, K., Kausar, H., Saeed, S., &

- Ahmad, M. M. (2012). Studies on the Development and Storage Stability of Cucumber-Melon Functional Drink. *Pharmacogn Mag*, 4(3), S207-13. <http://pharmacologia.com/abstract.php?doi=pharmacologia.2013.311.319>
- Turck, D., Bohn, T., Castenmiller, J., De Henauw, S., Hirsch-Ernst, K. I., Maciuk, A., Mangelsdorf, I., McArdle, H. J., Naska, A., Pelaez, C., Pentieva, K., Siani, A., Thies, F., Tsabouri, S., Vinceti, M., Cubbada, F., Frenzel, T., Heinonen, M., Marchelli, R., ... Knutson, H. K. (2022). Safety of dried coffee husk (cascara) from Coffea arabica L. as a Novel food pursuant to Regulation (EU) 2015/2283. *EFSA Journal*, 20(2). <https://doi.org/10.2903/j.efsa.2022.7085>
- Utami, R. R., Supriyanto, S., Rahardjo, S., & Armunanto, R. (2017). Aktivitas Antioksidan Kulit Biji Kakao dari Hasil Penyangraian Biji Kakao Kering pada Derajat Ringan, Sedang dan Berat. *Agritech*, 37(1), 89. <https://doi.org/10.22146/agritech.10454>
- Wang, J.-Q., Fu, Y.-Q., Granato, D., Yu, P., Yin, J.-F., Zeng, L., & Xu, Y.-Q. (2022). Study on the color effects of (-)-epigallocatechin-3-gallate under different pH and temperatures in a model beverage system. *Food Control*, 139, 109112. <https://doi.org/https://doi.org/10.1016/j.foodcont.2022.109112>
- Winahyu, D. A., Marcellia, S., & Diatri, M. I. (2021). UJI AKTIVITAS ANTIOKSIDAN EKSTRAK KULIT BUAH KOPI ROBUSTA (Coffea canephora Pierre ex A.Foehner) DALAM SEDIAAN KRIM. *Jurnal Farmasi Malahayati*, 4(1), 82–92. <https://doi.org/10.33024/jfm.v4i1.4470>
- Wrolstad, R. E., & Smith, D. E. (2017). Color analysis. In *Food analysis* (pp. 545–555). Springer.
- Xu, Y.-Q., Hu, X.-F., Tang, P., Jiang, Y.-W., Yuan, H.-B., Du, Q.-Z., & Yin, J.-F. (2015). The major factors influencing the formation of sediments in reconstituted green tea infusion. *Food Chemistry*, 172, 831–835. <https://doi.org/https://doi.org/10.1016/j.foodchem.2014.09.143>
- Yanus, R. L., Sela, H., Borojovich, E. J. C., Zakon, Y., Saphier, M., Nikolski, A., Gutflais, E., Lorber, A., & Karpas, Z. (2014). Trace elements in cocoa solids and chocolate: An ICPMS study. *Talanta*, 119, 1–4. <https://doi.org/10.1016/j.talanta.2013.10.048>
- Yefrida, Ashikin, N., & Refilda. (2015). Validasi Metoda Frap Modifikasi Pada Penentuan Kandungan Antioksidan Total Dalam Sampel Mangga Dan Rambutan. *Jurnal Riset Kimia*, 8(2), 170. <https://doi.org/10.25077/jrk.v8i2.236>
- Zakaria, M. (2013). *Evaluierung der phenolischen Inhaltsstoffe und der antioxidativen Aktivität von Kaffee und Kaffeeprodukten*. Diploma thesis. 36–37.

- Zelko, I. N., Mariani, T. J., & Folz, R. J. (2002). Superoxide dismutase multigene family: a comparison of the CuZn-SOD (SOD1), Mn-SOD (SOD2), and EC-SOD (SOD3) gene structures, evolution, and expression. *Free Radical Biology and Medicine*, 33(3), 337–349. [https://doi.org/https://doi.org/10.1016/S0891-5849\(02\)00905-X](https://doi.org/https://doi.org/10.1016/S0891-5849(02)00905-X)
- Zeng, L., Ma, M., Li, C., & Luo, L. (2017). Stability of tea polyphenols solution with different pH at different temperatures. *International Journal of Food Properties*, 20(1), 1–18. <https://doi.org/10.1080/10942912.2014.983605>
- Zzaman, W., Bhat, R., & Yang, T. A. (2014). Effect of superheated steam roasting on the phenolic antioxidant properties of cocoa beans. *Journal of Food Processing and Preservation*, 38(4), 1932–1938. <https://doi.org/10.1111/jfpp.12166>