

## DAFTAR PUSTAKA

- Al-Haj Ibrahim, H. (2019). Introductory Chapter: Fractionation. In *Fractionation*. IntechOpen. <https://doi.org/10.5772/intechopen.78050>
- Ali, B. H., Blunden, G., Tanira, M. O., & Nemmar, A. (2008). Some phytochemical, pharmacological and toxicological properties of ginger (*Zingiber officinale Roscoe*): A review of recent research. *Food and Chemical Toxicology*, 46(2), 409–420. <https://doi.org/10.1016/j.fct.2007.09.085>
- Alwin Azhari, M., Wahyuni Putri, I., Irvan Pratama, A., Evita Hidayah, R., & Ambarsari, L. (2017). Current Biochemistry CURRENT BIOCHEMISTRY Development of Trichodermin Nanoemulsion Based on Medium Chain Triglycerides as Antifungal of Ganoderma boninense in vitro. *Current Biochemistry*, 4(2), xx–xx. <http://biokimia.ipb.ac.id>
- Amaliah, N., Salempa, P., & Muhamarram. (2020). Isolasi dan Identifikasi Senyawa Metabolit Sekunder FraksiMetanol Batang Belajang Susu (*Scindapsus pictus Hassk.*). *Jurnal Chemica*, 21(1), 78–85.
- Amyliana, N. A., & Agustini, R. (2021). FORMULATION AND CHARACTERIZATION OF NANOENCAPSULATION YEAST BLACK RICE BY SONICATION METHOD WITH POLOXAMER. *UNESA Journal of Chemistry*, 10(2), 184–191.
- Anggista, G., Pangestu, I. T., Handayani, D., Yulianto, M. E., & Kusuma, S. (2019). PENENTUAN FAKTOR BERPENGARUH PADA EKSTRAKSI RIMPANG JAHE MENGGUNAKAN EXTRAKTOR BERPENGADUK. *Gema Teknologi*, 20(3).
- Apriyati, E., Djaafar, T. F., Marwati, T., Purwaningsih, Kobarsih, M., & Hatmi, R. U. (2022). Oleoresin and Color of *Zingiber officinale* and *Alpinia galanga* Powder in Three Types Packaging Material during Storage. *IOP Conference Series: Earth and Environmental Science*, 1024(1). <https://doi.org/10.1088/1755-1315/1024/1/012023>
- Ariel, D. G., Winarsih, S., Putri, F. F., Erwan, N. E., Putri, A. M., Cahyono, A. W., Mardhiyyah, K., Fitri, L. E., & Nugraha, R. Y. B. (2021). Optimization of Combination of N-Hexane Solution and Ethyle Acetate on Secondary Metabolite Compounds Profile of *Streptomyces hygroscopicus*. *Jurnal Kedokteran Brawijaya*, 31(3), 186–192. <https://doi.org/10.21776/ub.jkb.2021.031.03.11>
- Ariwibowo, A. I., Lubis, C. F., Urbaningrum, L. M., Rahmawati, N. D., & Anggraini, S. (2021). Isolasi dan Identifikasi Senyawa Flavonoid pada Tanaman. *Jurnal Health Sains*, 2(6), 751–757. <https://doi.org/10.46799/jhs.v2i6.188>
- Aruoma, O. I., Spencer, J. P. E., Warren, D., Jenner, P., Butler, J., & Halliwell, B. (1997). Characterization of food antioxidants, illustrated using commercial garlic and ginger

- preparations. *Food Chemistry*, 60(2), 149–156. [https://doi.org/10.1016/S0308-8146\(95\)00254-5](https://doi.org/10.1016/S0308-8146(95)00254-5)
- Azizah, N., Purnamaningsih, S. L., & Fajriani, S. (2019). Land Characteristics Impact Productivity and Quality of Ginger (*Zingiber officinale Rosc*) in Java, Indonesia. *Agrivita Journal of Agricultural Science*, 41(3), 439–449. <https://doi.org/10.17503/agrivita.v41i3.2321>
- Badaring, D. R., Sari, S. P. M., Nurhabiba, S., Wulan, W., & Lembang, S. A. R. (2020). Uji Ekstrak Daun Maja (*Aegle marmelos L.*) terhadap Pertumbuhan Bakteri *Escherichia coli* dan *Staphylococcus aureus*. *Indonesian Journal of Fundamental Sciences*, 6(1), 16. <https://doi.org/10.26858/ijfs.v6i1.13941>
- Baihaqi, B., Hakim, S., Nuraida, N., Mandasari, M., & Mahfuzah, M. (2022). Pengaruh Konsentrasi Pelarut dan Waktu Maserasi terhadap Hasil Ekstraksi Oleoresin Jahe Merah (*Zingiber officinale* var. *rubrum*). *Jurnal Teknologi Pengolahan Pertanian*, 4(2), 48–52.
- Balachandran, S., Kentish, S. E., & Mawson, R. (2006). The effects of both preparation method and season on the supercritical extraction of ginger. *Separation and Purification Technology*, 48(2), 94–105. <https://doi.org/10.1016/j.seppur.2005.07.008>
- Banerjee, A., Karlan, D., & Zinman, J. (2015). Six randomized evaluations of microcredit: Introduction and further steps. *American Economic Journal: Applied Economics*, 7(1), 1–21. <https://doi.org/10.1257/app.20140287>
- Bhattarai, S., Hoan Tran, V., & Duke, C. C. (2001). The Stability of Gingerol and Shogaol in Aqueous Solutions. *Pharmaceutical Sciences*, 90(10), 1658–1664.
- Cahyanto, H. A. (2021). STANDARDISASI SIMPLISIA DAN EKSTRAK ETANOL JAHE MERAH (*Zingiber officinale* Rosch. var *rubrum*) DARI LAHAN GAMBUT KUBU RAYA, KALIMANTAN BARAT. *Borneo Akcaya*, 7(2), 49–55.
- Dianasari, D., Puspitasari, E., Yulia Ningsih, I., Triatmoko, B., & Ken Nastiti, F. (2020). Potensi Ekstrak Etanol dan Fraksi-Fraksinya dari Tiga Varietas Jahe sebagai Agen Antibakteri terhadap *Staphylococcus aureus* Potency of Ethanolic Extracts and Its Fractions of Three Ginger Varieties as Antibacterial Agent Against *Staphylococcus aureus*. *Jurnal Farmasi Indonesia*, 17(1). <http://journals.ums.ac.id/index.php/pharmacon>
- Dwi Setyawan, A. (2002). Keragaman Varietas Jahe (*Zingiber officinale* Rosc.) berdasarkan Kandungan Kimia Minyak Atsiri. *BioSMART*, 4(2), 48–54.
- Dzakwan, M., Priyanto, W., & Ekowati, D. (2019). NANOENKAPSULASI MINYAK BIJI KELOR. *Jurnal Ilmiah Farmasi Farmasyifa*, 2(2), 84–92.

- Estupiñan-Amaya, M., Fuenmayor, C. A., & López-Córdoba, A. (2023). Exploring the Potential of Wild Andean Blueberries for Powdered Juice Production through Spray Drying. *Foods*, 12(12), 2348. <https://doi.org/10.3390/foods12122348>
- Fadlilah, M. (2013). *UJI AKTIVITAS SITOTOKSIK EKSTRAK DAN FRAKSI JAHE MERAH (ZINGIBER OFFICINALE ROSCOE VAR. RUBRUM) TERHADAP SEL HELA SECARA IN VITRO*. 1(1).
- Fang, Z., & Bhandari, B. (2010). Encapsulation of Polyphenols - A Review. In *Trends in Food Science and Technology* (Vol. 21, Issue 10, pp. 510–523). <https://doi.org/10.1016/j.tifs.2010.08.003>
- Fasya, A. G., Tyas, A. P., Mubarokah, F. A., Ningsih, R., & Madjid, A. D. R. (2018). Variasi Diameter Kolom dan Rasio Sampel-Silika pada Isolasi Steroid dan Triterpenoid Alga Merah Eucheuma cottonii dengan Kromatografi Kolom Basah. *Journal of Chemistry*, 6(2), 57–64.
- Ferdiansyah, F., Heriyanto, H., Wijaya, C. H., & Limantara, L. (2017). Pengaruh Metode Nanoenkapsulasi terhadap Stabilitas Pigmen Karotenoid dan Umur Simpan Minyak dari Buah Merah (*Pandanus conoideus* L.). *Agritech*, 37(4), 369–376. <https://doi.org/10.22146/agritech.15467>
- Fitzpatrick, L. R., & Woldemariam, T. (2017). Small-Molecule Drugs for the Treatment of Inflammatory Bowel Disease. In *Comprehensive Medicinal Chemistry III* (Vols. 5–8, pp. 495–510). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-409547-2.12404-7>
- Frauke Gaedcke, W., & Bjorn Feistel, A. (2005). *Ginger Extract Preparation*.
- Gouin, S. (2004). Microencapsulation: Industrial appraisal of existing technologies and trends. *Trends in Food Science and Technology*, 15(7–8), 330–347. <https://doi.org/10.1016/j.tifs.2003.10.005>
- Hakim, A. R., & Chamidah, A. (2013). APLIKASI GUM ARAB DAN DEKSTRIN SEBAGAI BAHAN PENGIKAT PROTEIN EKSTRAK KEPALA UDANG. *JPB Kelautan Dan Perikanan*, 8(1), 45–54.
- Handa, S. S., Khanuja, S. P. S., Longi, G., & Rakesh, D. D. (2008). *Extraction Technologies for Medicinal and Aromatic Plants*.
- Handoyo, D. L. Y. (2020). Pengaruh Lama Waktu Maserasi (Perendaman) Terhadap Kekentalan Ekstrak Daun Sirih (*Piper Betle*). *Jurnal Farmasi Tinctura*, 2(1), 34–41.
- Hapsoh, Hasanah, Y., & Julianti, E. (2010). Budidaya dan Teknologi Pasca Panen Jahe. In *USU Press medan* (Vol. 3).
- Harvey, D. (2000). *Modern analytical chemistry*. McGraw-Hill.

- Hidayati, D. N., Meyta Parusiza, I., & Fauzizah, N. (2022). Cytotoxic Activity of Eugenia polyantha Wight Leaves Extract, Purified Extract and Ethyl Acetate Fraction in T47D and Determination of Flavonoid Levels. *Indonesian Journal of Chemical Science*, 11(1). <http://journal.unnes.ac.id/sju/index.php/ijcs>
- Husna, R. S. N., Effendi, E. M., & Maheshwari, H. (2015). EFEK SAMPING EKSTRAK ETANOL 96% DAN 70% HERBA KEMANGI (*Ocimum americanum L.*) YANG BERSIFAT ESTROGENIK TERHADAP KADAR ASAM URAT PADA TIKUS PUTIH. *FITOFARMAKA: Jurnal Ilmiah Farmasi*, 5(2), 74–82. <https://doi.org/10.33751/jf.v5i2.411>
- Iijima, Y., & Joh, A. (2014). Pigment Composition Responsible for the Pale Yellow Color of Ginger (*Zingiber officinale*) Rhizomes. *Food Science and Technology Research*, 20(5), 971–978. <https://doi.org/10.3136/fstr.20.971>
- Irawan, B., & Jos, B. (2010). *Peningkatan Mutu Minyak Nilan dengan Ekstraksi dan Destilasi Pada Berbagai Komposisi Pelarut*. Universitas Diponegoro.
- Irfan Fakhrudin, M., Anam, C., & Andriani, M. A. M. (2015). Karakteristik oleoresin jahe berdasarkan ukuran dan lama perendaman serbuk jahe dalam etanol. 13(1), 25–33. <https://doi.org/10.13057/biofar/f130104>
- Jafari, S. M., Assadpoor, E., He, Y., & Bhandari, B. (2008). Encapsulation efficiency of food flavours and oils during spray drying. *Drying Technology*, 26(7), 816–835. <https://doi.org/10.1080/07373930802135972>
- Jaya, S., & Das, H. (2004). Effect of Maltodextrin, Glycerol Monostearate and Tricalcium Phosphate on Vacuum Dried Mango Powder Properties. *Journal of Food Engineering*, 63(2), 125–134. [https://doi.org/10.1016/S0260-8774\(03\)00135-3](https://doi.org/10.1016/S0260-8774(03)00135-3)
- Jayanudin, J., Lestari, R. S. D., Fathurohman, A., & Dewo, S. (2021). Microencapsulation of red ginger oleoresin in maltodextrin and carrageenan using spray drying. *Teknika: Jurnal Sains Dan Teknologi*, 17(2), 217. <https://doi.org/10.36055/tjst.v17i2.12704>
- Jayanudin, Rochmadi, Wiratni, Yulvianti, M., Barleany, D. R., & Ernayati, W. (2015). Encapsulation red ginger oleoresin (*Zingiber officinale* var. *rubrum*) with chitosan-alginate as wall material using spray drying. *Research Journal of Applied Sciences, Engineering and Technology*, 10(12), 1370–1378. <https://doi.org/10.19026/rjaset.10.1836>
- Jayanudin, Rochmadi, Yulvianti, M., Imanudin, A., & Sari, T. R. (2016). Kinetika Release Mikrokapsul Oleoresin Jahe Merah. *Reaktor*, 16(3), 128–140. <https://doi.org/10.14710/reaktor.16.3.128>
- Johnson, J. B., Mani, J. S., White, S., Brown, P., & Naiker, M. (2021). Pungent and volatile constituents of dried Australian ginger. *Current Research in Food Science*, 4, 612–618. <https://doi.org/10.1016/j.crfs.2021.08.010>

- Kautsar, D. B., Rois, M. F., Faizah, N., Widiyastuti, W., Nurtono, T., & Setyawan, H. (2023). Antioxidant and Antimicrobial Agents from Avocado (*Persea americana*) Seed Extract Encapsulated in Gum Arabic through Spray Drying Method. *Periodica Polytechnica Chemical Engineering*, 67(1), 161–171. <https://doi.org/10.3311/PPch.20698>
- Kortei, N. K., & Akonor, P. T. (2015). Correlation Between Hue-Angle and Colour Lightness of Gamma Irradiated Mushrooms. *Food Science and Technology*, 16(1), 98–103. [www.afst.valahia.ro](http://www.afst.valahia.ro)
- Krisanti, E., Astuty, R. M., & Mulia, K. (2017). Microencapsulation of oleoresin from red ginger (*Zingiber officinale* var. *Rubrum*) in chitosan and alginate for fresh milk preservatives. *AIP Conference Proceedings*, 1817. <https://doi.org/10.1063/1.4976785>
- Kurniawati, A. (2019). Pengaruh Jenis Pelarut Pada Proses Ekstraksi Bunga Mawar Dengan Metode Maserasi Sebagai Aroma Parfum. *Journal of Creativity Student*, 2(2), 74–83. <http://journal.unnes.ac.id/nju/index.php/jcs>
- Lallo, S., Mirwan, M., Palino, A., Nursamsiar, N., & Hardianti, B. (2018). AKTIFITAS EKSTRAK JAHE MERAH DALAM MENURUNKAN ASAM URAT PADA KELINCI SERTA ISOLASI DAN IDENTIFIKASI SENYAWA BIOAKTIFNYA. *Jurnal Fitofarmaka Indonesia*, 5(1), 271–278. <https://doi.org/10.33096/jffi.v5i1.319>
- Li, R., Wang, Y., Wang, S., & Liao, X. (2015). A Comparative Study of Changes in Microbiological Quality and Physicochemical Properties of N2-Infused and N2-Degassed Banana Smoothies After High Pressure Processing. *Food and Bioprocess Technology*, 8(2), 333–342. <https://doi.org/10.1007/s11947-014-1401-z>
- Liew, S. Y., Mohd Zin, Z., Mohd Maidin, N. M., Mamat, H., & Zainol, M. K. (2020). Effect of the Different Encapsulation Methods on the Physicochemical and Biological Properties of Clitoria Ternatea Flowers Microencapsulated in Gelatine. *Food Research*, 4(4), 1098–1108. [https://doi.org/10.26656/fr.2017.4\(4\).033](https://doi.org/10.26656/fr.2017.4(4).033)
- Luo, Y., Wang, T. T. Y., Teng, Z., Chen, P., Sun, J., & Wang, Q. (2013). Encapsulation of indole-3-carbinol and 3,3'-diindolylmethane in zein/carboxymethyl chitosan nanoparticles with controlled release property and improved stability. *Food Chemistry*, 139(1–4), 224–230. <https://doi.org/10.1016/j.foodchem.2013.01.113>
- Luxminarayan, L., Neha, S., Amit, V., & Khinchi, M. P. (2017). Asian Journal of Pharmaceutical Research and Development A REVIEW ON CHROMATOGRAPHY TECHNIQUES. *Asian Journal of Pharmaceutical Research and Development*, 5(2), 1–08. [www.ajprd.com](http://www.ajprd.com)
- Mahendran, T., Williams, P. A., Phillips, G. O., Al-Assaf, S., & Baldwin, T. C. (2008). New insights into the structural characteristics of the arabinogalactan-protein (AGP)

- fraction of gum arabic. *Journal of Agricultural and Food Chemistry*, 56(19), 9269–9276. <https://doi.org/10.1021/jf800849a>
- Mao, Q. Q., Xu, X. Y., Cao, S. Y., Gan, R. Y., Corke, H., Beta, T., & Li, H. Bin. (2019). Bioactive compounds and bioactivities of ginger (*Zingiber officinale* roscoe). In *Foods* (Vol. 8, Issue 6). MDPI. <https://doi.org/10.3390/foods8060185>
- Mukhriani. (2014). Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif. *Kesehatan*, 7(2).
- Naz, A. R., Wrasiati, L. P., & Wartini, N. M. (2022). Karakteristik Enkapsulat Ekstrak Pewarna Bunga Kenop (*Gomphrena globosa* L.) pada Perlakuan Perbandingan Gum Arab dan Karagenan. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 10(1), 68–82.
- Ngo, Y. L., & Chua, L. S. (2019). Column chromatography for preparing rosmarinic acid rich extract from *Orthosiphon aristatus*. *Journal of Liquid Chromatography and Related Technologies*, 42(17–18), 546–554. <https://doi.org/10.1080/10826076.2019.1635891>
- Nisa', I. A., Mubarokah, & Soedarto, T. (2023). ANALISIS PERMINTAAN JAHE MERAH (*Zingiber officinale* roscoe Var. Rubrum) DI JAWA TIMUR. *Jurnal Pertanian Agros*, 25(1).
- Nurhadi, B., Suriati, Tensiska, Saputra, R. A., & Sukri, N. (2020). The Role of Encapsulant Materials on the Stability of Bioactive Compounds of Red Ginger (*Zingiber Officinale Roscoe*. var. *Rubrum*) Extract Powder During Storage. *Food Chemistry*, 333. <https://doi.org/10.1016/j.foodchem.2020.127490>
- Oboh, G., Akinyemi, A. J., & Ademiluyi, A. O. (2012). Antioxidant and inhibitory effect of red ginger (*Zingiber officinale* var. *Rubra*) and white ginger (*Zingiber officinale* Roscoe) on Fe 2+ induced lipid peroxidation in rat brain in vitro. *Experimental and Toxicologic Pathology*, 64(1–2), 31–36. <https://doi.org/10.1016/j.etp.2010.06.002>
- Offei-Oknye, R., Patterson, J., Walker, L. T., & Verghese, M. (2015). Processing Effects on Phytochemical Content and Antioxidative Potential of Ginger &lt;i&gt;Zingiber officiale&lt;/i&gt;. *Food and Nutrition Sciences*, 06(05), 445–451. <https://doi.org/10.4236/fns.2015.65046>
- Oktora, R. D., Aylianawati, & Sudaryanto, Y. (2007). Ekstraksi Oleoresin dari Jahe. *Widya Teknik*, 6(2), 131–141.
- Ooi, S. L., Pak, S. C., Campbell, R., & Manoharan, A. (2022). Polyphenol-Rich Ginger (*Zingiber officinale*) for Iron Deficiency Anaemia and Other Clinical Entities Associated with Altered Iron Metabolism. *Molecules*, 27(19). <https://doi.org/10.3390/molecules27196417>
- Osae, R., Zhou, C., Xu, B., Tchabo, W., Tahir, H. E., Mustapha, A. T., & Ma, H. (2019). Effects of Ultrasound, Osmotic Dehydration, and Osmosonication Pretreatments On

- Bioactive Compounds, Chemical Characterization, Enzyme Inactivation, Color, and Antioxidant Activity of Dried Ginger Slices. *Journal of Food Biochemistry*, 43(5). <https://doi.org/10.1111/jfbc.12832>
- Pathiassana, M. T., Mariani, D., & Nurlaila. (2020). ANALISIS SENYAWA 6-GINGEROL TERHADAP RIMPANG JAHE YANG DIEKSTRAKSI DENGAN METODE LIQUID CHROMATOGRAPHY MASSA SPECTROMETRY (LC-MS): Vol. VII (Issue 2).
- Pinho, E., Grootveld, M., Soares, G., & Henriques, M. (2014). Cyclodextrins as Encapsulation Agents for Plant Bioactive Compounds. In *Carbohydrate Polymers* (Vol. 101, Issue 1, pp. 121–135). <https://doi.org/10.1016/j.carbpol.2013.08.078>
- Prasad, S., Tyagi, A. K., & Aggarwal, B. B. (2014). Recent Developments in Delivery, Bioavailability, Absorption and Metabolism of Curcumin: The golden Pigment From Golden Spice. *Cancer Research and Treatment*, 46(1), 2–18. <https://doi.org/10.4143/crt.2014.46.1.2>
- Praseptiangga, D., Aviany, T. P., & Parnanto, N. H. R. (2016). PENGARUH PENAMBAHAN GUM ARAB TERHADAP KARAKTERISTIK FISIKOKIMIA DAN SENSORIS FRUIT LEATHER NANGKA (*Artocarpus heterophyllus*). *Jurnal Teknologi Hasil Pertanian*, IX(1).
- Prasetyowati, D. A., Widowati, E., & Nursiwi, A. (2014). Pengaruh Penambahan Gum Arab Terhadap Karakteristik Fisikokimia dan Sensoris Fruit Leather Nanas (*Ananas comosus* L. Merr.) dan Wortel (*Daucus carota*). *Jurnal Teknologi Pertanian*, 15(2), 139–148.
- Pratiwi, L., Fudholi, A., Martien, R., & Pramono, S. (2016). Ekstrak etanol, Ekstrak etil asetat, Fraksi etil asetat, dan Fraksi n-heksan Kulit Manggis (*Garcinia mangostana* L.) Sebagai Sumber Zat Bioaktif Penangkal Radikal Bebas. *Journal of Pharmaceutical Science and Clinical Research*, 01, 71–82.
- Procopio, F. R., Ferraz, M. C., Paulino, B. N., Sobral, P. J. do A., & Hubinger, M. D. (2022). Spice Oleoresins as Value-Added Ingredient for Food Industry: Recent Advances and Perspectives. *Trends in Food Science and Technology*, 122, 123–139. <https://doi.org/10.1016/j.tifs.2022.02.010>
- Raghavan, Susheela. (2007). *Handbook of spices, seasonings, and flavorings*. CRC Press/Taylor & Francis.
- Rahmadani, S., Sa'diah, S., & Wardatun, S. (2018). OPTIMASI EKSTRAKSI JAHE MERAH (*Zingiber officinale Roscoe*) DENGAN METODE MASERASI. *Jurnal Online Mahasiswa (JOM) Bidang Farmasi*, 1(1).
- Ramadhan, A. E., & Phaza, H. A. (2010). Pengaruh Konsentrasi Etanol, Suhu dan Jumlah Stage Pada Ekstraksi Oleoresin Jahe (*Zingiber Officinale Rosc*) Secara Batch.

- Ravichandran, K., Palaniraj, R., Saw, N. M. M. T., Gabr, A. M. M., Ahmed, A. R., Knorr, D., & Smetanska, I. (2014). Effects of different encapsulation agents and drying process on stability of betalains extract. *Journal of Food Science and Technology*, 51(9), 2216–2221. <https://doi.org/10.1007/s13197-012-0728-6>
- Ravindran, P. N., & Babu, K. N. (2005). *Ginger: The Genus Zingiber*. CRC Press.
- Razali, N., Dewa, A., Asmawi, M. Z., Mohamed, N., & Manshor, N. M. (2020). Mechanisms underlying the vascular relaxation activities of *Zingiber officinale* var. *rubrum* in thoracic aorta of spontaneously hypertensive rats. *Journal of Integrative Medicine*, 18(1), 46–58. <https://doi.org/10.1016/j.joim.2019.12.003>
- Redha, A., Saniah, & Achmad, D. I. (2018). Pemanfaatan Oleoresin Jahe Merah dalam Bentuk Serbuk Nanoemulsi sebagai Antioksidan. *Vokasi*, 8(1).
- Redi Aryanta, I. W. (2019). Manfaat Jahe Untuk Kesehatan. *Widya Kesehatan*, 1(2), 39–43. <https://doi.org/10.32795/widyakesehatan.v1i2.463>
- Retno Putri, A., Sucirawati Poku, M., Yani, S., & Wiyani, L. (2016). PENGARUH SUHU TERHADAP KARAKTERISTIK OLEORESIN PADA EKSTRAKSI JAHE. *Journal Of Chemical Process Engineering*, 01(02).
- Riauwati, R., Sriwidodo, & Chaerunisaa, A. Y. (2020). Teknik Mikroenkapsulasi Pada Ekstrak Mangosteen. *Journal of Current Pharmaceutical Sciences*, 3(2), 2598–2095.
- Sarker, S. D., Latif, Z., & Gray, A. I. (2006). *Natural Products Isolation - Second Edition* (Second).
- Setyaningrum, M., & Cahyono, E. (2016). Pemisahan Sitronelal Menggunakan Kromatografi Kolom dengan Fasa Diam Siklodekstrin Terasetilasi. *Indonesian Journal of Chemical Science*, 5(2). <http://journal.unnes.ac.id/sju/index.php/ijcs>
- Setyawan, A. D., Wirianto, Suranto, & Bermawie, N. (2014). Short Communication: Variation in Isozymic Pattern of Germplasm from Three Ginger (*Zingiber officinale*) Varieties. *Nusantara Bioscience*, 6(1), 86–93. <https://doi.org/10.13057/nusbiosci/n060114>
- Shahrajabian, M. H., Sun, W., & Cheng, Q. (2019). Clinical Aspects and Health Benefits of Ginger (*Zingiber officinale*) in Both Traditional Chinese Medicine and Modern Industry. In *Acta Agriculturae Scandinavica Section B: Soil and Plant Science* (Vol. 69, Issue 6, pp. 546–556). Taylor and Francis Ltd. <https://doi.org/10.1080/09064710.2019.1606930>
- Shuen, G. W., Yi, L. Y., Ying, T. S., Von Yu, G. C., Binti Yusof, Y. A., & Phing, P. L. (2021). Effects of drying methods on the physicochemical properties and antioxidant capacity of Kuini powder. *Brazilian Journal of Food Technology*, 24. <https://doi.org/10.1590/1981-6723.08620>

- Simon-Brown, K., Solval, K. M., Chotiko, A., Alfaro, L., Reyes, V., Liu, C., Dzandu, B., Kyereh, E., Goldson Barnaby, A., Thompson, I., Xu, Z., & Sathivel, S. (2016). Microencapsulation of ginger (*Zingiber officinale*) extract by spray drying technology. *LWT*, 70, 119–125. <https://doi.org/10.1016/j.lwt.2016.02.030>
- Sineke, F. U., Suryanto, E., & Sudewi, S. (2016). PENENTUAN KANDUNGAN FENOLIK DAN SUN PROTECTION FACTOR (SPF) DARI EKSTRAK ETANOL DARI BEBERAPA TONGKOL JAGUNG (*Zea mays L.*). *Pharmacon*, 5(1), 275–283.
- Srikandi, Humairoh, M., & Sutamihardja, R. (2020). KANDUNGAN GINGEROL DAN SHOGAOL DARI EKSTRAK JAHE MERAH (*Zingiber Officinale Roscoe*) DENGAN METODE MASERASI BERTINGKAT. *Al-Kimiya*, 7(2), 75–81.
- Suci�ati, S. W., & Adnyana, I. K. (2017). *Red ginger (Zingiber officinale Roscoe var rubrum): a review*. 2, 60–65. <http://pharmacologyonline.silae.it>
- Sukandar, T. K., Sukmiwati, M., & Diharmi, A. (2021). Fraksi Aktif Rumput Laut Coklat (*Sargassum cinereum*). *Berkala Perikanan Terubuk*, 49(3).
- Sulhatun, Jalaluddin, & Tisara. (2013). Pemanfaatan Lada Hitam Sebagai Bahan Baku Pembuatan Oleoresin dengan Metode Ekstraksi. *Jurnal Teknologi Kimia Unimal*, 2(2), 16–30.
- Suryanto, E., & Wehantouw, F. (2009). Aktivitas Penangkap Radikal Bebas dari Ekstrak Fenolik Daun Sukun (*Artocarpus altilis F.*). *Chemistry Progress*, 2(1), 1–7.
- Susanti, Amalia, U., & Rianingsih, L. (2020). PENAMBAHAN GUM ARAB DENGAN KONSENTRASI YANG BERBEDA TERHADAP KANDUNGAN SENYAWA VOLATIL BUBUK RUSIP IKAN TERI (*Stolephorus sp.*). *Jurnal Ilmu Dan Teknologi Perikanan*, 2(1).
- Swapna Sonale, R., & Kadimi, U. S. (2012). Characterization of gingerol analogues in supercritical carbon dioxide (SC CO<sub>2</sub>) extract of ginger (*Zingiber officinale*, R.). *Journal of Food Science and Technology*, 51(11), 3383–3389. <https://doi.org/10.1007/s13197-012-0851-4>
- Syahmani, Leny, Iriani, R., & Noor, E. (2017). PENGGUNAAN KITIN SEBAGAI ALTERNATIF FASE DIAM KROMATOGRAFI LAPIS TIPIS DALAM PRAKTIKUM KIMIA ORGANIK. *Vidya Karya*, 32(1).
- Syaputri, E. R., Selaras, G. H., & Farma, S. A. (2021). Manfaat Tanaman Jahe (*Zingiber officinale*) Sebagai Obat obatan Tradisional (Traditional Medicine). *Universitas Negeri Padang*, 01(2021). <https://doi.org/10.24036/prosemnasbio/vol1/71>
- Umi Khasanah, L., Katri Anandhito, B., Rachmawaty, T., Utami, R., & Jati Manuhara, G. (2015). PENGARUH RASIO BAHAN PENYALUT MALTODEKSTRIN, GUM ARAB, DAN SUSU SKIM TERHADAP KARAKTERISTIK FISIK DAN

- KIMIA MIKROKAPSUL OLEORESIN DAUN KAYU MANIS (*Cinnamomum burmannii*). *AGRITECH*, 35(4).
- Vaidya, S., Bhosale, R., & Singhal, R. S. (2006). Microencapsulation of Cinnamon Oleoresin by Spray Drying Using Different Wall Materials. *Drying Technology*, 24(8), 983–992. <https://doi.org/10.1080/07373930600776159>
- Vedashree, M., Asha, M. R., Roopavati, C., & Naidu, M. M. (2020). Characterization of Volatile Components From Ginger Plant at Maturity and Its Value Addition to Ice Cream. *Journal of Food Science and Technology*, 57(9), 3371–3380. <https://doi.org/10.1007/s13197-020-04370-0>
- Wang, Q., Wei, Q., Yang, Q., Cao, X., Li, Q., Shi, F., Tong, S. S., Feng, C., Yu, Q., Yu, J., & Xu, X. (2018). A novel formulation of [6]-gingerol: Proliposomes with enhanced oral bioavailability and antitumor effect. *International Journal of Pharmaceutics*, 535(1–2), 308–315. <https://doi.org/10.1016/j.ijpharm.2017.11.006>
- Williams, C. A., & Lamprecht, E. D. (2008). Some commonly fed herbs and other functional foods in equine nutrition: A review. *The Veterinary Journal*, 178(1), 21–31. <https://doi.org/10.1016/J.TVJL.2007.06.004>
- Yu, Y., & Lv, Y. (2019). Degradation Kinetic of Anthocyanins from Rose (*Rosa Rugosa*) as Prepared by Microencapsulation in Freeze-Drying and Spray-Drying. *International Journal of Food Properties*, 22(1), 2009–2021. <https://doi.org/10.1080/10942912.2019.1701011>
- Yunita, B., Rusmarilin, H., & Karo-Karo, T. (2015). PEMBUATAN PATTY LEMBARAN MENGGUNAKAN TEPUNG KAYA PROTEIN DENGAN PENAMBAHAN ZAT PENSTABIL. *Ilmu Dan Teknologi Pangan J.Rekayasa Pangan Dan Pert*, 3.
- Yuswi, N. C. R. (2017). EKSTRAKSI ANTIOKSIDAN BAWANG DAYAK ( *Eleutherine palmifolia* ) DENGAN METODE ULTRASONIC BATH ( KAJIAN JENIS PELARUT DAN LAMA EKSTRAKSI ) Antioxidant Extraction of Bawang Dayak ( *Eleutherine Palmifolia* ) with Ultrasonic Bath ( Study type of solvent and Extr. *Pangan Dan Agroinsutri*, 5(1), 71–79.
- Zen, M. B., Putra, G. P. G., & Suhendra, L. (2021). Karakteristik Enkapsulat Ekstrak Kulit Buah Kakao (*Theobroma cacao L.*) pada Perlakuan Variasi Jenis dan Konsentrasi Bahan Penyalut. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 9(3), 356–370.
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*, 13(1). <https://doi.org/10.1186/s13020-018-0177-x>