

DAFTAR PUSTAKA

- Abdassah, M., F.S.Omandra dan S.R. Mita. 2015. Profil Permeasi In Vitro Gel Mata Kloramfenikol pada Membran Kornea Mata Kelinci dengan Metode Sel Difusi Franz. *Farmaka*, 13(4).
- Addo, E., O.A. Bamiro, dan R. Siwale. 2016. Anatomy of The Eye and Common Diseases Affecting The Eye. In R.T. Addo, ed. *Ocular Drug Delivery: Advances Challenges and Applications*. United States: Springer International Publishing. pp.11-25.
- Abelson, M. and Shapiro, A. 2007. A randomized trial assessing the clinical efficacy and microbial eradication of 1 % azithromycin ophthalmic solution vs tobramycin in adult and pediatric subjects with bacterial conjunctivitis. *Clinical Ophthalmology*, 1(2), pp. 177–182.
- Agency, E. M. 2011. European Medicines Agency: An unacceptable choice. *Prescribe International*, 20(121), p. 278.
- Akash, M,S,H., K. Rehman., H. Sun dan S. Chen. 2014. Assessment Of Release Kinetics, Stability And Polymer Interaction Of Poloxamer 407-Based Thermosensitive Gel Of Interleukin-1 Receptor Antagonist. *Pharm Dev Technol*, 19(3), pp. 278–284
- Almeida H, Amaral MH, Lobao P, dan Lobo JMS, 2014. *In situ gel lin : A Strategy to Improve the Bioavailability of Ophthalmic Pharmaceutical Formulations*. *Drug Discovery Today*. 19(4). 400-412

Alemu, Birhanu Motbaynor; Worku, Teshager (2020). *Efficacy of azithromycin 1% and 1.5% ophthalmic solutions compared to tobramycin 0.3% eye drops: A systematic review and meta-analysis.* *SAGE Open Medicine*, 8(), 205031212095884–.

Ameeduzzafar, Imam, S. S., Bukhari, S. N. A. and Ali, A. 2018. Preparation and evaluation of novel chitosan: gelrite ocular system containing besifloxacin for topical treatment of bacterial conjunctivitis: scintigraphy, ocular irritation and retention assessment. *Artificial Cells, Nanomedicine and Biotechnology*. Informa UK Limited, trading as Taylor & Francis Group, 46(5), pp. 959–967. doi: 10.1080/21691401.2017.1349779.

Anshul, S dan S. Renu. 2015. A Review On Levofloxacin *In Situ*-Gel Formulation. *Asian J Pharm Clin Res*, 8(1), Pp. 37-41

Ardiningsih, R., 2009. Mourne Training Service. *Berita Dirgantara*, 10(4). Ashara, K. C. and Shah, K. V. 2017. Emulsion of Chloramphenicol: an Overwhelming Approach for Ocular Delivery. *Folia medica*, 59(1), pp. 23–30. doi: 10.1515/folmed-2017-0007

Bhalerao, H., Koteshwara, K. B. and Chandran, S. 2019. Levofloxacin Hemihydrate In Situ Gelling Ophthalmic Solution: Formulation Optimization and In Vitro and In Vivo Evaluation. *AAPS PharmSciTech*. AAPS PharmSciTech, 20(7), pp. 1–12. doi: 10.1208/s12249-019-1489-6.

Bhattacharya, D., Ning, Y., Zhao, F., Stevenson, W., Chen, R., Zhang, J. and Wang, M. 2015. Tear production after bilateral main lacrimal gland resection in rabbits. *Investigative Ophthalmology and Visual Science*, 56(13), pp. 7774–

7783. doi: 10.1167/iovs.15-17550.
- Bremond-Gignac, D., Chiambaretta, F. and Milazzo, S. 2011. A European Perspective on Topical Ophthalmic Antibiotics: Current and Evolving Options. *Ophthalmology and Eye Diseases*, 3, p. OED.S4866. doi: 10.4137/oed.s4866.
- Budianto, V. 2010. *Optimasi Formula Sabun Transparan Dangan Humectan Gliserin Dan Surfaktan Cocoamidopropyl Betaine: Aplikasi Desain Faktorial* [Skripsi]. Yogyakarta: Fakultas Farmasi Universitas Sanata Dharma
- Caelo. 2015. *Material Safety Data Sheet Poloxamer 407*. Jerman : Caesar & Loretz GmbH
- Cao, F., Zhang, X. and Ping, Q. 2010. New method for ophthalmic delivery of azithromycin by poloxamer/carbopol- based in situ gelling system. *Drug Delivery*, 17(7), pp. 500–507. doi: 10.3109/10717544.2010.483255.
- Charoo, Naseem A.; Abdallah, Daud B.; Parveen, Thahera; Abrahamsson, Bertil; Cristofolletti, Rodrigo; Groot, Dirk W.; Langguth, Peter; Parr, Alan; Polli, James E.; Mehta, Mehul; Shah, Vinod P.; Tajiri, Tomokazu; Dressman, Jennifer (2020). *Biowaiver Monograph for Immediate-Release Solid Oral Dosage Forms: Moxifloxacin Hydrochloride*. *Journal of Pharmaceutical Sciences*, (), S0022354920303178–.
- Cho, I. S., Park, C. G., Huh, B. K., Cho, M. O., Khatun, Z., Li, Z., Kang, S. W., Choy, Y. Bin and Huh, K. M. 2016. *Thermosensitive hexanoyl glycol chitosan-based ocular delivery system for glaucoma therapy*. *Acta Biomaterialia*. doi: 10.1016/j.actbio.2016.05.011.

Depkes RI, 1995. *Farmakope Indonesia Edisi IV*. Jakarta: Departemen Kesehatan Republik Indonesia

Dey, S., Gunda, S. and Mitra, A. K. 2004. Pharmacokinetics of erythromycin in rabbit corneas after single-dose infusion: Role of P-glycoprotein as a barrier to in vivo ocular drug absorption. *Journal of Pharmacology and Experimental Therapeutics*, 311(1), pp. 246–255. doi: 10.1124/jpet.104.069583.

Diamant, J. I. and Hwang, D. G. 1999. Therapy for bacterial conjunctivitis. *Ophthalmology Clinics of North America*, 12(1), pp. 15–20. doi: 10.1016/S0896-1549(05)70145-0.

Dian, R., Fatimawali, F. Budiarto. 2015. Uji Resistensi Bakteri Escherichia Coli Yang Diumsolasi Dari Plak Gigi Terhadap Merkuri Dan Antibiotik Kloramfenikol. *Jurnal e-Biomedik*, 3(1).

Downie, L. E., Bandlitz, S., Bergmanson, J. P. G., Craig, J. P., Dutta, D., Maldonado-Codina, C., Ngo, W., Siddireddy, J. S. and Wolffsohn, J. S. 2021. CLEAR - Anatomy and physiology of the anterior eye. *Contact Lens and Anterior Eye*. Elsevier Ltd, 44(2), pp. 132–156. doi: 10.1016/j.clae.2021.02.009.

Edsman, K., J. Carlfors., dan R. Petersson. 1998. Rheological evaluation of Poloxamer as an *In Situ* Gel for Ophthalmic Use. *Eur J Pharm Sci*, 6(2), pp.105-12

El-Laithy, H. M., I.D. Nesseem dan M. Shoukry. 2011. Evaluation Of Two In Situ Gelling Systems For Ocular Delivery Of Moxifloxacin: In Vitro And In Vivo Studies. *JOCPR*, 3(2), pp. 66-79

- Fakhari, A., Corcoran, M. and Schwarz, A. 2017. Thermogelling properties of purified poloxamer 407. *Heliyon*. Elsevier Ltd., 3(8), p. e00390. doi: 10.1016/j.heliyon.2017.e00390.
- Fan, J. and De Lannoy, I. A. M. 2014. Pharmacokinetics. *Biochemical Pharmacology*, 87(1), pp. 93–120. doi: 10.1016/j.bcp.2013.09.007.
- Fathalla ZMA, Vangala A, Longman M, Khaled KA, Hussein AK, El-Garhy OH, et al, 2017. Poloxamer-Based Thermoresponsive Ketorolac Tromethamine *In Situ* Gel Preparations : Design , Characterisation, Toxicity and Transcorneal Permeation Studies Corresponding. *European Journal of Pharmaceutics and Biopharmaceutics*.
- Fukaya, Y., Kurita, A., Tsuruga, H., Naito, A., Nakaya, S., Sato, M., Kamata, Y., Hirata, H., Kambara, Y., Kurasawa, N., Wada, T., Toyoda, Y., Shirasawa, E. and Ohashi, Y. 2006. Antibiotic effects of WP-0405, a thermo-setting ofloxacin gel, on methicillin-resistant *Staphylococcus aureus* keratitis in rabbits. *Journal of Ocular Pharmacology and Therapeutics*, 22(4), pp. 258–266. doi: 10.1089/jop.2006.22.258.
- Gambhire, S., Bhalerao, K., & Singh, S. 2013. In Situ Hydrogel: Different Approaches To Ocular Drug Delivery. *International Journal of Pharmacy and Pharmaceutical Sciences*, 5(2), 27–36.
- Gandjar & Rohman,2007. *Kimia Farmasi Analisis*.Yogyakarta : Pustaka Pelajar.
- Ghosal, K., S. Chakrabarty., dan A. Nanda. 2011. Hydroxypropyl Methylcellulose in Drug Delivery. *Der Pharmacia Sinica*, 2(2), pp.152-68.
- Gupta, H., Aqil, M., Khar, R. K., Ali, A. and Chander, P. 2010. A single reversed-

- phase UPLC method for quantification of levofloxacin in aqueous humour and pharmaceutical dosage forms. *Journal of Chromatographic Science*, 48(6), pp. 484–490. doi: 10.1093/chromsci/48.6.484
- Gratieri, T., Gelfuso, G. M., De Freitas, O., Rocha, E. M. and Lopez, R. F. V. 2011. Enhancing and sustaining the topical ocular delivery of fluconazole using chitosan solution and poloxamer/chitosan in situ forming gel. *European Journal of Pharmaceutics and Biopharmaceutics*, 79(2), pp. 320–327. doi: 10.1016/j.ejpb.2011.05.006.
- Halvorson, J., Lenhoff, A. M., Dittmann, M. and Stoll, D. R. 2018. Implications of turbulent flow in connecting capillaries used in high performance liquid chromatography. *Journal of Chromatography A*. Elsevier B.V., 1536, pp. 185–194. doi: 10.1016/j.chroma.2016.12.084.
- Harmita, 2004. Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya. *Majalah Ilmu Kefarmasian*, 1(3) pp. 117 – 135.
- Harmita, 2006. *Analisis Fisiko Kimia*. Jakarta: Departemen Farmasi FMIPA UI.
- Hassan, Rasha M.; Yehia, Ali M.; Saleh, Ola A.; El-Azzouny, Aida A.; Abou-Enein, Hassan Y. 2018. *Structure-retention relationship for enantioseparation of selected fluoroquinolones*. *Chirality*, (), 1 – 9.
- Honkanen, R., Nemesure, B., Huang, L. and Rigas, B. 2021. Diagnosis of Dry Eye Disease Using Principal Component Analysis: A Study in Animal Models of the Disease. *Current Eye Research*. Taylor & Francis, 46(5), pp. 622–629. doi: 10.1080/02713683.2020.1830115.
- Huber, L, 2007. *Validation of Analytical Methods*. New York: McGraw- Hill comp

- Instruction, F. O. R., Authors, T. O., Any, F. O. R. and Email, Q. 2013. Journal Home page. *International Journal of Pharma and Bio Sciences*, 1(4), pp. 150–160.
- Jadhav *et al*, 2013. Development and Validation HPLC Method For Simultaneous Amoxycillin Trihydrate and Potassium Clavulanate in Pure and Marketed Tablet Dosage Form. *Journal Of Applied Pharmaceutical Science*, 3(8), pp.139-44
- Jain, S., P.S. Sandhu., R. Malvi., dan B. Gupta. 2013. Cellulose Derivatives as Thermoresponsive Polymer: An Overview. *Journal Of Applied Pharmaceutical Science*, 3(12), pp.139-44.
- Jünemann, A.G.M., T. Chorągiewicz, M. Ozimek, P. Grieb, dan R. Redjak. 2016. Drug bioavailability from topically applied ocular drops. Does drop size matter? *Ophthalmology Journal*, 1(1), pp.29-35
- Kalam, M. A., Iqbal, M., Alshememry, A., Alkholief, M. and Alshamsan, A. 2021. UPLC-MS/MS assay of Tedizolid in rabbit aqueous humor: Application to ocular pharmacokinetic study. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*. Elsevier B.V., 1171(February), p. 122621. doi: 10.1016/j.jchromb.2021.122621.
- Kant A, Reddy S, Shankraiah MM, Venkatesh JS, Nagesh C, 2011. In Situ Gelling System – An Overview. *Pharmacologyonline*. 2:28-44.
- Katariya, D.C. dan S.S. Sushilkumar 2012. Current Status of Ophthalmic *In-situ* Forming Hydrogel. *International Journal of Pharma and Bio Sciences*, 3(3), pp.372-388

- Kels, B. D., Grzybowski, A. and Grant-Kels, J. M. 2015. Human ocular anatomy. *Clinics in Dermatology*. Elsevier Inc., 33(2), pp. 140–146. doi: 10.1016/j.clindermatol.2014.10.006
- Kementerian Kesehatan RI. (2020). Farmakope Indonesia Edisi VI. In *Kemenkes RI*. https://perpustakaan.bsn.go.id/index.php?p=show_detail&id=14835.
- Khan, S., Warade, S. and Singhavi, D. J. 2018. Improvement in Ocular Bioavailability and Prolonged Delivery of Tobramycin Sulfate Following Topical Ophthalmic Administration of Drug-Loaded Mucoadhesive Microparticles Incorporated in Thermosensitive in Situ Gel. *Journal of Ocular Pharmacology and Therapeutics*, 34(3), pp. 287–297. doi: 10.1089/jop.2017.0079
- Khimdas, S., Visscher, K. L. and Hutnik, C. M. L. 2011. Besifloxacin Ophthalmic Suspension: Emerging Evidence of its Therapeutic Value in Bacterial Conjunctivitis. *Ophthalmology and Eye Diseases*, 3, p. OED.S4102. doi: 10.4137/oed.s4102.
- Koetting, M. C., Peters, J. T., Steichen, S. D. and Peppas, N. A. 2015. Stimulus-responsive hydrogels: Theory, modern advances, and applications. *Materials Science and Engineering R: Reports*, 93, pp. 1–49. doi: 10.1016/j.mser.2015.04.001
- Kumar, A., R. Malviya dan P.K. Sharma. 2011. Recent Trends in Ocular Drug Delivery: A Short Review. *European Journal of Applied Sciences*, 3(3), pp.86-92.

Kumaran, Arul., K. Karthika and J. Padmapreetha, 2010. Comparative Review on Conventional and Advanced Ocular Drug Delivery Formulation. *Int J Pharm Pharm Sci.* 2(4).

Kurniawansyah, I.S., I. Sopyan., Y.W. Wardhana dan M. Gunasekaran.2018. Formulation and Evaluation of Chloramphenicol Hydrogel Ophthalmic Preparation. *Journal of Young Pharmacists*, pp.10(2): pp73-78.

Kurniawansyah, I.S., I. Sopyan, N. Wathoni, dan D.L. Fillah. 2018. Application and Characterization of *In Situ* Gel. *International Journal of Applied Pharmaceutics*,10(6), pp.34 - 37.

Kushwaha, S.K., Saxena,P., and Rai, A.K. 2012. Stimuli sensitive hydrogels for ophthalmic drug delivery. *International Journal of Pharmaceutical Investigation*. 2:54-60.

Kumar, A., Srivastava, A., Galaev, I. Y. and Mattiasson, B. 2007. Smart polymers: Physical forms and bioengineering applications. *Progress in Polymer Science (Oxford)*, 32(10), pp. 1205–1237. doi: 10.1016/j.progpolymsci.2007.05.003.

Li, J., Zhao, H., Okeke, C. I., Li, L., Liu, Z., Yin, Z., Zhuang, P., Sun, J., Wu, T., Wang, M., Li, N., Pi, J., Zhang, Q., Zhang, R., Ma, L., Pang, X., Liu, Z., Zhang, L. and Fan, L. 2013. Comparison of systemic absorption between ofloxacin ophthalmic in situ gels and ofloxacin conventional ophthalmic solutions administration to rabbit eyes by HPLC-MS/MS. *International Journal of Pharmaceutics*, 450(1–2), pp. 104–113. doi: 10.1016/j.ijpharm.2013.04.018.

- Liu, Z., Yang, X. G., Li, X., Pan, W. and Li, J. 2007. Study on the ocular pharmacokinetics of ion-activated in situ gelling ophthalmic delivery system for gatifloxacin by microdialysis. *Drug Development and Industrial Pharmacy*, 33(12), pp. 1327–1331. doi: 10.1080/03639040701397241.
- Maia, A. S., Castro, P. M. L. and Tiritan, M. E. 2016. Integrated liquid chromatography method in enantioselective studies: Biodegradation of ofloxacin by an activated sludge consortium. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*. Elsevier B.V., 1029–1030, pp. 174–183. doi: 10.1016/j.jchromb.2016.06.026.
- Majeed, A. dan N.A. Khan. 2019. Ocular *In Situ* Gel: An Overview. *Journal of Drug Delivery and Therapeutics*, pp.9(1): 337-347.
- Mali, M,N dan A.A. Hajare. 2010. In-Situ Gel Forming System For Sustained Ocular Drug Delivery. *European Industrial Pharmacy*, Issue 5.
- Mandal, S., Prabhushankar, G., Thimmasetty, M. and Geetha, M. 2012. Formulation and evaluation of an in situ gel-forming ophthalmic formulation of moxifloxacin hydrochloride. *International Journal of Pharmaceutical Investigation*, 2(2), p. 78. doi: 10.4103/2230-973x.100042
- McPolin, O, 2009. *An Introduction to HPLC for Pharmaceutical Analysis*. Northern Ireland: Mourne Training Service
- Mehta, M., Viral, S and Uphaday ,U.M. 2011. Ophthalmic Drug Delivery with Emphasis on In Situ Gel System. *IJP's Journal of Pharmaceutics and Cosmetology*, 2(7) : 2229-6832..
- Mundada, A.S., Avari, J.G., Mehta, S.P., Pandit, S.S., dan Patil A.T. 2008. Recent

- Advances in Ophthalmic Drug Delivery System. *Pharm Rev.* 6(1) : 93-473
- Moisseiev, E., Loberman, D., Zunz, E., Kesler, A., Loewenstein, A. and Mandelblum, J. 2015. Pupil dilation using drops vs gel: A comparative study. *Eye (Basingstoke)*. Nature Publishing Group, 29(6), pp. 815–819. doi: 10.1038/eye.2015.47.
- Nair, A. B., Shah, J., Jacob, S., Al-Dhubiab, B. E., Sreeharsha, N., Morsy, M. A., Gupta, S., Attimarad, M., Shinu, P. and Venugopala, K. N. 2021. Experimental design, formulation and in vivo evaluation of a novel topical in situ gel system to treat ocular infections. *PLoS ONE*, 16(3 March), pp. 1–18. doi: 10.1371/journal.pone.0248857.
- Nanjwade, B. K., Deshmukh, R. V., Gaikwad, K. R., Parikh, K. A. and Manvi, F. V. 2012. Formulation and evaluation of micro hydrogel of Moxifloxacin hydrochloride. *European Journal of Drug Metabolism and Pharmacokinetics*, 37(2), pp. 117–123. doi: 10.1007/s13318-011-0070-9.
- Nanjundswamy, N.G., Fatima, S., and Sholapur, H.N. 2009. A Review on Hydrogels and Its Use in In Situ Ocular Drug Delivery. *Indian Journal of Novel Drug Delivery*. 1(1): 11-17.
- Nirmal H.B., Bakliwal S.R., Pawar S.P.2010. *In-situ* gel: New trends in Controlled and Sustained Drug Delivery System. *International Journal of PharmTech Research*. Vol.2, No.2, pp 1398-1408, 1398-1408
- Nirmal, H. B., Bakliwal, S. R. and Pawar, S. P. 2010. In-Situ gel: New trends in controlled and sustained drug delivery system. *International Journal of PharmTech Research*, 2(2), pp. 1398–1408.

- Pandya, T.P, Modasiya, M.K, Patel, V.M. 2011. Ophthalmic *In-situ* Gelling System. *Int. J. of Pharm.& Life Sci.* 2(5) : 730-738.
- Patel, H. R., R.P. Patel dan M.M. Patel. 2009. Poloxamers: A Pharmaceutical Excipients With Therapeutic Behaviors. *Int J Pharmtech Res*, 1(2), pp. 299-303
- Patel,H.A., Jayvadan,K.P., Kalpesh,N.P dan Ravi,R.P. 2015. Ophthalmic Drug Delivery System- A Review. *Der Pharmacia Lettre*, 2(4), pp. 100-115.
- Patel, N., Thakkar, V., Metalia, V., Baldaniya, L., Gandhi, T. and Gohel, M. 2016. Formulation and development of ophthalmic in situ gel for the treatment ocular inflammation and infection using application of quality by design concept. *Drug Development and Industrial Pharmacy*, 42(9), pp. 1406–1423. doi: 10.3109/03639045.2015.1137306.
- Patel, T., Magdesian, K. G., Estell, K. E., Edman, J. M. and Knych, H. K. 2019. Pharmacokinetics of chloramphenicol base in horses and comparison to compounded formulations. *Journal of Veterinary Pharmacology and Therapeutics*, 42(6), pp. 609–616. doi: 10.1111/jvp.12777.
- Patel, N., Thakkar, V., Metalia, V., Baldaniya, L., Gandhi, T. and Gohel, M. 2016. Formulation and development of ophthalmic in situ gel for the treatment ocular inflammation and infection using application of quality by design concept. *Drug Development and Industrial Pharmacy*, 42(9), pp. 1406–1423. doi: 10.3109/03639045.2015.1137306.
- Pereira, G.G., F.A.Dimer., S.S. Guterres., C.P. Kechinski, J.E.Granada dan N.S.M.Cardozo. 2013. Formulation And Characterization Of Poloxamer

- 407®: Thermoreversible Gel Containing Polymeric Microparticles And Hyaluronic Acid. *Quim Nova*, 36(8), pp. 1121-1125.
- Pijls, R. T., Sonderkamp, T., Daube, G. W., Krebber, R., Hanssen, H. H. L., Nuijts, R. M. M. A. and Koole, L. H. 2005. Studies on a new device for drug delivery to the eye. *European Journal of Pharmaceutics and Biopharmaceutics*, 59(2), pp. 283–288. doi: 10.1016/j.ejpb.2004.08.011.
- Pilevar, S., R. Blust., F. Dardenne dan K.D. Wael. 2012. Electrochemical Sensing of Phenicol Antibiotics at Gold. *International journal of electrochemical science*, 7(6), pp.5000-11.
- Prathap, B., Akalanka D., G.H. Srinivara., P. Johnson dan P. Arthanariswara n. 2013. A Review Importance of RP- HPLC in Analytical Method Development. *International Journal of Novel Trends in Pharmaceutical Science*, 3(1), pp. 15-23
- Ruponen, M. and Urtti, A. 2015. Undefined role of mucus as a barrier in ocular drug delivery. *European Journal of Pharmaceutics and Biopharmaceutics*. Elsevier B.V., 96(March), pp. 442–446. doi: 10.1016/j.ejpb.2015.02.032.
- Saini, Ramanjit., Seema Saini., Gurpreet Singh., and Dr. Angshu Banerjee. 2015. In situ gels – a new trends in ophthalmic drug delivery systems.. *Int J Pharm Sci Res.* 6(5).
- Salomon, L.L., W. Kosasih dan S.W. Angkasa. 2015. Perancangan Eksperimen untuk Meningkatkan Kualitas Ketangguhan Material dengan Pendekatan Analisis General Factorial Design (Studi Kasus: Produk Solid Surface). *Jurnal Rekayasa Sistem Industri*, 4(1).

- Saminan. 2013. Efek Penyimpangan Refraksi Cahaya Dalam Mata Terhadap Rabun Dekat Atau Jauh. *Idea Nursing Journal*, 4(2).
- Satria, G., D, Sumiarto., B, Trisyono., A & Wijayanti,A, D. 2014 Pengoptimalan Metode Kromatografi Cair Kinerja Tinggi Dalam Analisis Senyawa Denltamethrin Sebagai Residu dalam Produk Asal Hewan. *Jurnal Kedokteran Hewan*, 8(1)
- Sayed, E. G., Hussein, A. K., Khaled, K. A. and Ahmed, O. A. A. 2015. Improved corneal bioavailability of ofloxacin: Biodegradable microsphere-loaded ion-activated in situ gel delivery system. *Drug Design, Development and Therapy*, 9, pp. 1427–1435. doi: 10.2147/DDT.S80697.
- Septadina, I,S. 2015. Perubahan Anatomi Bola Mata pada Penderita Diabetes Melitus. *MKS*, 47(2).
- Shastri, D.H., Patel, L.D. 2010. A Novel Alternative to Ocular Drug Delivery System : Hydogel. *International Journal of Pharmaceutical Research*. 2(1) : 1-13.
- Shashank, N. N., B.S. Sogali dan R.S. Thakur. 2012. Formulation And Evaluation Of Ph Triggered In Situ Ophthalmic Gel Of Moxifloxacin Hydrochloride. *Int J Pharm Pharm Sci*, 4(2), pp. 452-459.
- Shetty,N,G dan Charyulu, R,N.2013. 2013. Journal Home page. *International Journal of Pharma and Bio Sciences*, 1(4), pp. 150–160.
- Shi, H., Wang, Y., Bao, Z., Lin, D., Liu, H., Yu, A., Lei, L., Li, X. and Xu, X. 2019. Thermosensitive glycol chitosan-based hydrogel as a topical ocular drug delivery system for enhanced ocular bioavailability. *International Journal of*

- Pharmaceutics*, 570. doi: 10.1016/j.ijpharm.2019.118688.
- Shouying, D. et al., 2014. The Application of Biomedical Polymer Material Hydroxy Propyl Methyl Cellulose (HPMC) in Pharmaceutical Preparations. *Journal of Chemical and Pharmaceutical Research*, 6(5), pp.155-60.
- Singh, A., D. Negi., N. Mishra. dan A. Baldi. 2018. Recent Trends in Ocular Drug Delivery. *Pharmspire*, 10(2), pp.53-63.
- Siouffi, A. M. 2005. High performance liquid chromatography. *Handbook of Food Science, Technology, and Engineering - 4 Volume Set*, pp. 859–900. doi: 10.4324/9780203301869_chapter_4.
- Suguna, P., Naidu, N. V. S. and Sathynarayana, B. 2014. Determination of Chloramphenicol in Bulk Drug and Pharmaceutical Dosage Forms by HPLC, 4(12), pp. 60–70.
- Synder, 1997. *Practical HPLC Method Development. Second Edition ed.* New York : Jhon Willey and Sons inc.
- Siouffi, A. M. 2005. High performance liquid chromatography. *Handbook of Food Science, Technology, and Engineering - 4 Volume Set*, pp. 859–900. doi: 10.4324/9780203301869_chapter_4.
- Smith, M. 2017. Antibiotic Resistance Mechanisms. *Journeys in Medicine and Research on Three Continents Over 50 Years*, (May 2017), pp. 95–99. doi: 10.1142/9789813209558_0015.
- Talasaz, A., A.G. Ali., H.M. Shadi., R.M. Mazda., A. Fatemeh dan D. Rassoul. 2008. In Situ Gel Forming Systems of Poloxamer 407 and Hydroxypropyl

- Cellulose or Hydroxypropyl Methyl Cellulose Mixtures for Controlled Delivery of Vancomycin. *Journal of Applied Polymer Science*, pp. 2369-2374.
- Tinu, T.S., L. Thomas. dan A.B. Khumar. 2013. Polymers Used in Ophthalmic *in-situ* Gelling System. *International Journal of Pharmaceutical Sciences Review and Research*, 20(1), pp.176-83.
- Tótoli, Eliane Gandolpho; Salgado, Hérida Regina Nunes (2018). *Besifloxacin: a critical review of its characteristics, properties and analytical methods. Critical Reviews in Analytical Chemistry*, (), 00–00
- Urbaniak B, Milanowski B, Lulek J, Kokot ZJ. 2017. Study Of Ofloxacin Enantiomers Dissolution FromROM Selected Solid Dosage Forms Using High Performance CapillaryAPILLARY Electrophoresis MethodLECTROPHORESIS METHOD. *Acta Pol Pharm*.74(3):955-968. PMID: 29513966.
- Willoughby, C.E., D. Ponzin, S. Ferrari, A. Lobo., K. Landau dan Y. Omidi. 2010. Anatomy and physiology of the human eye: effects of mucopolysaccharidoses disease on structure and function – a review. *Clinical and Experimental Ophthalmology*, Volume 38, pp. 2-11.
- Vairappan, K., Puratchikody, A., Ramanathan, L dan Jayapraba,S. 2011. Development and Validation of a Disolution Test With Reversed- Phase High Performance Liquid Chromatographic Analysis for Candesartan Cilextil in Tablet Dosage Forms. *Arabian Journal of Chemistry*. Vol 14(1).
- Vijaya, C. and Goud, K. 2011. Ion-activated *in situ* gelling ophthalmic delivery systems of azithromycin. *Indian Journal of Pharmaceutical Sciences*, 73(6),

- Wan, Liang; Wu, Yixiao; Zhang, Benhao; Yang, Wenfeng; Ding, Huijun; Zhang, Weihao 2020. *Effects of moxifloxacin and gatifloxacin stress on growth, photosynthesis, antioxidant responses, and microcystin release in Microcystis aeruginosa*. *Journal of Hazardous Materials*, (), 124518–pp. 615–620. doi: 10.4103/0250-474X.100234.
- Winter, U., Buitrago, E., Mena, H. A., Del Sole, M. J., Laurent, V., Negrotto, S., Francis, J., Arana, E., Sgroi, M., Croxatto, J. O., Djaballah, H., Chantada, G. L., Abramson, D. and Schaiquevich, P. 2015. Pharmacokinetics, safety, and efficacy of intravitreal digoxin in preclinical models for retinoblastoma. *Investigative Ophthalmology and Visual Science*, 56(8), pp. 4382–4393. doi: 10.1167/iovs.14-16239.
- Wu, C., Qi, H., Chen, W., Huang, C., Su, C., Li, W. and Hou, S. 2007. Preparation and evaluation of a Carbopol®/HPMC-based in situ gelling ophthalmic system for puerarin. *Yakugaku Zasshi*, 127(1), pp. 183–191. doi: 10.1248/yakushi.127.183.
- Wu, Y., Liu, Y., Li, X., Kebebe, D., Zhang, B., Ren, J., Lu, J., Li, J., Du, S. and Liu, Z. 2019. Research progress of in-situ gelling ophthalmic drug delivery system. *Asian Journal of Pharmaceutical Sciences*. Elsevier B.V., 14(1), pp. 1–15. doi: 10.1016/j.ajps.2018.04.008.