

## DAFTAR PUSTAKA

- Agustin, R., dan Taihuttu, Y. (2020). Formulation and Physical Stability Test of Hand Sanitizer Based on Nutmeg Oil (*Myristica fragrans* Houtt). *International Conference on Sustainable Utilization of Natural Resources 2020*.
- Albailhaqi, A., & Mustarichie, R. (2019). Review: Tanaman Herbal Berkhasiat Sebagai Obat Antialopecia. *Farmaka Suplemen*, 17, 111–126.
- Angendari, M. (2012). Rambut Indah dan Cantik Dengan Kosmetika Tradisional. *UNDIKSHA*, 9(1), 25–36.
- Anggraeni, Y., Hendradi, E., & Purwanti, T. (2012). Karakteristik Sediaan dan Pelepasan Natrium Diklofenak Dalam Sistem Niosom Dengan Basis Gel. *Pharmascientia*, 1(1), 1–10.
- Anindhita, A., Ardhaninggar, A., Setyaningrum, T., Staf, D., Fungsional, M., Kesehatan, I., Kedokteran, F., Airlangga, U., Sakit, R., & Soetomo, U. (2016). *Studi Retrospektif: Alopecia Areata A Retrospektif Study: Alopecia Areata*. 255–263.
- Asmara, A., Daili, S. F., Noegrohowati, T., & Zubaedah, I. (2012). Vehikulum Dalam Dermatoterapi Topikal. *Media Dermato-Venereologica Indonesiana*, 39(1), 25–35.
- Azah, N. I., Muchtarichie, R., & Iskandar, Y. (2020). Standardization Parameters for Cocoa Pods (*Theobroma cacao* L.). *Jurnal Ilmiah Farmasi*, 16(2), 182–195.
- Bhattacharjee, R., & Akoroda, M. (2018). *Taxonomy and Classification of Cacao* (Issue October).
- BPOM RI. (2020). Peraturan Badan Pengawas Obat Dan Makanan Tentang Pedoman Uji Toksisitas Praklinik Secara In Vivo.
- Brown, T Dan Krishnamurthy, K. 2021. Histology, Hair and Follicle. Tersedia Online Di: <https://www.ncbi.nlm.nih.gov/books/NBK532929/> [Diakses Pada 10 Agustus 2021].
- Buffoli, B., Rinaldi, F., Labanca, M., Sorbellini, E., Trink, A., Guanziroli, E.,

- Rezzani, R., Rodella, L. F., Rinaldi, S., & Correspondence Luigi Rodella, I. F. (2014). *The Human Hair: From Anatomy to Physiology*.
- Burns, L. J., De Souza, B., Flynn, E., Hagigeorges, D., & Senna, M. M. (2020). Spironolactone for Treatment Of Female Pattern Hair Loss. *Journal of The American Academy Of Dermatology*, 83(1), 276–278.
- Cuhadar, S., Koseoglu, M., Atay, A., dan Dirican, A. (2012). The effect of storage time and freeze-thaw cycles on the stability of serum samples. *Biochemia Medica* 23(1), 70–7.
- Depkes RI. (2008). Farmakope Herbal Indonesia Edisi I. In *Depkes RI*.
- Depparaba, F., & Karim, H. A. (2019). Prospek Kakao Nasional Dalam Perspektif Kebijakan. *AGROVITAL : Jurnal Ilmu Pertanian*, 3(1), 14.
- Dewi, C. C., & Saptarini, N. M. (2016). Hidroksi Propil Metil Selulosa dan Karbomer Serta Sifat Fisikokimianya Sebagai Gelling Agent. *Farmaka*, 14(3), 1–10.
- Dhurhania, C. E. (2019). Penetapan Kadar Metilparaben dan Propilparaben Dalam Hand and Body Lotion Secara High Performance Liquid Chromatography. *Jurnal Farmasi (Journal of Pharmacy)*, 1(1), 38.
- Damayanti, A. dan Fitriana, E. (2012). Pemungutan Minyak Atsiri Mawar (Rose Oil) Dengan Metode Maserasi. *Jurnal Bahan Alam Terbarukan*, 1(2), 1-8.
- Divincenti, L., & Rehrig, A. N. (2016). The Social Nature of European Rabbits (*Oryctolagus cuniculus*). *Journal of The American Association For Laboratory Animal Science*, 55(6), 729–736.
- Ernawati, N. (2013). Uji Iritasi Sediaan Gel Antijerawat Fraksi Larut Etil Asetat Ekstrak Etanol Daun Binahong (*Anredera cordifolia* (Ten.) Steenis) Pada Kelinci. *Journal of Chemical Information And Modeling*, 01(01), 1689–1699.
- Fajriah, S., & Megawati, M. (2015). Penapisan Fitokimia Dan Uji Toksisitas Dari Daun *Myristica fatua* Houtt. *Chimica Et Natura Acta*, 3(3), 116–119.
- Famenini, S., Slaughter, C., Duan, L., & Goh, C. (2015). Demographics of Women with Female Pattern Hair Loss and The Effectiveness Of Spironolactone Therapy. *Journal of The American Academy Of Dermatology*, 73(4), 705–

706.

- Fanti, P. A., Baraldi, C., Misciali, C., & Piraccini, B. M. (2018). Cicatricial Alopecia. *Giornale Italiano Di Dermatologia E Venereologia*, 153(2), 230–242.
- Fiume, M. M., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., Liebler, D., Marks, J. G., Shank, R. C., Slaga, T. J., Snyder, P. W., & Andersen, F. A. (2012). Safety Assessment Of Propylene Glycol, Tripropylene Glycol, And Ppqs As Used In Cosmetics. *International Journal Of Toxicology*, 31, 245S-260S.
- Gilaberte, Y., Prieto-Torres, L., Pastushenko, I., & Juarranz, Á. (2016). Anatomy and Function of The Skin. In *Nanoscience in Dermatology*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-802926-8.00001-X>
- Hajrin, W., Subaidah, W. A., Juliantoni, Y., & Wirasisya, D. G. (2021). Application of Simplex Lattice Design Method on The Optimisation of Deodorant Roll-On Formula of Ashitaba (*Angelica keiskei*). *Jurnal Biologi Tropis*, 21(2), 501.
- Hartadi, E. B., Dewi, W. K., Listyasari, N., & Purnama, M. T. E. (2018). Studi Morfometrik Pada Os Scapula Hewan Kelinci New Zealand White (*Oryctolagus cuniculus*). *Jurnal Medik Veteriner*, 1(3), 87.
- Hidayat, I. R., Zuhrotun, A., & Sopyan, I. (2020). Design-Expert Software Sebagai Alat Optimasi Formulasi Sediaan Farmasi. *Majalah Farmasetika*, 6(1), 99–120.
- Hoover, E., Alhadj, M., Dan Flores, J. 2020. Physiology, Hair. Tersedia Online Di: <https://www.ncbi.nlm.nih.gov/books/NBK499948/> [Diakses Pada 06 Agustus 2021].
- Hu, R., Xu, F., Sheng, Y., Qi, S., Han, Y., Miao, Y., Rui, W. dan Yang, Q. (2015). Combined treatment with oral finasteride and topical minoxidil in male androgenetic alopecia: a randomized and comparative study in Chinese patients. *Dermatologic Therapy*, 28 (1) 303–308.
- Kalangi, S. J. R. (2014). Histofisiologi Kulit. *Jurnal Biomedik (Jbm)*, 5(3), 12–20.
- Keshani, A.L. Chuah, M.M. Nourouzi, A.R. Russly, B. (2010). Jamilah.

- Optimization of Concentration Process on Pomelo Fruit Juice Using Simplex Lattice Design. *International Food Research Journal*, vol 17, hal. 733–742.
- Klein, K., dan Palefsky, I. (2007). *Handbook for Cleaning/Decontamination of Surfaces*. *Elsivier Science*. Tersedia online di: <https://www.elsevier.com/books/handbook-for-cleaning-decontamination-of-surfaces/johansson/978-0-444-51664-0> [Diakses secara online pada 10 Agustus 2021].
- Kolarsick, P., Kolarsick, M., & Goodwin, C. (2011). Anatomy and Physiology Of The Skin. *Feature Article*, 3(4), 203–213.
- Kozikowski, B., Burt, T., Tirey, D., Williams, L., Kuzmak, B., Stanton, D., Morand, K., dan Nelson, S. (2003). The Effect of Freeze/Thaw Cycles on the Stability of Compounds in DMS. *Journal of Biomolecular Screening*, 8 (2), 210-215.
- Kuncari, E., Iskandarsyah, dan Pratiwi. (2014). Evaluasi, Uji Stabilitas Fisik Dan Sineresis Sediaan Gel Yang Mengandung Minoksidil, Apigenin Dan Perasan Herba Seledri (*Apium graveolens* L.). *Bul. Penelit. Kesehat*, 42 (4), 213-222.
- Legiawati, L. (2013). Jenis Kerontokan Rambut dan Kebotakan Pasien Poliklinik Kulit dan Kelamin RSUPN Dr. Cipto Mangunkusumo Tahun 2009-2011. *Mdvi*, 40(4), 159–163.
- Litbang. 2021. Kiat Sukses Berusaha Tani Kakao. Tersedia online di: <http://sulbar.litbang.pertanian.go.id/ind/index.php/info-teknologi/359-kiat-sukses-berusaha-tani-kakao> [Diakses Pada 20 Oktober 2021].
- Lu G and Jun HW (1998). *Diffusion studies of methotrexate in Carbopol® and Poloxamer gels*. *Int. J. Pharm.*, 160: 1-9.
- Lubrizol Advanced Materials Inc. TDS-237 (2009). *Neutralizing Carbopol® and Pemulen™ Polymers in Aqueous and Hydroalcoholic Systems Cleveland, Ohio, The Lubrizol Corporation*.
- Magbool, F., Elnima, M., Shayoub, dan Hamedelnie, E. (2018). Design, Formulation, and Evaluation of Carbopol 940 And Xanthan Gum As Gel

- Bases for Oral Local Drug Delivery for Oral Mucosal Infectious Diseases. *Ejbps*, 5 (10), 09-21.
- Martono, B. (2014). Karakteristik Morfologi dan Kegiatan Plasma Nutfah Tanaman Kakao. *Inovasi Teknologi Bioindustri Kakao*, 15–27.
- Martono, B. 2021. Karakteristik Morfologi dan Kegiatan Plasma Nutfah Tanaman Kakao. Tersedia Online Di : [Http://Balittri.Litbang.Pertanian.Go.Id/Index.Php/Publikasi/Category/94-Bunga-%20rampai-Bioindustri-Kakao?Download=332%3a02a.-Karakteristik-Morfologi-Dan-Kegiatan-Plasma-Nutfah-Tanaman-Kakao\\_Edit-Lila-Ok-18-Sept](http://Balittri.Litbang.Pertanian.Go.Id/Index.Php/Publikasi/Category/94-Bunga-%20rampai-Bioindustri-Kakao?Download=332%3a02a.-Karakteristik-Morfologi-Dan-Kegiatan-Plasma-Nutfah-Tanaman-Kakao_Edit-Lila-Ok-18-Sept) [ Diakses Pada 08 Agustus 2021].
- Martel, J., Miao, J., Dan Badri, T. 2021. Anatomy, Hair Follicle. Tersedia Online Di: [Https://Pubmed.Ncbi.Nlm.Nih.Gov/29261946/](https://Pubmed.Ncbi.Nlm.Nih.Gov/29261946/) [Diakses Pada 06 Agustus 2021].
- Maryam, F., Taebe, B., dan Toding, D. (2020). Pengukuran Parameter Spesifik dan Non Spesifik Ekstrak Etanol Daun Matoa (*Pometia pinnata* J.R & G.Forst). *Jurnal Mandala Pharmacoon Indonesia*, 6 (1), 1-12.
- Messenger, A. dan Rundegren, J. 2004. Review Article Minoxidil: mechanisms of action on hair growth. *British Journal of Dermatology*, 150 (1), 186–194.
- Mohamad Zen, N. I., Abd Gani, S. S., Shamsudin, R., & Fard Masoumi, H. R. (2015). The use of D-optimal mixture design in optimizing development of okara tablet formulation as a dietary supplement. *Scientific World Journal*. <https://doi.org/10.1155/2015/684319>
- Mulinari-Brenner, F., & Bergfeld, W. (2003). Hair Loss: Diagnosis and Managemen. *Cleveland Clinic Journal of Medicine*, 70(8), 705–712.
- Mursyid, A. M. (2017). Evaluasi Stabilitas Fisik Dan Profil Difusi Sediaan Gel (Minyak Zaitun). *Jurnal Fitofarmaka Indonesia*, 4(1), 205–211.
- Mustarichie, R., & Hasanah, A. N. (2019). Anti-Alopecia Activity of Waste Cacao (Theobroma Cacao L.) Peels. *Drug Invention Today*, 11(9), 2194–2199.
- Mysore, V. 2012. Finasteride and sexual side effects. *Indian Dermatology Online Journal*, 3 (1), 62-66.

- NCBI. 2021. Propylene Glycol. Tersedia Online Di: <https://pubchem.ncbi.nlm.nih.gov/compound/Propylene-Glycol#:~:Text=Propylene%20glycol%20is%20a%20synthetic,Lead%20to%20contact%20with%20food> [Diakses Pada 08 Agustus 2021].
- Niah, R., Ariani, N., dan Febrianti, D. (2021). Formulasi Dan Uji Evaluasi Fisik Sediaan Gel Handsanitizer Ekstrak Etanol 96% Daun Cocor Bebek (*Kalanchoe blossfeldiana* Poelln.). *Jurnal Insan Farmasi Indonesia*, 4(1), 129-138.
- Noer, S., & Pratiwi, R. D. (2016). Uji Kualitatif Fitokimia Daun Ruta Angustifolia. *Faktor Exacta*, 9(3), 200–206.
- Novita, R. (2015). Pemilihan Hewan Coba Pada Penelitian Pengembangan Vaksin Tuberculosis. *Jurnal Biotek Medisiana Indonesia*, 4(1), 15–24.
- Nurman, S., Yulia R., Irmayanti, Noor, E., dan Sunarti, T. (2019). The Optimization of Gel Preparations Using the Active Compounds of Arabica Coffee Ground Nanoparticle. *Scienta Pharmaceutica* 87(32): 1-16.
- Peresia, S., Hapsari, I., & Susanti. (2009). Uji Fototoksisitas Sediaan Krim Muka “X” Terhadap Kelinci Putih Jantan. *Pharmacy*, 6(1), 82–93.
- Pratt, C., King, L., Messenger, A., Christiano, A., & Sundberg, J. (2017). Alopecia Areata. *Nat Rev Dis Primers*, 3(17011), 1–37.
- Puspita, E., Sulaeman, T., & Kurniawan, D. (2012). Formulasi Gel Antioksidan Dari Ekstrak Etanol Bunga Brokoli (*Brassica Oleracea* L. Var. Italica) Dengan Menggunakan Methocel K15m Premium Ep Eka. *Pharmacy*, 9(1), 38–50.
- Raissi, R.E. (2009). Statistical Process Optimization Trough Multi-Response Surface Methodology, World Academy of Science, Engineering and Technology, hal. 267–271.
- Rahayu, T., Fudholi, A., dan Fitria, A. (2016). Optimasi Formulasi Gel Ekstrak Daun Tembakau (*Nicotiana tabacum*) dengan Variasi Kadar Karbopol940 dan Tea Menggunakan Metode *Simplex Lattice Design* (SLD). *Jurnal Ilmiah Farmasi* 12 (1), 16-2.
- Rahmawati, D. dan Setiawan, I. (2019). The Formulation and Physical Stability

- Test Of Gel Fruit Strawberry Extract (*Fragaria x ananassa* Duch.). *Journal of Nutraceuticals and Herbal Medicine*. 2(1): 32-48.
- Ramadhani, R., Riyadi, D., Triwibowo, B., dan Kusumanistyas, R. (2017). Review Pemanfaatan Design Expert untuk Optimasi Komposisi Campuran Minyak Nabati sebagai Bahan Baku Sintesis Biodiesel. *Jurnal Teknik Kimia dan Lingkungan*, 1 (1), 11-16.
- Rossi, A., Cantisani, C., Melis, L., Iorio, A., Scali, E., & Calvieri, S. (2012). Minoxidil Use in Dermatology, Side Effects and Recent Patents. *Recent Patents On Inflammation & Allergy Drug Discovery*, 6(2), 130–136.
- Rubiyo, & Siswanto. (2012). Peningkatan Produksi dan Pengembangan Kakao (*Theobroma cacao* L.) Di Indonesia. *Buletin RISTI*, 3(1), 2012.
- Safitri, F. I., Nawangsari, D., & Febrina, D. (2021). *Overview: Application of Carbopol 940 In Gel*. 34(1), 80–84.
- Salman, K., Kucukunal, N., Altunay, I., & Cerman, A. (2017). Frequency, Severity and Related Factors Of Androgenetic Alopecia In Dermatology Outpatient Clinic: Hospital-Based Cross-Sectional Study In Turkey. *Anais Brasileiros De Dermatologia*, 92(1), 35–40.
- Saraung, V., Yamlean<sup>1</sup>, P., dan Citraningtyas, G. (2018). Pengaruh Variasi Basis Karbopol dan HPMC Pada Formulasi Gel Ekstrak Etanol Daun Tapak Kuda (*Ipomoea pes-caprae* (L.) R. Br. Dan Uji Aktivitas Antibakteri Terhadap *Staphylococcus aureus*. *PHARMACON Jurnal Ilmiah Farmasi – UNSRAT*, 7 (3), 220-229.
- Selvi, S. (2017). The Effect Of Concentration Of DMDM Hydantion Reserve on Characteristics, Physical Stability & Ph on Water Based Pomade Containing Aloe Vera Extract. *Calyptra: Jurnal Ilmiah Mahasiswa Universitas Surabaya*, 6(2), 553–566.
- Sinclair, R. D. (2007). Healthy Hair. *Journal of Investigative Dermatology Symposium Proceedings*, 12(2), 2–5.
- Singh, V., Singh, P., Sharma, P., Srivastava, P., & Mishra, A. (2013). Formulation and Evaluation of Topical Gel of Meloxicam With B-Cyclodextrin Complex. *Research Journal of Pharmacy and Technology*, 3(7), 5266–

5280.

- Slamet, S., Anggun, B., dan Pambudi, D. (2020). Uji Stabilitas Fisik Formula Sediaan Gel Ekstrak Daun Kelor (*Moringa oleifera* Lamk.). *Jurnal Ilmiah*, *13* (2), 115-122.
- Sumayyah, S., & Salsabila, N. (2017). Obat Tradisional : Antara Khasiat Dan Efek Sampingnya. *Farmasetika.Com (Online)*, *2*(5), 1-6.
- Suryani, N., Mubarika, D. N., & Komala, I. (2019). Pengembangan Dan Evaluasi Stabilitas Formulasi Gel Yang Mengandung Etil P -Metoksisinamat. *Pharmaceutical and Biomedical Sciences Journal*, *1*(November), 29–36.
- Supomo, Sapri, & Komalasari, A. N. 2016. Formulasi gel antioksidan ekstrak kulit buah manggis (*Garcinia mangostana* L.) dengan basis carbopol. *Jurnal Ilmiah Ibnu Sina*, *1*(1), 50–60.
- Tanaka, S., Saito, M., & Tabata, M. (1980). Bioassay of Crude Drugs for Hair Growth Promoting Activity in Mice By A New Simple Method. *Planta Medica*, *40*(Suppl.), 84–90.
- Tantiningrum, S. (2019). Formulasi dan Evaluasi Sediaan Gel Ekstrak Daun Kemangi (*Ocimum bacilicum* L.). *Farmasindo Politeknik Indonusa Surakarta*, *3*(1), 1–4.
- Tsabitah, A. F., Zulkarnain, A. K., Wahyuningsih, M. S. H., & Nugrahaningsih, D. A. A. (2020). Optimasi Carbomer, Propilen Glikol, Dan Trietanolamin Dalam Formulasi Sediaan Gel Ekstrak Etanol Daun Kembang Bulan (*Tithonia diversifolia*). *Majalah Farmaseutik*, *16*(2), 111-116.
- Todica, M., Pop, C., Udrescu, L., dan Pop, M. (2010). Rheological Behavior of Some Aqueous Gels of Carbopol with Pharmaceutical Applications. *Chinese Physics Letters*, *27* (1): 1-7..
- Umborowati, M. A., & Rahmadewi. (2014). Rambut Rontok Akibat Lingkungan Dan Kosmetik (Environment And Cosmetic Induced Hair Loss ). *Berkala Ilmu Kesehatan Kulit & Kelamin*, *24*(1), 35–42.
- Utami, M., Prihastanti, E., Suedy, S. (2016). Pengaruh Irisan Rimpang Terhadap Berat Kering dan Performa Simplisia Lempuyang Wangi (*Zingiber aromaticum* Val.) setelah Pengeringan. *Buletin Anatomi dan Fisiologi*,



1(1), 1-5.

- Varothai, S., & Bergfeld, W. F. (2014). Androgenetic Alopecia: An Evidence-Based Treatment Update. *American Journal of Clinical Dermatology*, 15(3), 217–230.
- Warsi & Noni Erlila, 2017. (2017). Skrining Fitokimia dan Aktivitas Antioksidan Fraksi N-Heksan-Dietil Eter Paprika Merah (*Capsicum annuum* L.) Dengan Metode DPPH. *Jurnal Ilmu Kesehatan Bhakti Setya Medika*, 2(1), 59–60.
- Wasitaatmadja, M.S, 1997. Penuntun Ilmu Kosmetik Medik. Universitas Indonesia Press, Jakarta
- Wolff, H. (2015). Arzneimitteltherapie Der Alopezien. *Internist*, 56(10), 1196–1208.
- Yasir, A. S. (2019). *Sediaan Hair Tonic Yang Mengandung Ekstrak Etanol*. 2(1), 76–85.
- Yousef, H., Alhaji, M., Dan Sharma, S. 2021. Anatomy, Skin (Integument), Epidermis. Tersedia Online Di: <https://www.ncbi.nlm.nih.gov/books/NBK470464/> [Dikases Pada 08 Agustus 2021].
- Yulianingtyas, A., dan Kusmartono, B. (2016). Optimasi Volume Pelarut dan Waktu Maserasi Pengambilan Flavonoid Daun Belimbing Wuluh (*Averrhoa bilimbi* L.). *Jurnal Teknik Kimia*, 10(2), 58-64
- Zaid, A. N., Jaradat, N. A., Eid, A. M., Al Zabadi, H., Alkaiyat, A., & Darwish, S. A. (2017). Ethnopharmacological Survey of Home Remedies Used For Treatment of Hair and Scalp and Their Methods Of Preparation In The West Bank-Palestine. *BMC Complementary and Alternative Medicine*, 17(1), 1–15.