

## DAFTAR PUSTAKA

- Ainurofiq, A., Mauludin, R., Mudhakhir, D. and Soewandhi, S. 2018. Synthesis, characterization, and stability study of desloratadine multicomponent crystal formation. *Research in Pharmaceutical Sciences*, 13(2): 93–102. doi:10.4103/1735-5362.223775.
- Alatas, F., Soewandhi, S.N., Sasongko, L., Ismunandar and Uekusa, H. 2013. Cocrystal formation between didanosine and two aromatic acids. *International Journal of Pharmacy and Pharmaceutical Sciences*, 5(SUPPL 3): 275–280.
- Almoselhy, R.I.M. 2020. Applications of Differential Scanning Calorimetry (DSC) in Oils and Fats Research. A Review. *American Research Journal of Agriculture*, 6(1): 1–9. doi:10.21694/2378-9018.20002.
- Bangun, R. 2011. *Semi sintesis N,N-Bis (2-Hidroksietil)-3-(4-Metoksifenil) Akrilamida dari etil p metoksisinamat. hasil isolasi rimpang kencur (Kaempferia Galanga, L) melalui amidasi dengan dietanolin.* Medan: Universitas Sumatera Utara.
- Barikah, K.. 2018. Traditional and Novel Methods for Cocrystal Formation. *Systematic Reviews in Pharmacy*, 9(1): 79–82.
- Batisai, E. 2021. Solubility Enhancement of Antidiabetic Drugs Using a Co-Crystallization Approach. *ChemistryOpen*, 10(12): 1260–1268. doi:10.1002/open.202100246.
- Buddhadev, S.S. and Garala, K.C. 2021. Pharmaceutical Cocrystals—A Review. *Proceedings*, 62(1): 14. doi:10.3390/proceedings2020062014.
- Cai, W., Xu, D., Zhang, F., Wei, J., Lu, S., Qian, L., Lu, Z. and Cui, S. 2021. Intramolecular hydrogen bonds in a single macromolecule: Strength in high vacuum versus liquid environments. *Nano Research* [Preprint]. doi:10.1007/s12274-021-3696-1.
- Calixto, J.B. 2019. The role of natural products in modern drug discovery. Calixto, J. B. (2019). The role of natural products in modern drug discovery. *Anais Da Academia Brasileira de Ciencias*, 91, 1–7. <https://doi.org/10.1590/0001-3765201920190105>. *Anais da Academia Brasileira de Ciencias*, 91: 1–7. doi:10.1590/0001-3765201920190105.Abstract.
- Cooper, A. 2000. *Differential Scanning Microcalorimetry*. Edited by Oxford. Oxford University Press.
- Daéid, N.. 2005. Forensic Science. in Worsfold, P., Townshend, A., and Poole, C. (eds) *ncyclopedia of Analytical Science (Second Edition)*. Elsevier, 471–180. doi:10.1016/B0-12-369397-7/00197-7.
- Depkes RI 1979. *Farmakope Indonesia. Edisi III*. Jakarta: Departemen Kesehatan Republik Indonesia.

- Diniz, L.F. *et al.* 2020. Enhancing the solubility and permeability of the diuretic drug furosemide via multicomponent crystal forms. *International Journal of Pharmaceutics*, 587(May): 119694. doi:10.1016/j.ijpharm.2020.119694.
- Diniz, L.F., Franco, C.H.J., Silva, D.F., Martins, L.S., Carvalho, P.S., Souza, M.A.C., Reis, N.F.A., Fernandes, C. and Diniz, R. 2021. Multicomponent ionic crystals of diltiazem with dicarboxylic acids toward understanding the structural aspects driving the drug-release. *International Journal of Pharmaceutics*, 605(February): 120790. doi:10.1016/j.ijpharm.2021.120790.
- Duggirala, N., Perry, M., Almarsson, O. and Zaworotko, M. 2016. Pharmaceutical cocrystals : along the path to improved medicines. *Chem. Commun*, 52: 640–655.
- Ekowati, J., Rudyanto, M., Sasaki, S., Budiati, T., Sukardiman, Hermawan, A. and Melyanto, E. 2010. Structure Modification of Ethyl p-methoxycinnamate Isolated From *Kaempferia galanga* Linn. and Citotoxicity Assay of The Products on WiDr Cells. *Indonesian Journal of Cancer Chemoprevention*, 1(1): 12–18.
- Ekowati, J., Hardjono, S. and Hamid, I.S. 2016. Ethyl p-methoxycinnamate from *Kaempferia galanga* inhibits angiogenesis through tyrosine kinase. *Universa Medicina*, 34(1): 43. doi:10.18051/univmed.2015.v34.43-51.
- Ekowati, J., Widowati, R. and Isadiartuti, D. 2017. Preparation of an inclusion complex system of ethyl p-methoxycinnamate - hydroxypropyl- $\beta$ -cyclodextrin: Characterization and solubility evaluation. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 8(1): 1486–1494.
- Elder, D.P., Holm, R. and De Diego, H.L. 2013. Use of pharmaceutical salts and cocrystals to address the issue of poor solubility. *International Journal of Pharmaceutics*, 453(1): 88–100. doi:10.1016/J.IJPHARM.2012.11.028.
- Frimayanti, N., Djohari, M. and Nurul Khusnah, A. 2019. Molekular Docking Senyawa Analog Kalkon sebagai Inhibitor untuk Sel Kanker Paru-Paru A549. *Jurnal Ilmu Kefarmasian Indonesia*, 19(1): 87–95. Available at: [www.pdb.org](http://www.pdb.org).
- Garbacz, P., Paukszta, D., Sikorski, A. and Wesolowski, M. 2020. Structural characterization of co-crystals of chlordiazepoxide with p-aminobenzoic acid and lorazepam with nicotinamide by dsc, x-ray diffraction, ftir and raman spectroscopy. *Pharmaceutics*, 12(7): 1–17. doi:10.3390/pharmaceutics12070648.
- Gohil, T. 2013. SOLUBILITY ENHANCEMENT OF POORLY WATER SOLUBLE, 25(1): 1–8.
- Good, D.J. and Naír, R.H. 2009. Solubility advantage of pharmaceutical cocrystals. *Crystal Growth and Design*, 9(5): 2252–2264. doi:10.1021/cg801039j.
- Gozali, D., Bahti, H.H. and Soewandhi, S.N. 2012. Jurnal Sains Materi Indonesia Dengan Isonikotinamid dan Karakterisasinya. *Sains Material Indonesia*, 15(4): 103–110.
- Hakim, A., Andayani, Y. and Deana Rahayuan, B. 2018. Isolation of Ethyl P-Methoxy

- Cinnamate from *Kaemferia galanga* L. *Journal of Physics: Conference Series*, 1095(1). doi:10.1088/1742-6596/1095/1/012039.
- Harmita, H. 2004. Petunjuk Pelaksanaan Validasi Metode Dan Cara Perhitungannya. *Majalah Ilmu Kefarmasian*, 1(3): 117–135. doi:10.7454/psr.v1i3.3375.
- Hidajati, Nurul and Suyatno 2008. Sintesis Senyawa Tabir Matahari n-Oktil Para-Metoksi Sinamat Menggunakan Material Awal Etil Para-Metoksi Sinamat Hasil Isolasi dari Rimpang Kencur (*Kaemferia galanga* L.) Synthesis of a Sunscreen Compound n-Octyl Para-Menthoxo Cinnamat using Ethyl Para-M. *Jurnal Ilmu Dasar*, 9(1): 22–27.
- Hiendrawan, S., Widjojokusumo, E., Veriansyah, B. and Tjandrawinata, R.R. 2017. Pharmaceutical Salts of Carvedilol: Polymorphism and Physicochemical Properties. *AAPS PharmSciTech*, 18(4): 1417–1425. doi:10.1208/s12249-016-0616-x.
- International Chemical Safety Cards, Ipsc. 2021. *Tartaric Acid*. *International Labour Organization*. Available at: [https://www.ilo.org/dyn/icsc/showcard.display?p\\_lang=en&p\\_card\\_id=0772&p\\_version=2](https://www.ilo.org/dyn/icsc/showcard.display?p_lang=en&p_card_id=0772&p_version=2) (Accessed: 13 March 2022).
- Issa, M.G. and Ferraz, H.G. 2011. Intrinsic dissolution as a tool for evaluating drug solubility in accordance with the biopharmaceutics classification system. *Dissolution Technologies*, 18(3): 6–13. doi:10.14227/DT180311P6.
- Jongejan, A., de Graaf, C., Vermeulen, N.P., Leurs, R. and de Esch, I.J.. 2005. *The Role and Application of In Silico Docking in Chemical Genomics Research*. In: Zander. Humana Press. doi:[https://doi.org/10.1007/978-1-59259-948-6\\_5](https://doi.org/10.1007/978-1-59259-948-6_5).
- Karagianni, A., Malamatari, M. and Kachrimanis, K. 2018. Pharmaceutical cocrystals: New solid phase modification approaches for the formulation of APIs. *Pharmaceutics*, 10(1). doi:10.3390/pharmaceutics10010018.
- Karimi-Jafari, M., Padrela, L., Walker, G.M. and Croker, D.M. 2018. Creating cocrystals: A review of pharmaceutical cocrystal preparation routes and applications. *Crystal Growth and Design*, 18(10): 6370–6387. doi:10.1021/acs.cgd.8b00933.
- Kiguchiya, A., Teraoka, R., Sakane, T. and Yonemochi, E. 2019. A new method for classification of salts and cocrystals using solid-state UV spectrophotometry. *Chemical and Pharmaceutical Bulletin*, 67(9): 945–952. doi:10.1248/cpb.c18-00743.
- Komala, I. *et al.* 2018. Structure-activity relationship study on the ethyl p-methoxycinnamate as an anti-inflammatory agent. *Indonesian Journal of Chemistry*, 18(1): 60–65. doi:10.22146/ijc.26162.
- Kumar, S. and Nanda, A. 2017. Pharmaceutical cocrystals: An overview. *Indian Journal of Pharmaceutical Sciences*, 79(6): 858–871. doi:10.4172/pharmaceutical-sciences.1000302.
- Lakshmanan, D., Werngren, J., Jose, L., Suja, K.P., Nair, M.S., Varma, R.L., Mundayoor, S.,

- Hoffner, S. and Kumar, R.A. 2011. Ethyl p-methoxycinnamate isolated from a traditional anti-tuberculosis medicinal herb inhibits drug resistant strains of *Mycobacterium tuberculosis* in vitro. *Fitoterapia*, 82(5): 757–761. doi:10.1016/j.fitote.2011.03.006.
- Lemmerer, A., Adsmund, D.A., Esterhuysen, C. and Bernstein, J. 2013. Polymorphic co-crystals from polymorphic co-crystal formers: Competition between carboxylic acid···pyridine and phenol···pyridine hydrogen bonds. *Crystal Growth and Design*, 13(9): 3935–3952. doi:10.1021/cg4006357.
- Liu, X.C., Liang, Y., Shi, W.P., Liu, Q.Z., Zhou, L. and Liu, Z.L. 2014. Repellent and Insecticidal Effects of the Essential Oil of *Kaempferia galanga* Rhizomes to *Liposcelis bostrychophila* (Psocoptera: Liposcelidae). *Journal of Economic Entomology*, 107(4): 1706–1712.
- Melandri, S. 2011. ‘Union is strength’: how weak hydrogen bonds become stronger. *Physical Chemistry Chemical Physics*, (31): 13901.
- NCBI, 2022. *PubChem Compound Summary for CID 5281783, Ethyl p-methoxycinnamate*. Available at: <https://pubchem.ncbi.nlm.nih.gov/compound/Ethyl-p-methoxycinnamate>.
- Nugraha, A.S. and Pratoko, D.K. 2016. Petunjuk Praktikum Kimia Medisinal Edisi II.
- Nurmeilis, Azrifitria, Fitriani, N. and Komala, I. 2018. Sedative-Hypnotic activity of Ethyl- P-Methoxycinnamate and N-(2-Hydroxyethyl)-P-Methoxycinnamide. *International Research Journal Of Pharmacy*, 9(10): 43–46. doi:10.7897/2230-8407.0910223.
- Patole, T. and Deshpande, A. 2014. CO-CRYSTALLIZATION- A TECHNIQUE FOR SOLUBILITY ENHANCEMENT Tanvee Patole and Ashwini, 5(9): 3566–3576. doi:10.13040/IJPSR.0975-8232.5(9).3566-76.
- Pawar, N., Saha, A., Nandan, N. and Parambil, J. V. 2021. Solution cocrystallization: A scalable approach for cocrystal production. *Crystals*, 11(3). doi:10.3390/cryst11030303.
- Permatasari, D., Ramadhani, S. and Sopyan, I. 2016. Ko-Kristal: Teknik Pembuatan Ko-Kristal. *Farmaka*, 14(4): 98–115. Available at: <http://jurnal.unpad.ac.id/farmaka/article/view/10461/5073>.
- Potkin, V., Kletskov, A. and Zubkov, F.. 2022. Isothiazoles. in Black, D.S., Cossy, J., and Stevens, C. V. (eds) *Comprehensive Heterocyclic Chemistry IV*, 482–529. doi:10.1016/B978-0-12-818655-8.00127-X.
- Pratiwi, S. and Runadi, D. 2013. Sintesis Oktal Para Metoksisinamat dari Bahan Baku Rimpang Kencur (*Kaempferia galangae* rhizoma): Review. *Farmaka*, 14(3): 109–118.
- Putri, D. 2021. Review: Multi-Component Crystals: Cinnamic Acid As A Co-Former. *International Journal of Pharmaceutical Sciences and Medicine*, 6(1): 92–98. doi:10.47760/ijpsm.2021.v06i01.008.

- Qiao, N., Li, M., Schlindwein, W., Malek, N., Davies, A. and Trappitt, G. 2011. Pharmaceutical cocrystals: An overview. *International Journal of Pharmaceutics*, 419(1–2): 1–11. doi:10.1016/j.ijpharm.2011.07.037.
- Rachmaniar, R., Warya, S., Ferdiansyah, R., Riasari, H., Gumelar, A. and Kenti 2020. Pharmaceutical Cocrystal of Ethyl p-Methoxycinnamate: Formulation and Characterization, 26: 96–101. doi:10.2991/ahsr.k.200523.024.
- Rahman, F., Winantari, A.N., Setyawan, D. and Siswandono 2017. Comparison study of grinding and slurry method on physicochemical characteristic of acyclovir – Succinic acid cocrystal. *Asian Journal of Pharmaceutical and Clinical Research*, 10(3): 153–158. doi:10.22159/ajpcr.2017.v10i3.15925.
- Rančić, D. 2019. Polarized Light Microscopy. in *Application of Molecular Methods and Raman Microscopy/ Spectroscopy in Agricultural Sciences and Food Technology*. London: Ubiquity Press, 193–198. doi:10.5334/bbj.p.
- Rodrigues, M., Baptista, B., Lopes, J.A. and Sarraguça, mafalda C. 2018. Pharmaceutical cocrystallization techniques. Advances and challenges. *International Journal of Pharmaceutics*, 547(1–2): 404–420. doi:10.1016/j.ijpharm.2018.06.024.
- Salgado, L.E.V. and Vargas-Hernandez, C. 2014. Spectrophotometric Determination of The pKa, Isosbestic Point and Equation of Absorbance vs. pH for a Universal pH Indicator. *American Journal of Analytical Chemistry*, 5(17): 1290–1301.
- Sathisaran, I. and Dalvi, S.V. 2018. Engineering cocrystals of poorlywater-soluble drugs to enhance dissolution in aqueous medium. *Pharmaceutics*, 10(3). doi:10.3390/pharmaceutics10030108.
- Savjani, K.T., Gajjar, A.K. and Savjani, J.K. 2012. Drug Solubility: Importance and Enhancement Techniques. *ISRN Pharmaceutics*, 2012(100 mL): 1–10. doi:10.5402/2012/195727.
- Setyawan, D., Sari, R., Yusuf, H. and Primaharinastiti, R. 2014. Preparation and Characterization of Artesunate - Nicotinamide Cocrystal by Solvent Evaporation And Slurry Method. *Asian Journal of Pharmaceutical and Clinical Research*, 7(1): 62–65.
- Siswandi, S., Rusdiana, T. and Levita, J. 2015. Virtual screening of co-formers for ketoprofen co-crystallization and the molecular properties of the co-crystal. *Journal of Applied Pharmaceutical Science*, 5(6): 078–082. doi:10.7324/JAPS.2015.50613.
- Stahly, G.P. 2007. Diversity in Singleand Multiple-Component Crystals. The Search for and Prevalence of Polymorphs and Cocrystals. *Crystal Growth & Design*, 7(6): 1007. doi:10.1021/cg060838j.
- Syahrudin, A.N., Dahlan, C.K. and Taslim, N.A. 2017. The Effects of Kaempferia Galanga L . Extract on Pain , Stiffness and Functional Physic in Patient with Knee Osteoarthritis : Double Blind Randomized Clinical Trial. *International Journal of Science and Healthcare Research*, 2(4): 37–43.

- Thakuria, Ranjit, Delori, A., Jones, W., Lipert, M.P., Roy, L. and Hornedo, N.R. 2013. Pharmaceutical Cocrystal and Poorly Soluble Drugs. *Pharmaceutical Cocrystal and Poorly Soluble Drugs*, 30: 1–24.
- The Metabolomics Innovation Centre (TMIC) 2021. *Ethyl trans-p-methoxycinnamate (HMDB0030762)*. *The Human Metabolome Database (HMDB)*. Available at: <https://hmdb.ca/metabolites/HMDB0030762>.
- Thomas, A. and Varkey, J. 2020. In Silico Screening of Coformers, Design and Characterization of Novel Etodolac Co-crystal. *Asian Journal of Pharmaceutical and Health Sciences*, 10(3): 2355–2363.
- Tomaszewska, I., Karki, S., Shur, J., Price, R. and Fotaki, N. 2013. Pharmaceutical characterisation and evaluation of cocrystals: Importance of in vitro dissolution conditions and type of coformer. *International Journal of Pharmaceutics*, 453(2): 380–388. doi:10.1016/J.IJPHARM.2013.05.048.
- Tyner, T. and Francis, J. 2017. Succinic Acid. *ACS Reagent Chemicals*, (C1): 4–6. doi:10.1021/acsreagents.4382.
- Umar, M.I., Asmawi, M.Z., Sadikun, A., Atangwho, I.J., Yam, M.F., Altaf, R. and Ahmed, A. 2012. Bioactivity-guided isolation of ethyl-p-methoxycinnamate, an anti-inflammatory constituent, from *Kaempferia galanga* L. extracts. *Molecules*, 17(7): 8720–8734. doi:10.3390/molecules17078720.
- Umar, M.I., Asmawi, M.Z., Sadikun, A., Majid, A.M.S.A., Al-Suede, F.S.R., Hassan, L.E.A., Altaf, R. and Ahamed, M.B.K. 2014. Ethyl-p-methoxycinnamate isolated from *kaempferia galanga* inhibits inflammation by suppressing interleukin- 1, tumor necrosis factor- $\alpha$ , and angiogenesis by blocking endothelial functions. *Clinics*, 69(2): 134–144. doi:10.6061/clinics/2014(02)10.
- Weast, R.C. 1985. *CRC Hand Book of Chemistry and Physics. 66th Edition*. CRC Press.
- Weni, M., Safithri, M. and Seno, D.S.H. 2020. Molecular docking of active compounds piper crocatum on the alpha- glucosidase enzyme as antidiabetic penambatan molekuler senyawa aktif daun sirih merah ( Piper Crocatum ) terhadap enzim alfa-glukosidase sebagai antidiabetes. *Indonesian Journal of Pharmaceutical Science and Technology*, 7(2): 64–72.
- Wicaksono, Y., Setyawan, D., Siswandono and Siswoyo, T.A. 2019. Preparation and characterization of a novel cocrystal of atorvastatin calcium with succinic acid coformer. *Indonesian Journal of Chemistry*, 19(3): 660–667. doi:10.22146/ijc.35801.
- Wicaksono, Y., Setyawan, D., Nugraha, A.S. and Siswandono 2020. Thermal behavior of cocrystal: A case study of ketoprofen-malonic acid and ketoprofen-nicotinamide cocrystals. *Sains Malaysiana*, 49(11): 2679–2687. doi:10.17576/jsm-2020-4911-07.
- Wicaksono, Y., Setyawan, D. and Siswandono 2017. Formation of ketoprofen-malonic acid cocrystal by solvent evaporation method. *Indonesian Journal of Chemistry*, 17(2):

161–166. doi:10.22146/ijc.24884.