

## DAFTAR PUSTAKA

- Abdullah, Angelina, Yumna, M., Arbianri, R., Utami, T.S., Hermansyah, H., dan Ningsih, S. (2018): Flavonoid Isolation and Identification of Mother-in-Law's Tongue Leaves (*Sansevieria Trifasciata*) and the Inhibitory Activities to Xanthine Oxidase Enzyme, In *E3S Web of Conferences*, **67**, 1-5. <https://doi.org/10.1051/e3sconf/20186703011>.
- Al-Dalahmeh, Y., Al-Bataineh, N., Al-Balawi, S.S., Lahham, J.N., Al-Momani, I.F., Al-Sheraideh, M.S., Mayyas, A.S., Orabi, S.T.A., dan Al-Qudah, M.A. (2022): LC-MS/MS Screening, Total Phenolic, Flavonoid and Antioxidant Contents of Crude Extracts from Three Asclepiadaceae Species Growing in Jordan, *Molecules*, **27**, 859.
- Alfaridz, F., Amalia, R., dan Kunci, K. (2018): Flavonoid, Klasifikasi, A.-O. Review Jurnal : Klasifikasi Dan Aktivitas Farmakologi Dari Senyawa Aktif Flavonoid, *Farmaka*, **16**. doi:10.24198/JF.V16I3.17283.G8932.
- Anbu, J.S., Jayaraj, P., Varatharajan, R., Thomas, J., Jisha, J., dan Muthappan, M. (2009): Analgesic and Antipyretic Effects of *Sansevieria Trifasciata* Leaves, *African Journal of Traditional, Complementary and Alternative Medicines*, **6**, 529-33. <https://doi.org/10.4314/ajtcam.v6i4.57191>
- Arba, M. (2019): Farmasi Komputasi, *Deepublish*, 114-58.
- Azzouni, F., Godoy, A., Li, Y., Mohler, J. (2012): The 5 Alpha-Reductase Isozyme Family: A Review of Basic Biology and Their Role in Human Diseases, *Adv. Urol.* doi:10.1155/2012/530121.
- Backer, C.A., dan Bakhuizen van den Brink, Jr.R.C. (1968): Flora of Java. Volume III, *Wolters-Noordhoff N.V*, Groningen.
- Baden, H.P., dan Kubilus, J. (1983): Effect of minoxidil on cultured keratinocytes, *The Journal of Investigative Dermatology*, **81**, 558-60. <https://doi.org/10.1111/1523-1747.ep12523220>.
- Bansal, K., dan Milind, P. (2018): Alopecia – Reason and Possible Treatments, *MOJ Drug Design Development & Therapy*, **2**, 198-208 <https://doi.org/10.15406/mojddt.2018.02.00062>.
- Beato, M., Herrlich, P., dan Schütz, G. (1995): Steroid hormone receptors: Many Actors in search of a plot. *Cell*, **6**, 851–857. [https://doi.org/10.1016/0092-8674\(95\)90201-5](https://doi.org/10.1016/0092-8674(95)90201-5).
- Blume, P.U., Tosti, A., Whiting, D.A., dan Trueb, R.M. (2008): Hair *Growth and Disorders*. <https://doi.org/10.1007/978-3-540-46911-7>.

- Botchkarev, V.A., dan Paus, R. (2003): Molecular Biology of Hair Morphogenesis: Development and Cycling, *Journal of Experimental Zoology. Part B, Molecular and Development Evolution*, **298**, 164-80. <https://doi.org/10.1002/jez.b.33>.
- Brache, V., Faundes, A., Alvarez, F., dan Cochon, L. (2002): Nonmenstrual Adverse Events during Use of Implantable Contraceptives for Women: Data from Clinical Trials, *Contraception*, **65**, 63–74 [https://doi.org/10.1016/S0010-7824\(01\)00289-X](https://doi.org/10.1016/S0010-7824(01)00289-X).
- Buhl, A.E., Waldon, D.J., Kawab, T.T., and Holland, J.M. (1989): Minoxidil stimulates mouse vibrissae follicles in anagen culture. *Invest Dermatol* **92**: 315-20.
- Buhl, A.E., Waldon, D.J., Conrad, S.J, Mulholland, M.J, Shull, K.L., Kubicek, M.F., dan Stehle, R.G., (1992): Potassium channel conductance: A mechanism affecting hair growth both in vitro and in vivo, *The Journal of Investigative Dermatology*, **98**, 315-9. <https://doi.org/10.1111/1523-1747.ep12499788>.
- Burg, D., Yamamoto, M., Namekata, M., Haklani, J., Koike, K., dan Halasz, M. (2017): Promotion of anagen, increased hair density and reduction of hair fall in a clinical setting following identification of FGF5-inhibiting compounds via a novel 2-stage process, *Clin. Cosmet*, **10**, 71–85. *Investig. Dermatol.*, doi: 10.2147/CCID.S123401
- Chanpraphan, K., Sutharaphan, T., dan Suchonwanit, P. (2021): Scalp Biophysical Characteristics in Males with Androgenetic Alopecia: A Comparative Study with Healthy Controls, *Clin. Interv. Aging*, **16**, 781–787.
- Chansakaow, S., Ruangrunsi, N., dan Ishikawa, T. (1996): Isolation of Pyropheophorbide a from the Leaves of *Atalantia Monophylla* (ROXB.) CORR. (Rutaceae) as a Possible Antiviral Active Principle against Herpes Simplex Virus Type 2, *Chem. Pharm. Bull*, **44**, 1415–7. doi:10.1248/CPB.44.1415.
- Cohen, R.L, Alves, M.E., Weiss, V.C., West, D.P., dan Chambers, D.A. (1984): Direct effects of minoxidil on epidermal cells in culture, *The Journal of Investigative Dermatology*, **82**, 90-3. <https://doi.org/10.1111/1523-1747.ep12259181>.
- Comerford, S.C. (1996): Medicinal Plants of Two Mayan Healers from San Andrés, Petén, Guatemala, *Economic Botany*, **50**, 327–36. <https://doi.org/10.1007/BF02907342>.
- Correa, L.B., Pádua, T.A., Seito, L.N., Costa, T.E.M.M., Silva, M.A., Candéa, A.L.P., dan Rosas, E.C. (2016): Henriques, M.G. Anti-Inflammatory Effect of Methyl Gallate on Experimental Arthritis: Inhibition of Neutrophil Recruitment, Production of Inflammatory Mediators, and Activation of Macrophages, *J. Nat. Prod*, **79**, 1554–66.

- Courtois, M., Loussouarn, G., Hourseau, C., dan Grollier, J.F. (1994): Hair Cycle and Alopecia, *Skin Pharmacology and Physiology*, **7**, 84–9. <https://doi.org/10.1159/000211279>.
- Crabtree, J.S., Kilbourne, E.J., Peano, B.J., Chippari, S., Thomas, K., Christopher, M., dan Wang, W. (2010): A Mouse Model of Androgenetic Alopecia, *Endocrinology*, **151**, 1-8 <https://doi.org/10.1210/en.2009-1474>.
- Cronquist, A. (1981): An Integrated System of Classification of Flowering Plants, *Columbia University Press*, New York.
- Cui, H., Zhang, B., Li, G., Li, L., Chen, H., Qi, J., Liu, W., Chen, J., Wang, P., dan Lei, H. (2019): Identification of a Quality Marker of Vinegar-Processed Curcuma Zedoaria on Oxidative Liver Injury, *Molecules*, **24**. doi:10.3390/MOLECULES24112073.
- Departemen Kesehatan RI. (2000): Parameter Standar Umum Ekstrak Tumbuhan Obat, *Departemen Kesehatan RI*, Jakarta.
- Departemen Kesehatan RI. (2008): Farmakope Herbal Indonesia Edisi I, *Departemen Kesehatan RI*, Jakarta.
- Dewatisari, W.F., Rumiyan, L., dan Rakhmawati, I. (2018): Rendemen Dan Skrining Fitokimia Pada Ekstrak Daun Sansevieria Sp . Rendemen and Phytochemical Screening Using Leaf Extract of Sansevieria Sp, *Jurnal Penelitian Pertanian Terapan*, **17**, 197-202 <https://doi.org/10.25181/jppt.v17i3.336>.
- Dinh, Q.Q., dan Rodney, S. (2007): Female Pattern Hair Loss: Current Treatment Concepts, *Clinical Interventions in Aging*, **2**, 189–99.
- Duncan, F.J., Kathleen, A.S., Charles, J.J., Benjamin, L.K., Jin, P.S., Sonya, P.K., dan David, E.O., (2013): Endogenous Retinoids in the Pathogenesis of Alopecia Areata, *Journal of Investigative Dermatology*, **133**, 334-43 <https://doi.org/10.1038/jid.2012.344>.
- Ekins, S., Mestres, J., dan Testa, B. (2007): In Silico Pharmacology for Drug Discovery: Methods for Virtual Ligand Screening and Profiling, *British Journal of Pharmacology*, **152**, 9–20 <https://doi.org/10.1038/sj.bjp.0707305>.
- Ellis, J.A., Sinclair, R., dan Harrap, S.B. (2002): Androgenetic alopecia: pathogenesis and potential for therapy, *Expert Reviews in Molecular Medicine*, **19**, 1-11. <https://doi.org/10.1017/S1462399402005112>.
- Elston, D.M., Ferringer, T., Dalton, S., Fillman, E., dan Tyler, W. (2005): A Comparison Of Vertical Versus Transverse Sections In The Evaluation Of Alopecia Biopsy Specimens, *J Am Acad Dermatol*, **53**, 267–72.
- Erlidawati dan Safrida (2018): Potensi Antioksidan Sebagai Antidiabetes, *Cetakan*

*Pertama, Syiah Kuala University Press, Banda Aceh, ISBN 9786025679728.*

- Gnann, L.A., Castro, R.F., Azzalis, L.A., Feder, D., Perazzo, F.F., Pereira, E.C., dan Rosa, P.C.P. (2013): Hematological and Hepatic Effects of Vascular Epidermal Growth Factor (VEGF) Used to Stimulate Hair Growth in an Animal Model, *BMC Dermatology*, **13**, 1-5. <https://doi.org/10.1186/1471-5945-13-15>.
- González, A.G., Freire, R., García-Estrada, M.G., dan Salazar, J.A. (1972): New Sources of Steroid Sapogenins-XIV. 25S-Ruscogenin and Sansevierigenin, Two New Spirostan Sapogenins from Sansevieria Trifasciata, *Tetrahedron*, **28**, 1289-97 [https://doi.org/10.1016/S0040-4020\(01\)93553-7](https://doi.org/10.1016/S0040-4020(01)93553-7).
- Grigore, A., Colceru-Mihul, S., Litescu, S., Panteli, M., dan Rasit, I. (2013): Correlation between Polyphenol Content and Anti-Inflammatory Activity of Verbascum Phlomoides (Mullein), *Pharm. Biol*, **51**, 925–9. doi:10.3109/13880209.2013.767361.
- Gupta, M. A., dan Gupta. (1998): Depression and Suicidal Ideation in Dermatology Patients with Acne, Alopecia Areata, Atopic Dermatitis and Psoriasis, *British Journal of Dermatology*, **139**, 846-50. <https://doi.org/10.1046/j.1365-2133.1998.02511.x>.
- Hamada, K., Thornton, M. J., Laing, I., Messenger, A. G., dan Randall, V. A. (1996): The metabolism of testosterone by dermal papilla cells cultured from human pubic and axillary hair follicles concurs with hair growth in 5 alpha-reductase deficiency. *The Journal of Investigative Dermatology*, **5**, 1017–22. <https://doi.org/10.1111/1523-1747.ep12338582>.
- Harborne, J.B. (1987): Metode Penuntun Cara Modern Menganalisis Tumbuhan, *Terjemahan Kosasih Padmawinata dan Iwang Soediro*, Bandung : Penerbit ITB.
- Harmita, K., Harahap, Y., dan Supandi, S. (2019): Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS), *Edisi Pertama, Isfipenerbitan*, Jakarta Barat, ISBN 978-602-17850-7-2.
- Harrison, S., dan Bergfeld, W. (2009): Diffuse Hair Loss: Its Triggers and Management, *Cleveland Clinic Journal of Medicine*, , **76**, 361-7. <https://doi.org/10.3949/ccjm.76a.08080>.
- Hartini, S. (2001): Warta Tumbuhan Obat Indonesia. *Warta Tumbuhan Obat Indonesia*, **7**, 1–5.
- Heinlein, C.A., dan Chang, C. (2004): Androgen Receptor in Prostate Cancer. *Endocrine Reviews*, **2**, 276–308. <https://doi.org/10.1210/er.2002-0032>.

- Higgins, C.A., dan Christiano, A.M. (2014): Regenerative Medicine and Hair Loss: How Hair Follicle Culture Has Advanced Our Understanding of Treatment Options for Androgenetic Alopecia, *Regenerative Medicine*, **9**, 101-11 <https://doi.org/10.2217/rme.13.87>.
- Huang, M., dan Zhou, X. (2015): Appraisal of Guidelines for Androgenetic Alopecia Using the Appraisal of Guidelines for Research and Evaluation II Instrument, *Journal of Evaluation in Clinical Practice*, <https://doi.org/10.1111/jep.12474>, **21**, 1089-94.
- Headington, J. (1984): Transverse microscopic anatomy of the human scalp, *Arch Dermatol*, **120**, 449–56.
- Hunt, N., dan McHale, S. (2007): The Psychological Impact of Alopecia, *Psychologist*, **331**, 951–3.
- Hsu, C.L., Liu, J.S., Lin, A.C., Yang, C.H., Chung, W.H., dan Wu, W.G. (2014): Minoxidil May Suppress Androgen Receptor-Related Functions. *Oncotarget*, **5**, 2187–97, doi:10.18632/oncotarget.1886.
- Imperato, M. J., Guerrero, L., Gautier, T., dan Peterson, R.E. (1975): Steroid 5 $\alpha$  Reductase Deficiency in Man. An Inherited Form of Male Pseudohermaphroditism, *Birth Defects: Original Article Series*, **30**, 332-3. <https://doi.org/10.1097/00006254-197505000-00017>.
- Inui, S., dan Itami, S. (2011): Molecular Basis of Androgenetic Alopecia: From Androgen to Paracrine Mediators through Dermal Papilla, *Journal of Dermatological Science*, **61**, 1-6, <https://doi.org/10.1016/j.jdermsci.2010.10.015>.
- Irhamni, Setiaty, P., Edison, P., dan Wirsal, H., (2018): Kajian Akumulator Beberapa Tumbuhan Air Dalam Menyerap Logam Berat Secara Fitoremediasi, *Jurnal Serambi Engeneering*, **1**, 75-84 <https://doi.org/10.5281/ZENODO.400012>.
- Jain, R., dan De-Eknamkul, W. (2014): Potential Targets in the Discovery of New Hair Growth Promoters for Androgenic Alopecia, *Expert Opinion on Therapeutic Targets*, **18**, 1-20. <https://doi.org/10.1517/14728222.2014.922956>.
- Jain, R., Monthakantirat, O., Tengamnuay, P., dan De-Eknamkul, W. (2016): Identification of a New Plant Extract for Androgenic Alopecia Treatment Using a Non-Radioactive Human Hair Dermal Papilla Cell-Based Assay, *BMC Complement. Altern. Med*, **16**, 18.
- Karia, S.B., Sousa, A.V, Shah, N., Sonavane, S., dan Bharati, A. (2015): Psychiatric Morbidity and Quality of Life in Skin Diseases: A Comparison of Alopecia Areata and Psoriasis, *Industrial Psychiatry Journal*, **24**, 125-8. <https://doi.org/10.4103/0972-6748.181724>.
- Kaliyadan, F., Nambiar, A., dan Vijayaraghavan, S. (2013): Androgenetic alopecia:

- an update, *Indian J Dermatol Venereol Leprol*, **79**, 613–625.
- Kasmawati, H., Mustarichie, R., Halimah, E., Ruslin, R., dan Arfan, A. (2022): The Identification Of Molecular Mechanisms From Bioactive Compounds in *Sansevieria Trifasciata* Plant as Anti-Alopecia: In-Silico Approach, *Rasayan Journal of Chemistry*, **15**, 925–32.
- Kaufman, K.D. (2002): Androgens and alopecia, *Mol Cell Endocrinol*, **198**, 89–95.
- Kligman, A.M. (1959): The human hair cycle, *The Journal of Investigative Dermatology*, **33**, 307-16. <https://doi.org/10.1038/jid.1959.156>
- Komala, O., Ike, Y., dan Rita, P. (2012): Uji Efektivitas Ekstrak Etanol Daun Lidah Mertua (*Sansevieria trifasciata* Prain) Terhadap Khamir *Candida Albicans*, *Fitofarmaka*, **2**, 146–52.
- Koo, J.Y., Shellow, W.V., Hallman, C.P., dan Edwards, J.E. (1994): Alopecia Areata and Increased Prevalence Of Psychiatric Disorders, *International Journal of Dermatology*, **33**, 849-50. <https://doi.org/10.1111/j.1365-4362.1994.tb01018.x>.
- Krikorian, A. D., (1982): Atlas of Medicinal Plants of Middle America: Bahamas to Yucatan. Julia F. Morton, *The Quarterly Review of Biology*, <https://doi.org/10.1086/412656>.
- Kristanti, A.N., Aminah, N.S., Tanjung, M., dan Kurniadi, B. (2008): Buku Ajar Fitokimia, *Airlangga University Press*, Surabaya, 2008.
- Kwack, M.H., Sung, Y.K., Chung, E.J., Im, S.U., Ahn, J.S., Kim, M.K., dan Kim, J.C. (2008): Dihydrotestosterone-inducible dickkopf 1 from balding dermal papilla cells causes apoptosis in follicular keratinocytes, *The Journal of Investigative Dermatology*, **128**, 262-9. <https://doi.org/10.1038/sj.jid.5700999>.
- Lachgar, S., Charveron, M., Gall, Y., dan Bonafe, J.L. (1998): Minoxidil upregulates the expression of vascular endothelial growth factor in human hair dermal papilla cells, *The British Journal of Dermatology*, **138**, 407-11. <https://doi.org/10.1046/j.1365-2133.1998.02115.x>.
- Laimheheriwa, C., Wullur, A.D., dan Lolo, W.A. (2014): Uji Efek Ekstrak Etanol Daun Lidah Mertua ( *Sansevieria Trifasciata* Prain ) Terhadap Penurunan Kadar Gula Darah Tikus Putih Jantan Galur Wistar ( *Rattus Norvegicus* L .), *Pharmacon Jurnal Ilmiah Farmasi*, **3**, 255-62.
- Laksono, A., Asnani, A., dan Iswanto, P. (2020): Interaction of Mutant PBP2a and Bioactive Compounds from *Streptomyces* with Anti-MRSA Activities, *IOP Conf. Ser. Mater. Sci. Eng*, **959**, 012031, [doi:10.1088/1757-899X/959/1/012031](https://doi.org/10.1088/1757-899X/959/1/012031).
- Lans, C.A. (2006): Ethnomedicines Used in Trinidad and Tobago for Urinary Problems and Diabetes Mellitus, *Journal of Ethnobiology and*

- Ethnomedicine*, **2**, 1-11. <https://doi.org/10.1186/1746-4269-2-45>.
- Innaninengseh, I., dan Ayuswastika, J. (2018): Respon Pertumbuhan Tanaman Lidah Mertua (*Sansivera Sp*) Yang Dibudidaya Pada Jenis Media Tanam Tanah Berbeda Dengan Pemberian Pupuk Bokashi Hijauan Daun Kudo, *Agrovital: Jurnal Ilmu Pertanian*, **2**, 67, <https://doi.org/10.35329/Agrovital.V2i2.131>
- Lombogia, B., Budiarmo, F., dan Bodhi, W. (2016): Uji Daya Hambat Ekstrak Daun Lidah Mertua (*Sansevieriae Trifasciata Folium*) Terhadap Pertumbuhan Bakteri *Escherichia Coli* Dan *Streptococcus Sp*, *Jurnal E-Biomedik*, **4**, 1-5. <https://doi.org/10.35790/ebm.4.1.2016.12230>.
- Lucky, A.W., Piacquadio, D.J., Ditre, C.M., Dunlap, F., Kantor, I., Pandya, A.M., Savin, R.C., dan Tharp, M.D. (2004): A Randomized, Placebo-Controlled Trial of 5% and 2% Topical Minoxidil Solutions in the Treatment of Female Pattern Hair Loss, *Journal of the American Academy of Dermatology*, **50**, 541–53 <https://doi.org/10.1016/j.jaad.2003.06.014>.
- Luo, J., Chen, M., Liu, Y., dan Hongfu, X. (2018): Nature-Derived Lignan Compound VB-1 Exerts Hair Growth-Promoting Effects by Augmenting Wnt/ $\beta$ -Catenin Signaling in Human Dermal Papilla Cells, *PeerJ*. <https://doi.org/10.7717/peerj.4737>.
- Matias, J. R., Malloy, V., dan Orentreich, N., (1989): Animal Models of Androgen-Dependent Disorders of the Pilosebaceous Apparatus - 1. The Androchronogenetic Alopecia (AGA) Mouse as a Model for Male-Pattern Baldness, *Archives of Dermatological Research*, **281**, 247–253. <https://doi.org/10.1007/BF00431058>.
- Meidan, V.M., dan Touitou, E. (2001): Treatments for androgenetic alopecia and alopecia areata: current options and future prospects. *Drugs*, **61**, 53-69. <https://doi.org/10.2165/00003495-200161010-00006>.
- Mella, J.M., Perret, M.C., Manzotti, M., Catalano, H.N., dan Guyatt, G., (2010): Efficacy and Safety of Finasteride Therapy for Androgenetic Alopecia: A Systematic Review, *Archives of Dermatology*, **146**, 1141-50.
- Messenger, A.G., dan Rundegren, J. (2004): Minoxidil: mechanisms of action on hair growth, *The British Journal of Dermatology*, **150**, 186-94. <https://doi.org/10.1111/j.1365-2133.2004.05785.x>
- Mien, D.J., Carolin, W.A., dan Firhani, P.A. (2015): Penetapan Kadar Saponin Pada Ekstrak Daun Lidah Mertua (*Sansevieria Trifasciata Prain Varietas S. Laurentii*) Secara Gravimetri Dumanauw, *Jurnal Ilmu Dan Teknologi Kesehatan*, **2**, 65-9.
- Mimaki, Y., Inoue, T., Kuroda, M., dan Sashida, Y. (1996): Steroidal Saponins

- from *Sansevieria Trifasciata*, *Phytochemistry*, **43**, 1325-31. [https://doi.org/10.1016/S0031-9422\(96\)00397-4](https://doi.org/10.1016/S0031-9422(96)00397-4).
- Mimaki, Y., Inoue, T., Kuroda, M., dan Sashida, Y. (1997): Pregnane Glycosides from *Sansevieria Trifasciata*, *Phytochemistry*, **44**, 107-111 [https://doi.org/10.1016/S0031-9422\(96\)00477-3](https://doi.org/10.1016/S0031-9422(96)00477-3).
- Morris, G.M., Huey, R., Lindstrom, W., Sanner, M.F., Belew, R.K., Goodsell, D.S., dan Olson, A.J. (2009): AutoDock4 and AutoDockTools4: Automated Docking with Selective Receptor Flexibility, *J. Comput. Chem*, **30**, 2785–91.
- Norwood, O.T. (2001): Incidence of Female Androgenetic Alopecia (Female Pattern Alopecia), *Dermatol. Surg*, **27**, 53–54.
- Oh, J.W., Kloeppe, J., Langan, E.A., Kim, Y., Joongyeub, Y., Min, J. K., dan Tsai, C. H., (2016): A Guide to Studying Human Hair Follicle Cycling in Vivo, *Journal of Investigative Dermatology*, **136**, 34-44 <https://doi.org/10.1038/JID.2015.354>.
- Ohnemus, U., Uenalan, M., Inzunza, J., Gustafsson, J.A., dan Paus, R. (2006): The Hair Follicle as an Estrogen Target and Source, *Endocrine Reviews*, **27**, 677-706. <https://doi.org/10.1210/er.2006-0020>.
- Orăsan, M.S., Bolfa, P., Coneac, A., Mitrea, D. R., Moldovan, R., Mihu, C., dan Mureșan, A., (2013): Stimulation of Hair Regrowth Using Low Level Laser Treatment in a Rat Model of Alopecia, *Digest Journal of Nanomaterials and Biostructures*, **8**, 1571-80.
- Orăsan, M.S., Andrei, C., Carmen, M.M., Codruța, M., dan Adriana, M. (2015): Minoxidil and Neoptide Topical Application Reinforced by Low-Level Laser Therapy on an Animal Model of Alopecia, *Studia Universitatis Babeș-Bolyai Chimia*, **60**, 295-308.
- Otberg, N., Andreas, M.F., dan Jerry, S. (2007): Androgenetic Alopecia, *Endocrinology and Metabolism Clinics of North America*, **36**, 379-98 <https://doi.org/10.1016/j.ecl.2007.03.004>.
- Pandit, S., Nagendra, S.C., dan Dixit, V. K. (2008): Effect of *Cuscuta Reflexa* Roxb on Androgen-Induced Alopecia, *Journal of Cosmetic Dermatology*, **7**, 199-204. <https://doi.org/10.1111/j.1473-2165.2008.00389.x>.
- Pasic, A., dan Jasna, L. (2006): Braun-Falco O, Plewig G, Wolff HH, Burgdorf WHC, Landthaler M, Editors. *Dermatologie Und Venerologie*, 5th Edition. Springer Medizin Verlag - Heidelberg; 2005. Format: Hard Cover, **1**, 1579, Parts XV, Chapters 109. ISBN 3-540-40525-9." *Acta Dermatovenerologica Croatica*.
- Patel, S., Mukesh, K.N., Vikas, S., Nagendra, S.C., dan Dixit, V.K. (2014): A Comparative in Vivo and in Vitro Evaluation of Hair Growth Potential of Extracts and an Isolate from Petroleum Ether Extract of *Cuscuta*



- Reflexa Roxb, *Beni-Suef University Journal of Basic and Applied Sciences*, **3**, 165-71 <https://doi.org/10.1016/j.bjbas.2014.10.002>.
- Patel, S., Vikas, S., Nagendra, S.C., Mayank, T., dan Dixit, V, K. (2015): Evaluation of Hair Growth Promoting Activity of *Phyllanthus Niruri*, *Avicenna Journal of Phytomedicine*, **5**, 512–9 <https://doi.org/10.22038/ajp.2015.4631>.
- Paus, R., dan George, C., (1999): The Biology of Hair Follicles, *New England Journal of Medicine*, **341**, 491-7 <https://doi.org/10.1056/NEJM199908123410706>.
- Pradipta dan Aditya. (2011): Pengaruh Metode Ekstraksi Terhadap Aktivitas Antibakteri Ekstrak Etanol Daun *Sansevieria Trifasciata* Prain Terhadap *Staphylococcus Aureus* IFO 13276 DAN *Pseudomonas Aeruginosa* IFO 12689.” *E Journal Uajy*.
- Praptosuwiryo, T.N. (2003): *Sansevieria* Thunb. In: Brink, M., dan Escobin, R.P. (Editors): Plant Resources of South-East Asia No 17. Fibre Plants, *Backhuys Publishers*, Leiden, The Netherlands, 217-221.
- Price, V.H. (1999): Treatment of Hair Loss, *New England Journal of Medicine*, **341**, 964-73. <https://doi.org/10.1056/NEJM199909233411307>.
- Price, V.H. (2003): Androgenetic Alopecia In Women, *Journal Of Investigative Dermatology Symposium Proceedings*, **8**, 24–27. <https://doi.org/10.1046/J.1523-1747.2003.12168>.
- Purwantini, I., Rima M., dan Naniek, D. (2008): Kombinasi Daun Teh dan Daun Mangkokan Sebagai Penumbuh Rambut, *Majalah Obat Tradisional*, **13**, 43.
- Rahim, F., Revi, Y., dan Putri, R. (2016): Karakterisasi dan Praformulasi Ekstrak Kering Daun Lidah mertua (*Sansevieria trifasciata* Prain), *Scientia*, **6**.
- Rahmatullah, M., Khatun, Z., Hasan, A., Parvin, W., Moniruzzaman, M., Khatun, A., Mahal, M.J., Bhuiyan, M.S., Mou, M., dan Jahan, R. (2012): Survey and Scientific Evaluation of Medicinal Plants Used by the Pahan and Teli Tribal Communities of Natore District, Bangladesh, *African Journal of Traditional, Complementary and Alternative Medicines*, **9**, 366-73. <https://doi.org/10.4314/ajtcam.v9i3.10>.
- Randall, V.A. (2008): Androgens and Hair Growth, *Dermatologic Therapy*, **21**, 314-28. <https://doi.org/10.1111/j.1529-8019.2008.00214.x>.
- Rashid, Z., Ali, A., Douzenel, P., Bourgougnon, N., Shaari, K., Andriani, Y., Tengku Muhammad, T., dan Mohamad, H. (2018): Phenolics, Fatty Acids Composition and Biological Activities of Various Extracts and Fractions of Malaysian *Aptos Aptos*, *Asian Pac. J. Trop. Biomed.* **8**, 554, doi:10.4103/2221-1691.245971.

- Rathnayake, D., dan Sinclair, R. (2010): Male Androgenetic Alopecia, *Expert Opinion on Pharmacotherapy*, **21**, 314-28. <https://doi.org/10.1517/14656561003752730>.
- Ratnani, R.D., Indah, H., dan Yance, A. (2015): Standardisasi Spesifik dan Non Spesifik Ekstraksi Hidrotropi Andrographolid dari Sambiloto (*Andrographis paniculata*), *Prosiding Seminar Nasional Peluang Herbal Sebagai Alternatif Medicine*, Semarang.
- Rebora, A. (2001): Baldness and Coronary Artery Disease: The Dermatologic Point of View of a Controversial Issue, *Archives of Dermatology*, **137**, 943-947. doi:10-1001/pubs.
- Rho, S.S., Park, S.J., Hwang, S.L., Lee, M.H., Kim, C.D., Lee, I.H., Chang, S.Y., dan Rang, M.J. (2005): The hair growth promoting effect of *Asiasari radix* extract and its molecular regulation, *Journal of Dermatological Science*, **38**, 89-97. <https://doi.org/10.1016/j.jdermsci.2004.12.025>.
- Roell, D., dan Baniahmad, A. (2011): The natural compounds atraric acid and N-butylbenzene-sulfonamide as antagonists of the human androgen receptor and inhibitors of prostate cancer cell growth, *Molecular and Cellular Endocrinology*, **332**, 1-8. <https://doi.org/10.1016/j.mce.2010.09.013>.
- Roh, S.S., Kim, C.D., Lee, M.H., Hwang, S.L., Rang, M.J., dan Yoon, Y.K. (2002): The hair growth promoting effect of *Sophora flavescens* extract and its molecular regulation, *Journal of Dermatological Science*, **30**, 43-9. [https://doi.org/10.1016/s0923-1811\(02\)00060-9](https://doi.org/10.1016/s0923-1811(02)00060-9).
- Rosanti, D. (2017): Keanekaragaman Morfologi Daun *Sansevieria* (Lidah Mertua) Yang Tersebar Di Kota Palembang, *Ejournal*, **14**, 65-72.
- Rossi, A., Cantisani, C., Melis, L., Iorio, A., Scali, E., dan Calvieri, S. (2012): Minoxidil Use in Dermatology, Side Effects and Recent Patents, *Recent Pat. Inflamm. Allergy Drug Discov.*, <https://doi.org/10.2174/187221312800166859>.
- Saitoh, M., Uzuka, M., dan Sakamoto, M., (1970): Human Hair Cycle, *The Journal of Investigative Dermatology*, **54**, 65-81. <https://doi.org/10.1111/1523-1747.ep12551679>.
- Santos, Z., Avci, P., dan Hamblin, M.R. (2015): Drug Discovery for Alopecia: Gone Today, Hair Tomorrow, *Expert Opin. Drug Discov*, **10**, 269-92.
- Sari, D.E., Sulfiani, S., Fitrianti, F., dan Kumalasari, A.S. (2021): Senyawa Tumbuhan Metabolit Sekunder Agen Pengendali Organisme Pengganggu Tumbuhan, *Edisi Pertama, Bintang Pustaka Madani*, Yogyakarta.
- Sawaya, M.E., dan Price, V.H. (1997): Different Levels of 5alpha-reductase type I and II, Aromatase, and Androgen Receptor in Hair Follicles of

- Women and Men with Androgenetic Alopecia, *The Journal of Investigative Dermatology*, **109**, 296-300, <https://doi.org/10.1111/1523-1747.ep12335779>.
- Schmitt, A., Zeltner, R., Iftner, T., Rochat, A., Barrandon, Y., Borenstein, L., dan Wettstein, F. O., (1996): The Primary Target Cells of the High-Risk Cottontail Rabbit Papillomavirus Colocalize with Hair Follicle Stem Cells, *Journal of Virology*, **70**, 1912-22.
- Schweiger, E.S., Boychenko, O., dan Bernstein, R.M. (2010): Update on the Pathogenesis, Genetics and Medical Treatment of Patterned Hair Loss, *Journal of Drugs in Dermatology*, **9**, 1412-9.
- Shankar, D.K., Chakravarthi, M., dan Shilpakar, R. (2009): Male androgenetic alopecia: Population-based study in 1,005 subjects, *Int J Trichol*, **1**, 131-3.
- Shapiro, J., dan Price, V. H. (1998): Hair Regrowth: Therapeutic Agents, *Dermatologic Clinics*, **16**, 341-56. [https://doi.org/10.1016/S0733-8635\(05\)70017-6](https://doi.org/10.1016/S0733-8635(05)70017-6).
- Sonthalia, S., Daulatabad, D., dan Tosti, A. (2016): Hair Restoration in Androgenetic Alopecia: Looking Beyond Minoxidil, Finasteride and Hair Transplantation, *Journal of Cosmetology & Trichology*, **2**, 1-13 <https://doi.org/10.4172/2471-9323.1000105>.
- Sperling, L.C. (2001): Hair and Systemic Disease, *Dermatologic Clinics*, **19**, 711-26. [https://doi.org/10.1016/S0733-8635\(05\)70310-7](https://doi.org/10.1016/S0733-8635(05)70310-7).
- Sperling, L.C., Cowper, S.E., dan Knopp, E.A. (2012): An Atlas of Hair Pathology with Clinical Correlations, *Second Edition, Informa Helathcare*, New Haven, USA.
- Stephanie, A. (2018): Tatalaksana Alopesia Androgenetik, *Cdk*, **45**, 582–7.
- Stough, D.B., dan John, E.M. (1997): Male Pattern Alopecia. *Dermatologic Clinics*, **15**, 609-22. [https://doi.org/10.1016/s0733-8635\(05\)70470-8](https://doi.org/10.1016/s0733-8635(05)70470-8).
- Stough, D., Stenn, K., Haber, R., Parsley, W.M., Vogel, J.E., Whiting, D.A., dan Washenik, K. (2005): Psychological Effect, Pathophysiology, and Management of Androgenetic Alopecia in Men, *Mayo Clinic Proceedings*, **80**, 1316-22.
- Sun, J., Silva, K.A., McElwee, K.J., King, L.E., dan Sunberg, J.P. (2008): The C3H/HeJ Mouse and DEBR Rat Models for Alopecia Areata: Review of Preclinical Drug Screening Approaches and Results, *Experimental Dermatology*, **17**, 793-805. <https://doi.org/10.1111/j.1600-0625.2008.00773.x>.
- Swee, W., Karl, C. K., dan Lambert, L.A. (2000): A Nationwide Outbreak of Alopecia Associated with the Use of a Hair-Relaxing Formulation,

- Archives of Dermatology*, **136**, 1104-8.  
<https://doi.org/10.1001/archderm.136.9.1104>.
- Takashima, I., Adachi, K., dan Montagna, W. (1970): Studies of Common Baldness in the Stumptailed Macaque. IV. In Vitro Metabolism of Testosterone in the Hair Follicles, *The Journal of Investigative Dermatology*, **55**, 329-34. <https://doi.org/10.1111/1523-1747.ep12260204>.
- Takashima, I., dan Montagna, W. (1971): Studies of Common Baldness of the Stump-Tailed Macaque (*Macaca Speciosa*): VI. The Effect of Testosterone on Common Baldness, *Archives of Dermatology*, **103**, 527-34. <https://doi.org/10.1001/archderm.1971.04000170061017>.
- Tanaka, S., Saito, M., dan Tabata, M. (1980): Bioassay of Crude Drugs for Hair Growth Promoting Activity in Mice by a New Simple Method, *Planta Medica*, **40**, 84-90. <https://doi.org/10.1055/s-2008-1075009>.
- Tchegnitegni, B.T., Teponno, R.B., Tanaka, C., Gabriel, A.F., Tapandjou, L.A., dan Miyamoto, T. (2015): Sappanin-Type Homoisoflavonoids from *Sansevieria Trifasciata* Prain, *Phytochemistry Letters* **12**, 262-6, <https://doi.org/10.1016/j.phytol.2015.04.017>.
- Terstappen, G.C., dan Reggiani, A. (2001): In Silico Research in Drug Discovery, *Trends in Pharmacological Sciences*, **22**, 23-6. [https://doi.org/10.1016/S0165-6147\(00\)01584-4](https://doi.org/10.1016/S0165-6147(00)01584-4).
- Thornton, M.j., Taylor, A.H., Mulligan, K., Al-Azzawi, F., Lyon, C. C., O'Driscoll, J., dan Messenger, A.G. (2003). The Distribution of Estrogen Receptor  $\beta$  Is Distinct to That of Estrogen Receptor  $\alpha$  and the Androgen Receptor in Human Skin and the Pilosebaceous Unit. *Journal of Investigative Dermatology Symposium Proceedings*, **1**, 100–3. <https://doi.org/10.1046/j.1523-1747.2003.12181.x>
- Thu, Z.M., Oo, S.M., Nwe, T.M., Aung, H.T., Armijos, C., Hussain, F.H.S., dan Vidari, G. (2021): Structures and Bioactivities of Steroidal Saponins Isolated from the Genera *Dracaena* and *Sansevieria*. *Molecules*, **26**, 1916.
- Tosti, A., dan Bruna, D.E. (2009): Treatment Strategies for Alopecia, *Expert Opinion on Pharmacotherapy*, **10**, 1017-26 <https://doi.org/10.1517/14656560902876368>.
- Tribalat, L., Paise, O., Dessalces, G., Grenier-Loustalot, M.F. (2006): Advantages of LC–MS–MS Compared to LC–MS for the Determination of Nitrofurantoin Residues in Honey, *Anal. Bioanal. Chem*, **386**, 2161–8.
- Trilisnawati, D., Diba, S., Kurniawati, Y., Nugroho, S.A., Rusmawardiana, R., dan Pamudji, R. (2021): Update Treatment of Male Androgenetic Alopecia, *Berk. Ilmu Kesehatan Kulit dan Kelamin*, **33**, 63. <https://doi.org/10.20473/bikk>.

- Trueb, R.M. (2002): Molecular Mechanisms of Androgenetic Alopecia, *Experimental Gerontology*, **37**, 981-90. [https://doi.org/10.1016/S0531-5565\(02\)00093-1](https://doi.org/10.1016/S0531-5565(02)00093-1).
- Trueb, R.M. (2008): Diffuse Hair Loss, In *Hair, Hair Growth and Hair Disorders*, **13**, 259-72. [https://doi.org/10.1007/978-3-540-46911-7\\_13](https://doi.org/10.1007/978-3-540-46911-7_13).
- Tsuboi, R. (1997): Growth factors and hair growth, *The Journal of Investigative Dermatology*, **4**, 103-8.
- Uno, H., Cappas, A., dan Brigham, P. (1987): Action of topical minoxidil in the bald stump-tailed macaque. *J Am Acad Dermatol*, **16**, 657- 68.
- Utami, Y.P., Abdul, H.U., Reny, S., dan Indah, K. (2017): Standarisasi Simplisia dan Ekstrak Daun Leleim (*Clerodendrum minahasae* Teijsjm & Binn.), *Journal of Pharmaceutical and Medicinal Science*, **2**, 32-9.
- van Royen, M.E., van Cappellen, W.A., de Vos, C., Houtsmuller, A.B., dan Trapman, J. (2012): Stepwise androgen receptor dimerization. *Journal of Cell Science*, **8**, 1970–9. <https://doi.org/10.1242/jcs.096792>
- Wang, Q., Carroll, J.S., dan Brown, M. (2005): Spatial and temporal recruitment of androgen receptor and its coactivators involves chromosomal looping and polymerase tracking. *Molecular Cell*, **5**, 631–42. <https://doi.org/10.1016/j.molcel.2005.07.018>.
- Wang, T.L., Zhou, C., Shen, Y.W., Wang, X.Y., Ding, X.L., Tian, S. (2010): Prevalence of androgenetic alopecia in China: A community-based study in six cities. *Br J Dermatol*, **162**, 843-7.
- Whiteley, H. J. (1958): Studies on Hair Growth in the Rabbit, *Journal of Anatomy*, **92**, 563–7.
- Xiao, J.F., Zhou, B., dan Resson, H.W. (2012): Metabolite Identification and Quantitation in LC-MS/MS-Based Metabolomics, *TrAC Trends Anal. Chem*, **32**, 1–14. doi:10.1016/J.TRAC.2011.08.009.
- Yumna, M., Angelina, Abdullah, Arbianti, A., Utami, T.S., dan Hermansyah, H., (2018): Effect of Mother-in-Law's Tongue Leaves (*Sansevieria Trifasciata*) Extract's Solvent Polarity on Anti-Diabetic Activity through in Vitro  $\alpha$ -Glucosidase Enzyme Inhibition Test, In *E3S Web of Conferences*, **67**. <https://doi.org/10.1051/e3sconf/20186703003>.
- Yun, S.I., Lee, S.K., Goh, E.A., Kwon, O.S., Choi, W., Kim, J., Lee, M.S., Choi, S.J., Lim, S.S., Moon, T.K. (2022): Weekly Treatment with SAMiRNA Targeting the Androgen Receptor Ameliorates Androgenetic Alopecia. *Sci. Rep*, **12**, 1607, doi:10.1038/s41598-022-05544-w.
- Yunisa, T.R., Susanto, N.S., Estiasih, T., dan Panca, N.I. (2017): Potensi Daun Lidah Mertua 52 52 (*Sansevieria trifasciata*) Sebagai Biosorben

Logam Timbal, *Jurnal Pangan Dan Agroindustri*, **5**, 66–70.