

DAFTAR PUSTAKA

- Abdulah, R., & Barliana, M. I. (2015). Potentially Inappropriate Medication Use for Geriatric Population in Bandung City. *Indonesian Journal of Clinical Pharmacy*, 4(3), 226–233. <https://doi.org/10.15416/ijcp.2015.4.3.226>
- Aisyah, S., Andini, M. D., & Saputra, G. H. (2021). *DI KLINIK JANTUNG RUMAH SAKIT ISLAM JAKARTA CEMPAKA PUTIH PERIODE OKTOBER-DESEMBER 2018*. 1(1), 74–80.
- Bhagavathula, A. S., Gebreyohannes, E. A., & Fialova, D. (2022). Prevalence of Polypharmacy and Risks of Potentially Inappropriate Medication Use in the Older Population in a Developing Country: A Systematic Review and Meta-Analysis. *Gerontology*, 68(2), 136–145. <https://doi.org/10.1159/000516075>
- Borah, L., Devi, D., Debnath, P. K., & Deka, D. (2017). A study of drug utilization pattern of the geriatric patients in the department of geriatric medicine in a tertiary care hospital in Assam, India. *Asian Journal of Pharmaceutical and Clinical Research*, 10(2), 122–126. <https://doi.org/10.22159/ajpcr.2017.v10i2.14762>
- Fick, D. M., Semla, T. P., Steinman, M., Beizer, J., Brandt, N., Dombrowski, R., DuBeau, C. E., Pezzullo, L., Epplin, J. J., Flanagan, N., Morden, E., Hanlon, J., Hollmann, P., Laird, R., Linnebur, S., & Sandhu, S. (2019a). American Geriatrics Society 2019 Updated AGS Beers Criteria® for Potentially Inappropriate Medication Use in Older Adults. *Journal of the American Geriatrics Society*, 67(4), 674–694. <https://doi.org/10.1111/jgs.15767>
- Fick, D. M., Semla, T. P., Steinman, M., Beizer, J., Brandt, N., Dombrowski, R., DuBeau, C. E., Pezzullo, L., Epplin, J. J., Flanagan, N., Morden, E., Hanlon, J., Hollmann, P., Laird, R., Linnebur, S., & Sandhu, S. (2019b). American Geriatrics Society 2019 Updated AGS Beers Criteria® for Potentially Inappropriate Medication Use in Older Adults. *Journal of the American Geriatrics Society*, 67(4), 674–694. <https://doi.org/10.1111/jgs.15767>
- Fick, D., Semla, T., Beizer, J., Brandt, N., Dombrowski, R., DuBeau, C. E., Flanagan, N., Hanlon, J., Hollmann, P., Linnebur, S., Nau, D., Rehm, B.,

- Sandhu, S., & Steinman, M. (2012). American Geriatrics Society updated Beers Criteria for potentially inappropriate medication use in older adults. In *Journal of the American Geriatrics Society* (Vol. 60, Issue 4, pp. 616–631). <https://doi.org/10.1111/j.1532-5415.2012.03923.x>
- He, D., Zhu, H., Zhou, H., Dong, N., & Zhang, H. (2021). Potentially inappropriate medications in Chinese older adults: a comparison of two updated Beers criteria. *International Journal of Clinical Pharmacy*, 43(1), 229–235. <https://doi.org/10.1007/s11096-020-01139-5>
- Indonesian MoH. (2016). Elderly Condition in Indonesia. *Report*, 8.
- Kementerian Kesehatan Republik Indonesia. (2016). Profil Kesehatan Indonesia 2016. In *Profil Kesehatan Provinsi Bali*. <http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/Profil-Kesehatan-Indonesia-2016.pdf>
- Kementerian Kesehatan Republik Indonesia/Kemenkes RI. (2018). Laporan_Nasional_RKD2018_FINAL.pdf. In *Badan Penelitian dan Pengembangan Kesehatan* (p. 674). http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf
- Li, Y., Hu, J., Gao, Y. Z., Zhou, F., Zhu, Z. H., Zhang, B. F., Zhu, K., Zhu, J. G., & Zhang, J. J. (2021). Prevalence and determinants of potentially inappropriate medications prescribing in elderly patients in chinese communities. *Annals of Palliative Medicine*, 10(2), 2072–2079. <https://doi.org/10.21037/apm-21-32>
- M. Sopiyudin, D. (2020). *Statsitik Untuk Kedokteran Dan Kesehatan*.
- Minister of Health Republic of Indonesia. (2920). Indonesia Health Profile 2020. In *Jakarta*.
- Muharni, S., Aryani, F., Fadillah, R., & Tinggi Ilmu Farmasi Riau, S. (n.d.). ANALISIS JUMLAH OBAT TERHADAP POTENTIALLY INAPPROPRIATE MEDICATIONS (PIMs) BERDASARKAN BEERS CRITERIA 2015 PADA PASIEN HIPERTENSI GERIATRI DI PUSKESMAS SIDOMULYO KOTA PEKANBARU. *Jurnal Penelitian*

Farmasi Indonesia, 7(2), 2019.

- Nam, Y. S., Han, J. S., Kim, J. Y., Bae, W. K., & Lee, K. (2016). Prescription of potentially inappropriate medication in Korean older adults based on 2012 Beers Criteria: A cross-sectional population based study. *BMC Geriatrics*, 16(1), 1–9. <https://doi.org/10.1186/s12877-016-0285-3>
- Namirah Muh. Syuaib AS, A., Darmawan, E., & Mustofa, M. (2015). PENGGUNAAN POTENTIALLY INAPPROPRIATE MEDICATIONS (PIMs) PADA PASIEN GERIATRI RAWAT INAP OSTEOARTHRITIS DI RS PKU MUHAMMADIYAH YOGYAKARTA. *Pharmaciana*, 5(1), 77–84. <https://doi.org/10.12928/pharmaciana.v5i1.2289>
- Negara, Y. R., Machlaurin, A., & Rachmawati, E. (2016). *Digital Digital Repository Repository Universitas Universitas Jember Jember (Potentially Inappropriate Medication Based on Beers Criteria in Geriatric Outpatients of dr . Soebandi District Hospital in Jember) Digital Digital Repository Repository Univer*. 14–19.
- Nurmainah, N., & Astuti, R. (2022). Detection of Potentially Inappropriate Medication in Elderly Outpatient Based on The Beer's Criteria 2019. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 9(1), 82–91. <https://doi.org/10.20473/jfiki.v9i12022.82-91>
- PIMs Beers Criteria RSI Pondok Kopi*. (n.d.).
- Rumore, M. M., & Vaidean, G. (2012). Development of a Risk Assessment Tool for Falls Prevention in Hospital Inpatients Based on the Medication Appropriateness Index (MAI) and Modified Beer's Criteria. *INNOVATIONS in Pharmacy*, 3(1). <https://doi.org/10.24926/iip.v3i1.256>
- Samuel, M. J. (2015). American Geriatrics Society 2015 updated beers criteria for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*, 63(11), 2227–2246. <https://doi.org/10.1111/jgs.13702>
- Simamora, S., Akbar, W. M., & Mangunsong, S. (2021). Narrative Review: Implementation of Pharmaceutical Care in Hypertension in Indonesia. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 7(3), 260–

270. <https://doi.org/10.22487/j24428744.2021.v7.i3.15662>
- Statistik Penduduk Lanjut Usia 2020.* (n.d.).
- Tao, L., Qu, X., Gao, H., Zhai, J., Zhang, Y., & Song, Y. (2021). Polypharmacy and potentially inappropriate medications among elderly patients in the geriatric department at a single-center in China: A retrospective cross-sectional study. *Medicine*, 100(42), e27494.
<https://doi.org/10.1097/MD.00000000000027494>